Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Acti9 - comb busbar - 3L - 18 mm pitch - 6 modules - 100A

Local distributor code:

402644815

A9XPH306

EAN Code: 3606480747953

Main

Range	Acti9
Product or component type	Comb busbar
Mounting mode	Horizontal
Accessory / separate part category	Connection accessory
Lines description	3L
Length in 18 mm modules	6
Standards	EN/IEC 61439-1

Complementary

,		
Number of ways	2 ways 3 L	
Distribution type	L1 L2 L3	
Poles configuration for 1 way	1 x 3P	
Connection pitch	18 mm	
Connector type	Tooth	
Distance between way	54 mm	
Marking	L1 L2 L3	
Insulation	Insulated	
Device presentation	Cuttable	
[le] rated operational current	100 A at 40 °C	
[Ue] rated operational voltage	415 V AC	
[Ui] rated insulation voltage	500 V AC conforming to IEC 61439-2	
Mounting location	Top or bottom on tunnel type terminals Top or bottom on double terminal	
9 mm pitches	12	
Width	110 mm	
Colour	White (RAL 9003)	
Range compatibility	Acti9 Acti9 iC60 Acti9 Acti9 iK60 Acti9 Acti9 iID Acti9 Acti9 iID K Acti9 Acti9 iSW	

Environment

Acti9 Acti9 iSW-NA Multi9 Multi9 C60

Fire resistance	960 °C (30 s) conforming to IEC 60695-2-1	
Pollution degree	3 conforming to IEC 60947-7-1	
IP degree of protection	IP20 with and piaces and teeth covers	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.600 cm
Package 1 Width	3.000 cm
Package 1 Length	11.000 cm
Package 1 Weight	45.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	5.500 cm
Package 2 Width	8.500 cm
Package 2 Length	24.500 cm
Package 2 Weight	515.000 g
Unit Type of Package 3	S02
Number of Units in Package 3	80
Package 3 Height	15.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	4.430 kg

Logistical informations

DE

Country of origin

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	4	
Environmental Disclosure	Product Environmental Profile	

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
SCIP Number	12618b2a-bc0e-4c2d-bb7b-9185c26e01fe
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins