

PRODUCT DATASHEET

Product: **Fatigue Fighter 2**

Standard Mat Size m. Width X Length	Weight Kg.	Packaging Size m.	Package Type	Package Volume m	Package Quantity	Colours
0.6 x 0.9	2	0.8 x 0.19 x 0.19	Box	0.029	1	Black
0.9 x 1.5	6	0.97 x 0.19 x 0.19	Box	0.035	1	Black
0.9 x 3.65	15	1.02 x 0.33 x 0.33	Box	0.11	1	Black
0.6 x 18.3	44	1.02 x 0.6 x 0.6	Box	0.37	1	Black
0.6 x per linear mtr	2.4	Dependent on length	Shrink Wrapped	Dependent on quantity	1	Black
0.9 x 18.3	69	1.02 x 0.6x 0.6	Box	0.37	1	Black, Blue or Green
0.9 x per linear mtr	3.8	Dependent on length	Shrink Wrapped	Dependent on quantity	1	Black
1.2 x 18.3	90	1.3 x 0.6 x 0.6	Box	0.47	1	Black
1.2 x per linear mtr	4.9	Dependent on length	Shrink Wrapped	Dependent on quantity	1	Black

- Contact sales department for special length and widths requirements.

Material: Virgin Closed Cell PVC (Foam)
Surface Finish: Pebble wear resistant top surface
Product Height: 12.5mm nominal
Operating Temperature: 0° to 60° C
Resistance to Chemicals: PVC is resistant to many different chemicals, alkalis and general industrial chemicals. Resist alcohol's, aliphatic hydrocarbons, oils , weak acids, strong mineral acids and alkalis. Resists oil and grease if properly cleaned. Does not resist organic solvents, ketones, esters and aromatic hydrocarbons. Please contact the sales office for more specific details.

Environmental Resistance: Suitable for dry indoor environments.
UV Resistance: N/A
Typical Applications: Production lines, assembly areas, packing stations, workbenches and retail cashier stations.
Installation Method: Loose lay.
Cleaning Method: Brush/mop the top surface.

Product Performance:

Fatigue:
Slip Resistance:	..
Wear:	...
Low → High	. → ●●●

Flame Retardancy: Conforms to FMVSS 302.
 Will not burn after the ignition source is removed. When 'forced' to burn, Carbon Monoxide, Carbon Dioxide and Hydrogen Chloride fumes are emitted.

Country of Origin: USA

The information contained within this datasheet is for guidance only. The data and suggested applications included are not exhaustive. All dimensions quoted are nominal figures.

**PLEASE NOTE THAT MATTING PRODUCTS MAY BE SUBJECT TO A DEGREE OF SHRINKAGE
WHEN INSTALLED INTO SOME APPLICATIONS.**