





stainless steel accessories

1843 equal elbow BSP parallel thread





C		E	G	J	L	Δ kg
1/8	1843 10 10	7,5	17,5	12	22,5	0,044
1/4	1843 13 13	11	18,5	15	26,5	0,051
3/8	1843 17 17	11,5	23,5	18	29	0,077
1/2	1843 21 21	15	28	23	38	0,160

1845 equal tee, triple BSP parallel female





C		E	G	H1	J	$\frac{L}{2}$	Δ kg
1/8	1845 10 10	7,5	17,5	22,5	12	22,5	0,061
1/4	1845 13 13	11	18,5	26,5	15	26,5	0,074
3/8	1845 17 17	11,5	23,5	29	18	29	0,147
1/2	1845 21 21	15	28	38	23	38	0,224

1817 bulkhead adaptor, BSP parallel





C		F	F1	K _{maxi}	L1	L2	T _{mini}	Δ kg
1/8	1817 00 10	19	22	9	14	4	16,5	0,033
1/4	1817 00 13	24	27	15	21	4	20,5	0,057
3/8	1817 00 17	30	32	14	21	5	26,5	0,096
1/2	1817 00 21	32	36	20	27	6	28,5	0,117

1855 double female sleeve, BSP parallel thread



C		F	L	Δ kg
1/8	1855 10 10	14	17	0,013
1/4	1855 13 13	17	24	0,023
3/8	1855 17 17	22	25	0,042
1/2	1855 21 21	27	32	0,077



1862 reducer/increaser double female sleeve, BSP parallel thread



C1	C2		F	L	Δ kg
1/4	1/8	1862 13 10	17	20,5	0,023
3/8	1/8	1862 17 10	22	21	0,042
3/8	1/4	1862 17 13	22	24,5	0,048
1/2	1/4	1862 21 13	27	28,5	0,084
1/2	3/8	1862 21 17	27	29	0,080



stainless steel accessories

1864 male NPT to female parallel BSP adaptor





C			E	F	L	Δ kg Δ	
1/8	1864	11	10	7,5	14	21,5	0,014
1/4	1864	14	13	11	17	30	0,027
3/8	1864	18	17	11,5	22	31	0,043
1/2	1864	22	21	15	27	39,5	0,079

1867 male BSP taper to female NPT adaptor





C			E	F	L	Δ kg Δ	
1/8	1867	10	11	8	14	21	0,014
1/4	1867	13	14	11,5	17	28,5	0,027
3/8	1867	17	18	12	22	29,5	0,044
1/2	1867	21	22	15,5	27	37,5	0,080

1863 reducer male taper BSP to female parallel BSP



C1	C2			F	L	Δ kg Δ	
1/4	1/8	1863	13	10	14	16	0,008
3/8	1/8	1863	17	10	17	16,5	0,018
3/8	1/4	1863	17	13	17	16,5	0,011
1/2	1/4	1863	21	13	22	21	0,035
1/2	3/8	1863	21	17	22	21	0,022

1861 increaser male taper BSP to female parallel BSP



C1	C2			E	F	L	Δ kg Δ	
1/8	1/4	1861	10	13	11	17	24	0,021
1/8	3/8	1861	10	17	11,5	22	25	0,037
1/4	3/8	1861	13	17	11,5	22	28,5	0,041
1/4	1/2	1861	13	21	15	27	32,5	0,069
3/8	1/2	1861	17	21	15	27	33	0,070

Visual identification of NPT threads for part numbers 1864, 1867

