

Nanonics


TE Internal #: 1-1589072-2

Nanominiature Connector, Receptacle, 50 ohm, Screw, 60 – 1 GHz, Wire-to-Board, 2 Position, Printed Circuit Board, Board Mount

View on TE.com >



Connectors > RF Connectors > Coax Connectors > NANONICS Connectors: Coaxial Cable, Receptacle Assembly



RF Interface: Nanominiature

RF Connector Style: Receptacle

Impedance: 50Ω

Compatible With RF Cable Type: **RG 178**RF Connector Coupling Mechanism: **Screw**

All NANONICS Connectors: Coaxial Cable, Receptacle Assembly (11)

Features

Product Type Features

| Connector Product Type | Connector Assembly |
|-----------------------------------|-----------------------|
| RF Interface | Nanominiature |
| RF Connector Style | Receptacle |
| Compatible With RF Cable Type | RG 178 |
| Connector System | Wire-to-Board |
| Connector & Contact Terminates To | Printed Circuit Board |

Configuration Features

| PCB Mount Orientation | Horizontal |
|----------------------------|------------|
| Number of Positions | 2 |
| Number of Coaxial Contacts | 2 |

Electrical Characteristics

| Impedance 50Ω |
|-----------------------|
|-----------------------|

Body Features

| Cable Connector Orientation | Right Angle |
|-----------------------------|--------------------|
| Body Material | Aluminum |
| Body Plating Material | Electroless Nickel |

Contact Features



| RF Connector Center Contact Plating Material | Gold (Au) |
|--|----------------------------|
| Termination Features | |
| Termination Method to PCB | Surface Mount |
| Termination Method to Wire & Cable | Solder |
| Mechanical Attachment | |
| RF Connector Coupling Mechanism | Screw |
| Connector Mounting Type | Board Mount |
| RF Contact Captivation Method | Solder |
| Usage Conditions | |
| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] |
| Operation/Application | |
| Operating Frequency | 60 – 1 GHz |
| Other | |
| Dielectric Material | PTFE |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| ELLD-LIC Discostino 2011// E/ELL | Night Compality at |
|---|---|
| EU RoHS Directive 2011/65/EU | Not Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (40% in 74026122) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free |
| Solder Process Capability | Not lead free process capable |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these




limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought















Documents

Product Drawings

CX020L2HN = COAX

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1589072-2_H_c-1-1589072-2-h.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1589072-2_H_c-1-1589072-2-h.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1589072-2_H_c-1-1589072-2-h.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Nanominiature Connector, Receptacle, 50 ohm, Screw, 60 – 1 GHz, Wire-to-Board, 2 Position, Printed Circuit Board, Board Mount



1589072 Nanonics Cross Reference

English