


Busbar support 3,200 A 1 set = 2 units



| Model                                                                      |                            |
|----------------------------------------------------------------------------|----------------------------|
| product brand name                                                         | SIVACON S4                 |
| product designation                                                        | Main busbar support        |
| design of the product                                                      | holder 3200 A              |
| General technical data                                                     |                            |
| number of poles                                                            | 4                          |
| Main circuit                                                               |                            |
| operational current rated value maximum                                    | 3 410 A                    |
| type of connectable conductor cross-sections for copper conductor stranded | 20x10, 30x10, 40x10, 50x10 |
| Mechanical Design                                                          |                            |
| height                                                                     | 180 mm                     |
| width                                                                      | 320 mm                     |
| depth                                                                      | 30 mm                      |
| busbar center-to-center spacing                                            | 80 mm                      |
| net weight                                                                 | 2 470 g                    |
| Approvals Certificates                                                     |                            |
| General Product Approval                                                   | other                      |

[Miscellaneous](#)



[Confirmation](#)

| other                         | Environment                                       |
|-------------------------------|---------------------------------------------------|
| <a href="#">Miscellaneous</a> | <a href="#">Environmental Con-<br/>firmations</a> |
|                               | <a href="#">Environmental Con-<br/>firmations</a> |

| Further information                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Information on the packaging<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                                                                          |
| Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                                                 |
| Industry Mall (Online ordering system)<br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ4000-0BA04">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ4000-0BA04</a>                                          |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)<br><a href="https://support.industry.siemens.com/cs/ww/en/ps/8PQ4000-0BA04">https://support.industry.siemens.com/cs/ww/en/ps/8PQ4000-0BA04</a>                                                |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)<br><a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ4000-0BA04">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ4000-0BA04</a> |

---

last modified:

4/4/2025 

