

Product Information

MOVING YOUR WORLD



SILKOLENE WASH-OFF

High performance motorcycle cleaner.

Description

A cost-effective spray-on / hose-off bike cleaner suitable for use on all street and off-road motorcycles as well as ATV's and pedal cycles including Mountain bikes. SILKOLENE WASH-OFF has been specially designed to rapidly remove all types of dirt from metals and plastics with minimum effort. SILKOLENE WASH-OFF can be used to clean unprotected aluminium alloy components without corrosive effects as well as plastics, paint, rubber and glass surfaces. All can be cleaned again and again without deterioration or cracking.

Application

Apply neat with a hand pump-spray, rinse well and finish off with SILKOLENE PRO PREP for that elusive, gleaming 'factory finish'. Avoid applying on hot surfaces. SILKOLENE WASH-OFF is also suitable for use in pressure washers.

Advantages

- Suitable for all motorcycles, scooters, ATV and UTV
- Cuts through dirt and grime easily and quickly
- Safe to use on plastics, paint, rubber and glass without causing deterioration
- Safe to use on carbon fibre

Specifications

- -

Approvals

- -

FUCHS Recommendations

- -

Product Information

MOVING YOUR WORLD



TYPICAL CHARACTERISTICS

Density at 15°C	DIN 51757	1 g/cm ³
pH-value	DIN 51369	12
Product Dyeing		green

Product Information

MOVING YOUR WORLD



Notes

The information contained in this product information is based on the experience and know-how of FUCHS LUBRICANTS (UK) plc in the development and manufacturing of lubricants and represents the current state-of-the-art. The performance of our products can be influenced by a series of factors, especially the specific use, the method of application, the operational environment, component pre-treatment, possible external contamination, etc. For this reason, universally valid statements about the function of our products are not possible.

Our products must not be used in aircraft or spacecraft. Our products may be used in manufacture of components for aircraft or spacecraft if they are removed without residue from the components prior to assembly into the aircraft or spacecraft.

The information given in this product information represents general, non-binding guidelines. No warranty expressed or implied is given concerning the properties of the product or its suitability for any given application. We therefore recommend that you consult a FUCHS LUBRICANTS (UK) plc application engineer to discuss application conditions and the performance criteria of the products before the product is used. It is the responsibility of the user to test the functional suitability of the product and to use it with the corresponding care.

Our products undergo continuous improvement. We therefore retain the right to change our product program, the products, and their manufacturing processes as well as all details of our product information sheets at any time and without warning, unless otherwise provided in customer-specific agreements. With the publication of this product information, all previous editions cease to be valid. Any form of reproduction requires express prior written permission from FUCHS LUBRICANTS (UK) plc.

© FUCHS LUBRICANTS (UK) plc. All Rights reserved.