

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ANTI-SEIZE Compound

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Industrial/Professional use spec : For professional use only
Industrial
Use of the substance/mixture : Lubricants, Greases and Release Products

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

ROCOL a division of ITW Ltd
Rocol House
Wakefield Rd, Swillington
LS26 8BS Leeds - United Kingdom
T +44 (0)113 232 2600
customer.service@rocol.com - www.rocol.com

1.4. Emergency telephone number

Emergency number : +44 (0)113 232 2600

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Acute Hazard, Category 1 H400
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if inhaled. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS09

Signal word (CLP) : Warning
Hazard statements (CLP) : H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP) : P391 - Collect spillage.
P273 - Avoid release to the environment.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

ANTI-SEIZE Compound

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------|---|---------|--|
| Copper | (CAS-No.) 7440-50-8 (EC-No.) 231-159-6 (REACH-no) 01-2119480154-42 | 15 – 30 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411 |
| Disodium sebacate | (CAS-No.) 17265-14-4 (EC-No.) 241-300-3 (REACH-no) 01-2120762063-61 | 1 – 2,4 | Eye Irrit. 2, H319 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : Get medical advice/attention if you feel unwell. Call a poison center or a doctor if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor. Call a poison center or a doctor if you feel unwell. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

ANTI-SEIZE Compound

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Shovel or sweep up and put in a closed container for disposal.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.
Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ANTI-SEIZE Compound

United Kingdom - Occupational Exposure Limits

| | |
|------------------------------|--|
| Local name | Calcium carbonate (Limestone, Marble) |
| WEL TWA (mg/m ³) | 10 mg/m ³ total inhalable 4 mg/m ³ respirable |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

Copper (7440-50-8)

EU - Occupational Exposure Limits

| | |
|--------------------------------|--|
| Local name | Copper |
| IOELV TWA (mg/m ³) | 0,01 mg/m ³ (respirable fraction) |
| Notes | (Year of adoption 2014) |
| Regulatory reference | SCOEL Recommendations |

ANTI-SEIZE Compound

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Copper (7440-50-8)

United Kingdom - Occupational Exposure Limits

| | |
|-------------------------------|--|
| Local name | Copper |
| WEL TWA (mg/m ³) | 0,2 mg/m ³ fume (as Cu) 1 mg/m ³ and compounds, dusts and mists (as Cu) |
| WEL STEL (mg/m ³) | 2 mg/m ³ and compounds, dusts and mists (as Cu) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves. Nitrile rubber gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required for normal conditions of use

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|----------------------|
| Physical state | : Solid |
| Colour | : dark brown. |
| Odour | : odourless. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : > 280 °C |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : > 200 °C |
| Auto-ignition temperature | : > 200 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Non flammable. |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available. |
| Relative density | : ≈ 1,3 |

ANTI-SEIZE Compound

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---|-----------------------|
| Solubility | : insoluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : Not applicable |

9.2. Other information

VOC content : 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Open flame. Heat.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : May liberate toxic gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Disodium sebacate (17265-14-4)

| | |
|-----------------|--------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |

Copper (7440-50-8)

| | |
|-----------------------|--|
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: other:MAFF 4200 (1985) |
| LC50 Inhalation - Rat | > 5,11 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method) |

| | |
|-----------------------------------|------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |

ANTI-SEIZE Compound

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|------------------------|------------------|
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|--|
| Ecology - general | : Very toxic to aquatic life. Before neutralisation, the product may represent a danger to aquatic organisms. Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Very toxic to aquatic life. |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects. |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-----------------------------------|---|
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| European List of Waste (LoW) code | : 13 08 99* - wastes not otherwise specified |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|--|--|--|--|--|
| 14.1. UN number | | | | |
| UN 3077 | UN 3077 | UN 3077 | UN 3077 | UN 3077 |
| 14.2. UN proper shipping name | | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. | Environmentally hazardous substance, solid, n.o.s. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |

ANTI-SEIZE Compound

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Transport document description | | | | |
|---|---|--|--|--|
| UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains coated copper flake), 9, III, (-) | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains coated copper flake), 9, III, MARINE POLLUTANT | UN 3077 Environmentally hazardous substance, solid, n.o.s. (contains coated copper flake), 9, III | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains coated copper flake), 9, III | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains coated copper flake), 9, III |
| 14.3. Transport hazard class(es) | | | | |
| 9 | 9 | 9 | 9 | 9 |
| | | | | |
| 14.4. Packing group | | | | |
| III | III | III | III | III |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment : Yes | Dangerous for the environment : Yes Marine pollutant : Yes | Dangerous for the environment : Yes | Dangerous for the environment : Yes | Dangerous for the environment : Yes |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

| | |
|---|---------------------------|
| Classification code (ADR) | : M7 |
| Special provisions (ADR) | : 274, 335, 375, 601 |
| Limited quantities (ADR) | : 5kg |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P002, IBC08, LP02, R001 |
| Special packing provisions (ADR) | : PP12, B3 |
| Mixed packing provisions (ADR) | : MP10 |
| Portable tank and bulk container instructions (ADR) | : T1, BK1, BK2, BK3 |
| Portable tank and bulk container special provisions (ADR) | : TP33 |
| Tank code (ADR) | : SGAV, LGBV |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V13 |
| Special provisions for carriage - Bulk (ADR) | : VC1, VC2 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV13 |
| Hazard identification number (Kemler No.) | : 90 |
| Orange plates | : |



| | |
|-------------------------------|------|
| Tunnel restriction code (ADR) | : - |
| EAC code | : 2Z |

Transport by sea

| | |
|-----------------------------------|---------------------------|
| Special provisions (IMDG) | : 274, 335, 966, 967, 969 |
| Limited quantities (IMDG) | : 5 kg |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : LP02, P002 |
| Special packing provisions (IMDG) | : PP12 |
| IBC packing instructions (IMDG) | : IBC08 |
| IBC special provisions (IMDG) | : B3 |

ANTI-SEIZE Compound

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------------|---------------------|
| Tank instructions (IMDG) | : BK1, BK2, BK3, T1 |
| Tank special provisions (IMDG) | : TP33 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-F |
| Stowage category (IMDG) | : A |
| Stowage and handling (IMDG) | : SW23 |

Air transport

| | |
|--|-------------------------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y956 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 956 |
| PCA max net quantity (IATA) | : 400kg |
| CAO packing instructions (IATA) | : 956 |
| CAO max net quantity (IATA) | : 400kg |
| Special provisions (IATA) | : A97, A158, A179, A197 |
| ERG code (IATA) | : 9L |

Inland waterway transport

| | |
|---------------------------------------|--|
| Classification code (ADN) | : M7 |
| Special provisions (ADN) | : 274, 335, 375, 601 |
| Limited quantities (ADN) | : 5 kg |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T* B** |
| Equipment required (ADN) | : PP, A |
| Number of blue cones/lights (ADN) | : 0 |
| Additional requirements/Remarks (ADN) | : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of transport in bulk. |

Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : M7 |
| Special provisions (RID) | : 274, 335, 375, 601 |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P002, IBC08, LP02, R001 |
| Special packing provisions (RID) | : PP12, B3 |
| Mixed packing provisions (RID) | : MP10 |
| Portable tank and bulk container instructions (RID) | : T1, BK1, BK2, BK3 |
| Portable tank and bulk container special provisions (RID) | : TP33 |
| Tank codes for RID tanks (RID) | : SGAV, LGBV |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W13 |
| Special provisions for carriage – Bulk (RID) | : VC1, VC2 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW13, CW31 |
| Colis express (express parcels) (RID) | : CE11 |
| Hazard identification number (RID) | : 90 |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

ANTI-SEIZE Compound

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

VOC content : 0 g/l

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H302 | Harmful if swallowed. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.