

**Fuse-link, medium voltage, 125 A, AC 17.5 kV, 3", 76 x 442 mm, back-up,
DIN, with striker**



17.5TKMEJ125

| | | |
|--|--|---|
| Product name | | Eaton Busmann series medium voltage DIN fuse |
| Part no. | | 17.5TKMEJ125 |
| EAN | | 5027590246033 |
| Product Length/Depth | | 442 millimetre |
| Product height | | 78.5 millimetre |
| Product width | | 76 millimetre |
| Product weight | | 5100 gram |
| Compliances | | DIN 43625 VDE 0670-4 IEC 60282-1 |
| Product Tradename | | None |
| Product Type | | Medium voltage DIN fuse |
| Product Sub Type | | None |
| Amperage Rating | | 125 A |
| Voltage rating | | 17.5 kV |
| Breaking capacity | | 50 kA |
| Performance Cat According To IEC 60282-1 | | Back-up |
| Rated frequency - min | | 50 Hz |
| Class | | Class back-up |
| Resistance | | 5.95 Ohms |
| Application | | transformer protection indoor or outdoor use |
| Fuse indicator | | With Striker |
| Fuse size | | 76 x 442 mm |
| Standard | | DIN |
| Mounting method | | Clip-in |
| Used with | | 270303 Fuse clip A3354730 Fuse clip |

Technical data ETIM 8.0

| | | |
|--|----|-------------------------------------|
| Circuit breakers and fuses (EG000020) / Medium-/high voltage fuse (EC003507) | | |
| Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse systems / Safety fuse systems (unspecified) (ecl@ss10.0.1-27-14-21-90 [BAB265011]) | | |
| Rated current | A | 125 |
| Rated voltage | kV | 17.5 |
| Voltage type | | AC |
| Rated frequency | Hz | 50 - 50 |
| Breaking capacity | kA | 50 |
| Utilization category | | Other |
| Application | | Primary side transformer protection |
| Length | mm | 442 |
| Diameter | mm | 76 |
| Performance category according to IEC 60282-1 | | Back-up |
| With striker | | Yes |
| Standard | | DIN |
| Release characteristic | | Other |
| Installation technique | | Air |

