

Floor standing polyester enclosure, PanelSeT PLA, glazed door, completely sealed, 1500x1000x420mm, IP65, IK08

NSYPLA15104TG

EAN Code: 3606480774706

Price: 1.633,00 EUR

### Main

Range	PanelSeT	
product name	PanelSeT PLA	
Enclosure type	Multi-purpose	
Product or component type	Suitable enclosure	
Version	PLA	
Nominal height	1500 mm	
Nominal width	1000 mm	
Nominal depth	420 mm	
Enclosure mounting	Floor-standing	
Device composition	1 top part 1 bottom part 2 side part 2 door 2 rear panel	

## **Complementary**

Body type	Sealed top and bottom part assembled with side parts	
Door type	Transparent front	
Number of doors	2 door(s)	
Door opening side	Right and left (120 °)	
Lock type	4 points lock, 5 mm double-bar	
Accessibility for operation	Front Rear	
Removable parts	Door by hinges Rear panel by fixing element	
Material	Polyester reinforced with fibreglass	
Colour	Grey (RAL 7035)	
Standards	IEC 62208 UL 508 A	
NEMA degree of protection	NEMA 13 NEMA 12 NEMA 1 NEMA 2	

Rates duty January 2016

Product certifications	UL/cUL listed DNV Marine Veritas
Electrical insulation class	Class II

## **Environment**

IP degree of protection	IP65 conforming to IEC 60529 (completely sealed)	
IK degree of protection	IK08 conforming to IEC 62262 (glazed door)	
Fire resistance	960 °C conforming to IEC 62208	
Ambient air temperature for storage	-3590 °C	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	48.000 cm
Package 1 Width	103.500 cm
Package 1 Length	152.000 cm
Package 1 Weight	69.000 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	2
Package 2 Height	167.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	149.000 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	537
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	1341ad4e-77b9-40e3-bab0-32043fbc5959

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No