

LoadCentre KQ - type A split metered distribution board - 125A -10+10 SP ways

SEA10S10

Main

Range	Acti9	
product name	Load centre KQ II A	
Product or component type	Distribution board	
Device application	Distribution	
enclosure type	Split meter	
Door type	Overall	
Provided equipment	Enclosure Door Front cover Shielded neutral bar 25 mm² Earth terminal block 25 mm² Pan assembly Switch disconnector - 125 A as incomer - 1 nos. Switch disconnector as secondary incomer - 2 nos. Meter - 50 A - 2 nos.	
Colour	Grev	

Complementary

Enclosure mounting	Surface	
[le] rated operational current	125 A at 230/240 V AC	
protection device options	Miniature circuit breaker (MCB) (plug-on type) as outgoer Residual current circuit breaker with overcurrent protection (RCBO) (plug-on type) as outgoer	
Number of ways	10 ways (1P)outgoer for power 10 ways (1P)outgoer for lighting	
Cable entry	top and bottom: knock-out side: knock-out	
Height	484 mm	
Width	470 mm	
Depth	139 mm	

Environment

IP degree of protection	IP2x B internal conforming to BS EN 60529
	IP3x external conforming to BS EN 60529

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	13.8 cm
Package 1 Width	43.0 cm
Package 1 Length	54.0 cm
Package 1 Weight	12.0 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	24
Package 2 Height	112.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	298.0 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	040eddb5-1b8d-4331-8a9c-151368ae1458
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Halogen content performance	Halogen free plastic parts product
Take-back	No