

# F202 A-25/0,3

## General Information

<b>Extended Product Type:</b>	F202 A-25/0,3
<b>Product ID:</b>	2CSF202101R3250
<b>EAN:</b>	8012542782803
<b>Catalog Description:</b>	F202 A-25/0,3 Residual Current Dev.
<b>Long Description:</b>	The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications.

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

## Ordering

<b>EAN:</b>	8012542782803
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85363030

## Dimensions

<b>Product Net Width:</b>	0.035 m
<b>Product Net Height:</b>	0.085 m
<b>Product Net Depth:</b>	0.069 m
<b>Product Net Weight:</b>	0.200 kg

## Container Information

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	0.041 m
<b>Package Level 1 Height:</b>	0.078 m
<b>Package Level 1 Length:</b>	0.096 m
<b>Package Level 1 Gross Weight:</b>	0.225 kg
<b>Package Level 1 EAN:</b>	8012542782803
<b>Package Level 2 Units:</b>	6 piece
<b>Package Level 2 Gross Weight:</b>	1.35 kg

## Environmental

<b>RoHS Status:</b>	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3
---------------------	---

## Additional Information

<b>IIT Publishing Status:</b>	Level 0 - Information enabled
<b>Number of Poles:</b>	2
<b>Operating Characteristic:</b>	Instantaneous
<b>Power Loss:</b>	Per Pole 1 W
<b>Product Main Type:</b>	F200
<b>Product Name:</b>	Residual Current Device
<b>Rated Current (<math>I_n</math>):</b>	25 A
<b>Rated Residual Current:</b>	300 mA
<b>Rated Voltage (<math>U_r</math>):</b>	230/400 V
<b>Standards:</b>	IEC EN 61008
<b>Type of Residual Current:</b>	A type

## Certificates and Declarations (Document Number)

<b>Declaration of Conformity - CE:</b>	<a href="#">ITSCE116F200</a>
--	------------------------------

## Classifications

<b>E-number:</b>	E2160118
<b>Object Classification Code:</b>	Q
<b>UNSPSC:</b>	39120000