

Product datasheet

Specifications



Delta 3 robot, P2, 3-4 axis, 15 kg permissible load, 0-800 mm working envelop

VRKP2S0RNC00000

EAN Code: 3606485399058

Main

Range of product	Lexium P, T
Device short name	P2
Product or component type	Delta 3 robot
Design	Compact

Complementary

Number of axis	3
Operating position	Rotational 360°
Operating travel	0...800 mm diameter 0...274 mm vertical
Repeat accuracy	0.1 mm
Permanent permissible load	15 kg
Maximum actuation speed	10 m/s
Maximum acceleration	120 m/s² at 1 kg 90 m/s² at 1.5 kg
Net weight	70 kg
Range compatibility	Lexium SH3 motor

Environment

Environmental characteristic	Normal environment
------------------------------	--------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	78.000 cm
Package 1 Width	118.000 cm
Package 1 Length	118.000 cm
Package 1 Weight	82.000 kg

Logistical informations

Country of origin	DE
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Total lifecycle Carbon footprint	35933
Use Better	
Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
PVC free	Yes
Use Again	
Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative





