# Residual Current Breakers with Overload Protection RCBo

# DS203 M AC-C20/0,03

# **General Information**

 Extended Product Type:
 DS203 M AC-C20/0,03

 Product ID:
 2CSR273001R1204

 EAN:
 8012542852902

Catalog Description: DS203 M AC-C20/0,03 - RCBo

Long Description:

The RCBOs DS200 series has the function to protect against overload and short-circuit currents; protection against effects of sinusoidal alternating earth fault currents; protection against indirect contacts and additional protection against direct contacts.

# **Ordering**

EAN: 8012542852902

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85363030

#### **Dimensions**

Product Net Width: 0.087 m

Product Net Height: 0.093 m

Product Net Depth: 0.069 m

Product Net Weight: 0.610 kg

#### **Container Information**

Package Level 1 Units: 1 piece
Package Level 1 Width: 0.105 m
Package Level 1 Height: 0.08 m
Package Level 1 Length: 0.1 m
Package Level 1 Gross Weight: 0.655 kg
Package Level 1 EAN: 8012542852902

Package Level 2 Units:1 piecePackage Level 2 Width:0.10 mPackage Level 2 Height:0.105 mPackage Level 2 Length:0.08 mPackage Level 2 Gross Weight:0.655 kg

**Package Level 2 EAN:** 8012542852919

#### **Environmental**

#### **RoHS Status:**

Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-07-01

#### **Additional Information**

IIT Publishing Status: Level 0 - Information enabled

3

Number of Poles:

Number of Protected Poles: 3

Power Loss: Per Pole 9.3 W

Product Main Type: DS200

Product Name: Residual Current Breaker with Overload Protection

Rated Current (I<sub>n</sub>): 20 A Rated Residual Current: 30 mA

Rated Short-Circuit Capacity (Icn

(230 / 400V AC) 10 kA

):

Standards: IEC EN 61009

Tripping Characteristic:

Type of Residual Current: AC type

# **Certificates and Declarations (Document Number)**

Declaration of Conformity - CE: ITSCE129DS200

# **Classifications**

Object Classification Code: Q



