



SPECIFICATION

- MATERIALS:**
 HOUSING & INSERT: PBT
 COUPLING: BRASS-NICKEL PLATED
 O-RING: VITON
ELECTRICAL:
 VOLTAGE: 10-30VDC
 CURRENT RATING: 4A PER PORT, 12 AMPS MAX.
 PROTECTION CLASS: IP68

- NOTES:**
 THREADED PLUG FITTED TO PORTS 1 & 2 ONLY
 PROTECTION CAP FITTED TO ALL M12 PORTS
 FIXING HOLES TO SUIT M4 SCREWS

| SAP-Nummer | alte Artikel-Nr. | Beschreibung | Farbe |
|------------|---------------------|--------------------------------------|-------------|
| SAP-NUMBER | OLD ENGINEERING-No. | DESCRIPTION | COLOR |
| 1201190027 | BKY400P-FBP-03 | ULTRA-LOCK MPIS 4 WAY - 4 I/O 3M | gelb/YELLOW |
| 1201190001 | BKY400P-FBP-05 | ULTRA-LOCK MPIS 4 WAY - 4 I/O 5M | gelb/YELLOW |
| 1200550891 | BKY400P-FBP-10 | ULTRA-LOCK MPIS 4 WAY - 4 I/O 10M | gelb/YELLOW |

| NEW RELEASE EC NO: WEU2010-0220 DRWN:SBH CHKD: APPR:FPACHER 2009/12/07 2009/12/17 2009/12/18 | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) | DIMENSION STYLE | SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|-----------------|-------|--------------|------------------------|------------|---|------------|-------|-------|-----------|------------|-------|-------------|--------|-------|----------------|------------|--|--|--------------|--------------|-----------|-----------|---------------|--------|
| | $\nabla=0$ $\sphericalangle=0$ | <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.05</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.10</td> <td>± ---</td> </tr> <tr> <td colspan="3">ANGULAR ± ---°</td> </tr> </tbody> </table> | | mm | INCH | 4 PLACES | ± --- | ± --- | 3 PLACES | ± --- | ± --- | 2 PLACES | ± 0.05 | ± --- | 1 PLACE | ± 0.10 | ± --- | ANGULAR ± ---° | | | MM ONLY | | METRIC | | | | |
| | | mm | INCH | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 PLACES | ± --- | ± --- | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 PLACES | ± --- | ± --- | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 PLACES | ± 0.05 | ± --- | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 PLACE | ± 0.10 | ± --- | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANGULAR ± ---° | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | <table border="1"> <thead> <tr> <th>DRAWN BY</th> <th>DATE</th> <th>TITLE</th> </tr> </thead> <tbody> <tr> <td>SBH</td> <td>2009/12/10</td> <td>ULTRA-LOCK MPIS 4 WAY - 4 I/O XM-PUR</td> </tr> <tr> <th>CHECKED BY</th> <th>DATE</th> <td></td> </tr> <tr> <td>APOHL_WEU</td> <td>2009/12/10</td> <td></td> </tr> <tr> <th>APPROVED BY</th> <th>DATE</th> <td></td> </tr> <tr> <td>FPACHER</td> <td>2009/12/17</td> <td></td> </tr> </tbody> </table> | DRAWN BY | DATE | TITLE | SBH | 2009/12/10 | ULTRA-LOCK MPIS 4 WAY - 4 I/O XM-PUR | CHECKED BY | DATE | | APOHL_WEU | 2009/12/10 | | APPROVED BY | DATE | | FPACHER | 2009/12/17 | | <table border="1"> <thead> <tr> <th>MATERIAL NO.</th> <th>DOCUMENT NO.</th> <th>SHEET NO.</th> </tr> </thead> <tbody> <tr> <td>SEE TABLE</td> <td>SD-120119-017</td> <td>1 OF 1</td> </tr> </tbody> </table> | MATERIAL NO. | DOCUMENT NO. | SHEET NO. | SEE TABLE | SD-120119-017 | 1 OF 1 |
| DRAWN BY | DATE | TITLE | | | | | | | | | | | | | | | | | | | | | | | | | |
| SBH | 2009/12/10 | ULTRA-LOCK MPIS 4 WAY - 4 I/O XM-PUR | | | | | | | | | | | | | | | | | | | | | | | | | |
| CHECKED BY | DATE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| APOHL_WEU | 2009/12/10 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| APPROVED BY | DATE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FPACHER | 2009/12/17 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MATERIAL NO. | DOCUMENT NO. | SHEET NO. | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEE TABLE | SD-120119-017 | 1 OF 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | | | | | | | | | | | | | | | | | |