Terminal Voltage 0V to +15V, 100 Taps



X9312

Digitally-Controlled (XDCP) Potentiometer

FEATURES

- Solid-state Potentiometer
- Three-wire Serial Interface
- Terminal Voltage, 0 to +15V
- 100 Wiper Tap Points
 - Wiper Position Stored in Nonvolatile Memory and Recalled on Power-Up
- 99 Resistive Elements
 - —Temperature Compensated
 - -End to End Resistance Range ± 20%
- Low Power CMOS
 - $-V_{CC}=5V$
 - -Active current, 3mA max.
 - -Standby current, 1mA max.
- · High Reliability
 - -Endurance, 100,000 data changes per Bit
 - -Register data retention, 100 years
- R_{TOTAL} Values = $10K\Omega$ and $100K\Omega$
- Packages
 - -8-Lead SOIC and DIP

DESCRIPTION


The Xicor X9312 is a digitally-controlled (XDCP) potentiometer. The device consists of a resistor array, wiper switches, a control section, and nonvolatile memory. The wiper position is controlled by a three-wire interface.

The potentiometer is implemented by a resistor array composed of 99 resistive elements and a wiper switching network. Between each element and at either end are tap points accessible to the wiper terminal. The position of the wiper element is controlled by the \overline{CS} , U/ \overline{D} , and \overline{INC} inputs. The position of the wiper can be stored in nonvolatile memory and then be recalled upon a subsequent power-up operation.

The device can be used as a three-terminal potentiometer or as a two-terminal variable resistor in a wide variety of applications including:

- control
- · parameter adjustments
- signal processing

FUNCTIONAL DIAGRAMS



PIN DESCRIPTIONS

R_H/V_H and R_L/V_L

The high (R_H/V_H) and low (R_L/V_L) terminals of the X9312 are equivalent to the fixed terminals of a mechanical potentiometer. The minimum voltage is 0V and the maximum is +15V. The terminology of R_L/V_L and R_H/V_H references the relative position of the terminal in relation to wiper movement direction selected by the U/\overline{D} input and not the voltage potential on the terminal.

R_w/V_w

 R_w/V_w is the wiper terminal and is equivalent to the movable terminal of a mechanical potentiometer. The position of the wiper within the array is determined by the control inputs. The wiper terminal series resistance is typically $40\Omega.$

Up/Down (U/D)

The U/D input controls the direction of the wiper movement and whether the counter is incremented or decremented.


Increment (INC)

The $\overline{\text{INC}}$ input is negative-edge triggered. Toggling $\overline{\text{INC}}$ will move the wiper and either increment or decrement the counter in the direction indicated by the logic level on the U/\overline{D} input.

Chip Select (CS)

The device is selected when the $\overline{\text{CS}}$ input is LOW. The current counter value is stored in nonvolatile memory when $\overline{\text{CS}}$ is returned HIGH while the $\overline{\text{INC}}$ input is also HIGH. After the store operation is complete the X9312 will be placed in the low power standby mode until the device is selected once again.

PIN CONFIGURATION



PIN NAMES

Symbol	Description		
R _H /V _H	High Terminal		
R _W /V _W	Wiper Terminal		
R _L /V _L	Low Terminal		
V _{SS}	Ground		
V _{CC}	Supply Voltage		
U/D	Up/Down Control Input		
ĪNC	Increment Control Input		
CS	Chip Select Control Input		

PRINCIPLES OF OPERATION

There are three sections of the X9312: the input control, counter and decode section; the nonvolatile memory; and the resistor array. The input control section operates just like an up/down counter. The output of this counter is decoded to turn on a single electronic switch connecting a point on the resistor array to the wiper output. Under the proper conditions the contents of the counter can be stored in nonvolatile memory and retained for future use. The resistor array is comprised of 99 individual resistors connected in series. At either end of the array and between each resistor is an electronic switch that transfers the potential at that point to the wiper.

The wiper, when at either fixed terminal, acts like its mechanical equivalent and does not move beyond the last position. That is, the counter does not wrap around when clocked to either extreme.

The electronic switches on the device operate in a "make before break" mode when the wiper changes tap positions. If the wiper is moved several positions, multiple taps are connected to the wiper for t_{IW} ($\overline{\text{INC}}$ to V_{W} change). The R_{TOTAL} value for the device can temporarily be reduced by a significant amount if the wiper is moved several positions.

When the device is powered-down, the last wiper position stored will be maintained in the nonvolatile memory. When power is restored, the contents of the memory are recalled and the wiper is set to the value last stored.

INSTRUCTIONS AND PROGRAMMING

The \overline{INC} , U/ \overline{D} and \overline{CS} inputs control the movement of the wiper along the resistor array. With \overline{CS} set LOW the device is selected and enabled to respond to the U/ \overline{D} and \overline{INC} inputs. HIGH to LOW transitions on \overline{INC} will increment or decrement (depending on the state of the U/ \overline{D} input) a seven bit counter. The output of this counter is decoded to select one of one hundred wiper positions along the resistive array.

The value of the counter is stored in nonvolatile memory whenever $\overline{\text{CS}}$ transistions HIGH while the $\overline{\text{INC}}$ input is also HIGH.

The system may select the X9312, move the wiper and deselect the device without having to store the latest wiper position in nonvolatile memory. After the wiper movement is performed as described above and once the new position is reached, the system must keep $\overline{\text{INC}}$ LOW while taking $\overline{\text{CS}}$ HIGH. The new wiper position will be maintained until changed by the system or until a powerup/down cycle recalled the previously stored data.


This procedure allows the system to always power-up to a preset value stored in nonvolatile memory; then during system operation minor adjustments could be made. The adjustments might be based on user preference, system parameter changes due to temperature drift, etc...

The state of U/D may be changed while \overline{CS} remains LOW. This allows the host system to enable the device and then move the wiper up and down until the proper trim is attained.

MODE SELECTION

CS	INC	U/D	Mode		
L	~	Н	Wiper Up		
L	~	L	Wiper Down		
	Н	Х	Store Wiper Position		
Н	Х	Х	Standby Current		
	L	Х	No Store, Return to Standby		

SYMBOL TABLE



ABSOLUTE MAXIMUM RATINGS*

Temperature under Bias65	5°C to +135°C
Storage Temperature65	5°C to +150°C
Voltage on \overline{CS} , \overline{INC} , U/ \overline{D} and V _{CC}	
with Respect to V _{SS}	–1V to +7V
$\Delta V = V_H - V_L $	15V
Lead Temperature (Soldering 10 seconds).	300°C

*COMMENT

Stresses above those listed under "Absolute Maximum Ratings" may cause permanent damage to the device. This is a stress rating only and the functional operation of the device at these or any other conditions above those listed in the operational sections of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods may affect device reliability.

RECOMMENDED OPERATING CONDITIONS

Temperature	Min.	Max.	
Commercial	0°C	+70°C	
Industrial	-40°C	+85°C	
Military	–55°C	+125°C	

Supply Voltage (V _{CC})	Limits
X9312	5V ±10%

POTENTIOMETER CHARACTERISTICS (Over recommended operating conditions unless otherwise stated.)

		Limits				
Symbol	Parameter	Min.	Тур.	Max.	Units	Test Conditions/Notes
R _{TOTAL}	End to End Resistance Variation	-20		+20	%	
V _{VH}	V _H Terminal Voltage	0		15	V	
V _{VL}	V _L Terminal Voltage	0		15	V	
	Power Rating			25	mW	$R_{TOTAL} \ge 10 \text{ K}\Omega$
	Power Rating			225	mW	R _{TOTAL} = 1 KΩ
R _W	Wiper Resistance		40	100	Ω	$I_W = 1 \text{mA}, V_{CC} = 5 \text{V}$
I _W	Wiper Current			±1	mA	Ref: 1kHz
	Noise		-120		dBV	
	Resolution		1		%	
	Absolute Linearity ⁽¹⁾	-1		+1	MI ⁽³⁾	$V_{w(n)(actual)} - V_{w(n)(expected)}$
	Relative Linearity ⁽²⁾	-0.2		+0.2	MI ⁽³⁾	$V_{w(n+1)} - [V_{w(n)+MI}]$
	R _{TOTAL} Temperature Coefficient		±300		ppm/°C	
	Ratiometric Temperature Coefficient			±20	ppm/°C	
C _H /C _L /C _W	Potentiometer Capacitances		10/10/ 25		pF	See circuit #3

Notes: (1) Absolute Linearity is utilized to determine actual wiper voltage versus expected voltage $= (V_{W(n)}(actual) - V_{W(n)}(expected)) = \pm 1 \text{ MI Maximum.}$

- (2) Relative Linearity is a measure of the error in step size between taps = $V_{W(n+1)} [V_{w(n)} + MI] = \pm 0.2 \text{ MI}.$
- (3) 1 MI = Minimum Increment = R_{TOT}/99.

D.C. OPERATING CHARACTERISTICS (Over recommended operating conditions unless otherwise specified.)

			Limits			
Symbol	Parameter	Min.	Typ.(4)	Max.	Units	Test Conditions
I _{CC}	V _{CC} Active Current (Increment)		1	3	mA	$\overline{\text{CS}} = \text{V}_{\text{IL}}, \text{U}/\overline{\text{D}} = \text{V}_{\text{IL}} \text{ or V}_{\text{IH}} \text{ and } \overline{\text{INC}} = 0.4\text{V}/2.4\text{V @ max. t}_{\text{CYC}}$
I _{SB}	Standby Supply Current		500	1000	μA	$\overline{\text{CS}} = \text{V}_{\text{CC}} - 0.3\text{V}, \text{U}/\overline{\text{D}} \text{ and }$ $\overline{\text{INC}} = \text{V}_{\text{SS}} \text{ or } \text{V}_{\text{CC}} - 0.3\text{V}$
I _{LI}	CS, INC, U/D Input			±10	μΑ	$V_{IN} = V_{SS}$ to V_{CC}
	Leakage Current					
V _{IH}	CS, INC, U/D Input	2		V _{CC} + 1	V	
	HIGH Voltage					
V _{IL}	CS, INC, U/D Input	-1		0.8	V	
	LOW Voltage					
C _{IN} (5)	CS, INC, U/D Input			10	pF	$V_{CC} = 5V$, $V_{IN} = V_{SS}$,
	Capacitance					T _A = 25°C, f = 1MHz


ENDURANCE AND DATA RETENTION

Parameter	Min.	Units
Minimum Endurance	100,000	Data Changes per Bit
Data Retention	100	Years


Test Circuit #1

V_H/R_H → TEST POINT V_W/R_W V_{L}/R_{L}

Test Circuit #2



Circuit #3 SPICE Macromodel



Notes: (4) Typical values are for $T_A = 25^{\circ}\text{C}$ and nominal supply voltage. (5) This parameter is periodically sampled and not 100% tested.

X9312


A.C. CONDITIONS OF TEST

Input Pulse Levels	0V to 3V
Input Rise and Fall Times	10ns
Input Reference Levels	1.5V

A.C. OPERATING CHARACTERISTICS (Over recommended operating conditions unless otherwise specified)

			Limits			
Symbol	Parameter	Min.	Typ.(6)	Max.	Units	
t _{Cl}	CS to INC Setup	100			ns	
t_{ID}	INC HIGH to U/D Change	100			ns	
t _{DI}	U/D to INC Setup	1			μs	
t _{IL}	INC LOW Period	1			μs	
t _{IH}	INC HIGH Period	1			μs	
t _{IC}	INC Inactive to CS Inactive	1			μs	
t _{CPH}	CS Deselect Time (STORE)	20			ms	
t _{CPH}	CS Deselect Time (NO STORE)	100			ns	
t _{IW}	INC to Vw Change		100	500	μs	
t _{CYC}	ĪNC Cycle Time	4			μs	
t _{R,} t _F ⁽⁷⁾	INC Input Rise and Fall Time			500	μs	
t _{PU} ⁽⁷⁾	Power up to Wiper Stable			500	μs	
t _R V _{CC} ⁽⁷⁾	V _{CC} Power-up Rate	0.2		50	V/ms	

A.C. TIMING




Notes: (6) Typical values are for $T_A = 25^{\circ}\text{C}$ and nominal supply voltage. (7) This parameter is periodically sampled and not 100% tested.

- (8) MI in the A.C. timing diagram refers to the minimum incremental change in the V_W output due to a change in the wiper position.


APPLICATIONS INFORMATION

Electronic digitally-controlled (XDCP) potentiometers provide three powerful application advantages; (1) the variability and reliability of a solid-state potentiometer, (2) the flexibility of computer-based digital controls, and (3) the retentivity of nonvolatile memory used for the storage of multiple potentiometer settings or data.

Basic Configurations of Electronic Potentiometers




Three terminal potentiometer; variable voltage divider




Two terminal variable resistor; variable current

Basic Circuits


Buffered Reference Voltage



Cascading Techniques




Noninverting Amplifier




Voltage Regulator

Offset Voltage Adjustment



Comparator with Hysterisis




 $V_{UL} = \{R_1/(R_1+R_2)\} V_O(max)$ $V_{LL} = \{R_1/(R_1+R_2)\} V_O(min)$

(for additional circuits see AN115)


PACKAGING INFORMATION

8-LEAD PLASTIC DUAL IN-LINE PACKAGE TYPE P




PACKAGING INFORMATION

8-LEAD PLASTIC SMALL OUTLINE GULL WING PACKAGE TYPE S



ORDERING INFORMATION



Physical Characteristics

Marking Includes
Manufacturer's Trademark
Resistance Value or Code
Date Code

LIMITED WARRANTY

Devices sold by Xicor, Inc. are covered by the warranty and patent indemnification provisions appearing in its Terms of Sale only. Xicor, Inc. makes no warranty, express, statutory, implied, or by description regarding the information set forth herein or regarding the freedom of the described devices from patent infringement. Xicor, Inc. makes no warranty of merchantability or fitness for any purpose. Xicor, Inc. reserves the right to discontinue production and change specifications and prices at any time and without notice.

Xicor, Inc. assumes no responsibility for the use of any circuitry other than circuitry embodied in a Xicor, Inc. product. No other circuits, patents, licenses are implied.

U.S. PATENTS

Xicor products are covered by one or more of the following U.S. Patents: 4,263,664; 4,274,012; 4,300,212; 4,314,265; 4,326,134; 4,393,481; 4,404,475; 4,450,402; 4,486,769; 4,488,060; 4,520,461; 4,533,846; 4,599,706; 4,617,652; 4,668,932; 4,752,912; 4,829, 482; 4,874, 967; 4,883, 976. Foreign patents and additional patents pending.

LIFE RELATED POLICY

In situations where semiconductor component failure may endanger life, system designers using this product should design the system with appropriate error detection and correction, redundancy and back-up features to prevent such an occurrence.

Xicor's products are not authorized for use in critical components in life support devices or systems.

- 1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury to the user.
- 2. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.