Product datasheet

Specifications

Measurement casing, PrismaSeT P, for current transformers up to 1600 A, lead-sealable front/rear panels

LVS03506

EAN Code: 3606481885562

Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Protective casing
Range compatibility	PrismaSeT PrismaSeT P enclosure
Accessory / separate part category	Measurement accessory Protection accessory
Additional information	630/1600 A measurement CT casing The top and bottom plates have knock-outs for the passage of cables or bars Casing with lead-sealable panels at the front or the rear

Complementary

Enclosure/cubicle description	Cubicle - width 650 mm
Product destination	For the device compartment of a 400 mm deep framework For the device compartment of a 600 mm deep cubicle
Kit composition	2 depth-adjustable uprights 2 longitudinal cross-members with holes
Number of vertical modules [50 mm]	12
Height	571 mm
Width	575 mm
Colour	White
Colour code	RAL 9003
Net weight	18.34 kg
Material	Steel
Surface finish	Matt Textured
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.0 cm
Package 1 Width	61.5 cm
Package 1 Length	65.5 cm
Package 1 Weight	16.534 kg
Unit Type of Package 2	P12

Number of Units in Package 2	12
Package 2 Height	41.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	210.0 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained ›

How we assess product sustainability ›

Environmental footprint

Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant with Exemptions**
REACh Regulation	**REACh Declaration**
Halogen-free status	**Halogen free plastic parts product**
PVC free	**Yes**
Silicone-free	**Yes**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

End of life manual availability	**No need of specific recycling operations**
Take-back	**No**

How we assess product sustainability ›