

EMC shield clamps for 10 × 3 mm bus bar, pluggable

with or without integrated strain relief



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields.

When using types with integrated strain relief cables can be fixed via the cable jacket using cable ties. Thus strain relief in accordance with EN 62444 is achieved. We also offer EMC shield clamps with double strain relief function acc. to PROFINET installation guidelines.

Due to its special design the clamping ranges of the MSKL are very large while the dimensions are comparatively small. (Example: MSKL 3-12, assembled with a 12 mm cable shield: width 26.25 mm).

The very slim shape of the PFS|SCL is perfect for applications with limited space.

The shield clamps are mounted by snapping them onto a 10 × 3 mm bus bar.



Specifications

Material	Shield clamp: Spring steel, zinc plated Snap foot: Spring steel Shield bracket: Mild steel, galvanically zinc plated
Properties	vibration proof
Mounting options	Snap-in

Advantages & benefits

- Partially with integrated strain relief
- Large contact area
- Shield contact and strain relief separated
- Quick assembly without tools
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Designed for high density applications
- Shock and vibration resistant, maintenance free
- Integrated double strain relief function acc. to PROFINET installation guidelines


Product types & sizes

PF|MSKL 3-12



Part No.	37714	Shield diameter	3 - 12 mm
EAN	4251269336	Min. shield diam.	3 mm
Package quantity	683	Max. shield diam.	12 mm
Shield clamp type	MSKL	Length	15,2 mm
Strain relief (acc. to EN 62444)	1	Strain relief function	No
No. of shield clamps	1	Width	14 mm
For max. no. of cables		Height	26,3 mm

PF|MSKL 8-18



Part No.	37715	Shield diameter	8 - 18 mm
EAN	4251269336	Min. shield diam.	8 mm
Package quantity	10	Max. shield diam.	18 mm
Shield clamp type	MSKL	Length	15,2 mm
Strain relief (acc. to EN 62444)	1	Strain relief function	No
No. of shield clamps	1	Width	20 mm
For max. no. of cables	1	Height	32,5 mm

PF|SKL 1.5-3



Part No.	37710.1	Min. shield diam.	1,5 mm
EAN	4251269336	Max. shield diam.	3 mm
Package quantity	10	Length	15,2 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	14 mm
For max. no. of cables	1	Height	18,6 mm
Shield diameter	1,5 - 3 mm		

PF|SKL 3-6



Part No.	37710.2	Min. shield diam.	3 mm
EAN	4251269336	Max. shield diam.	6 mm
Package quantity	10	Length	15,2 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	14 mm
For max. no. of cables	1	Height	19,2 mm
Shield diameter	3 - 6 mm		

PF|SKL 6-8




Part No.	37710.3	Min. shield diam.	6 mm
EAN	4251269336607	Max. shield diam.	8 mm
Package quantity	10	Length	15,2 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	14 mm
For max. no. of cables	1	Height	21 mm
Shield diameter	6 - 8 mm		

PF|SKL 8-11




Part No.	37710.4	Min. shield diam.	8 mm
EAN	4251269336614	Max. shield diam.	11 mm
Package quantity	10	Length	15,2 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	14 mm
For max. no. of cables	1	Height	25,7 mm
Shield diameter	8 - 11 mm		

PF|SKL 11-17




Part No.	37710.5	Min. shield diam.	11 mm
EAN	4251269336621	Max. shield diam.	17 mm
Package quantity	10	Length	15,2 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	21 mm
For max. no. of cables	1	Height	32,7 mm
Shield diameter	11 - 17 mm		

PFS|SCL 1.5-3




Part No.	36611	Min. shield diam.	1,5 mm
EAN	4251269319037	Max. shield diam.	3 mm
Package quantity	10	Length	18,9 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SCL	Width	10 mm
For max. no. of cables	1	Height	21,2 mm
Shield diameter	1,5 - 3 mm		

PFS|SCL 3-6




Part No.	36612	Min. shield diam.	3 mm
EAN	4251269319044	Max. shield diam.	6 mm
Package quantity	10	Length	18,9 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SCL	Width	10 mm
For max. no. of cables	1	Height	21,2 mm
Shield diameter	3 - 6 mm		

PFS|SKL 1.5-3




Part No.	36786.1	Min. shield diam.	1,5 mm
EAN	4251269304309	Max. shield diam.	3 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	20,4 mm
Shield diameter	1,5 - 3 mm	Mounting height	12,9 mm

PFS|SKL 3-6




Part No.	36786.2	Min. shield diam.	3 mm
EAN	4251269304316	Max. shield diam.	6 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	21 mm
Shield diameter	3 - 6 mm	Mounting height	13,5 mm

PFS|SKL 6-8




Part No.	36786.3	Min. shield diam.	6 mm
EAN	4251269304323	Max. shield diam.	8 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	22,5 mm
Shield diameter	6 - 8 mm	Mounting height	15 mm

PFS|SKL 8-11




Part No.	36786.4	Min. shield diam.	8 mm
EAN	4251269304330	Max. shield diam.	11 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	27,5 mm
Shield diameter	8 - 11 mm	Mounting height	20 mm

PFS|SKL 11-17




Part No.	36786.5	Min. shield diam.	11 mm
EAN	4251269304347	Max. shield diam.	17 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	21 mm
For max. no. of cables	1	Height	34,2 mm
Shield diameter	11 - 17 mm	Mounting height	26,7 mm

PFS|SKL 17-22




Part No.	36786.6	Min. shield diam.	17 mm
EAN	4251269304354	Max. shield diam.	22 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	26 mm
For max. no. of cables	1	Height	41,7 mm
Shield diameter	17 - 22 mm	Mounting height	34,2 mm

PFS2|SKL 01




Part No.	36788.01	Length	32,5 mm
EAN	4251269304408	Min. shield diam. pos. 2	1,5 mm
Package quantity	10	Max. shield diam. pos. 2	3 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	20,4 mm
Shield diameter	- 1,5 - 3 mm	Mounting height	12,9 mm

PFS2|SKL 02




Part No.	36788.02	Length	32,5 mm
EAN	4251269304415	Min. shield diam. pos. 2	3 mm
Package quantity	10	Max. shield diam. pos. 2	6 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	21 mm
Shield diameter	- 3 - 6 mm	Mounting height	13,5 mm

PFS2|SKL 03




Part No.	36788.03	Length	32,5 mm
EAN	4251269304422	Min. shield diam. pos. 2	6 mm
Package quantity	10	Max. shield diam. pos. 2	8 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	22,5 mm
Shield diameter	- 6 - 8 mm	Mounting height	15 mm

PFS2|SKL 04




Part No.	36788.04	Length	32,5 mm
EAN	4251269304439	Min. shield diam. pos. 2	8 mm
Package quantity	10	Max. shield diam. pos. 2	11 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	27,5 mm
Shield diameter	- 8 - 11 mm	Mounting height	20 mm

PFS2|SKL 10




Part No.	36788.10	Min. shield	1,5 mm
EAN	4251269304	diam. pos. 1	
	446	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	20,4 mm
For max. no. of	1	Mounting	12,9 mm
cables		height	
Shield	1,5 - 3 mm -		
diameter			

PFS2|SKL 20




Part No.	36788.20	Min. shield	3 mm
EAN	4251269304	diam. pos. 1	
	491	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	21 mm
For max. no. of	1	Mounting	13,5 mm
cables		height	
Shield	3 - 6 mm -		
diameter			


PFS2|SKL 30




Part No.	36788.30	Min. shield	6 mm
EAN	4251269304	diam. pos. 1	
	545	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	22,5 mm
For max. no. of	1	Mounting	15 mm
cables		height	
Shield	6 - 8 mm -		
diameter			



Part No.	36788.40	Min. shield diam. pos. 1	8 mm
EAN	4251269304590	Max. shield diam. pos. 1	11 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	27,5 mm
Shield diameter	8 - 11 mm -	Mounting height	20 mm




Part No.	36788.11	Min. shield diam. pos. 1	1,5 mm
EAN	4251269304453	Max. shield diam. pos. 1	3 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	1,5 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	3 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	1,5 - 3 mm 1,5 - 3 mm	Width	20 mm
		Height	20,4 mm
		Mounting height	12,9 mm




Part No.	36788.12	Min. shield diam. pos. 1	1,5 mm
EAN	4251269304460	Max. shield diam. pos. 1	3 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	3 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	6 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	1,5 - 3 mm 3 - 6 mm	Width	20 mm
		Height	21 mm
		Mounting height	13,5 mm

PFS2|SKL 13




Part No.	36788.13	Min. shield	1,5 mm
EAN	4251269304	diam. pos. 1	
	477	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	6 - 8 mm	Height	22,5 mm
		Mounting	15 mm
		height	

PFS2|SKL 14




Part No.	36788.14	Min. shield	1,5 mm
EAN	4251269304	diam. pos. 1	
	484	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	8 - 11 mm	Height	27,5 mm
		Mounting	20 mm
		height	

PFS2|SKL 21




Part No.	36788.21	Min. shield	3 mm
EAN	4251269304	diam. pos. 1	
	507	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	21 mm
		Mounting	13,5 mm
		height	

PFS2|SKL 22




Part No.	36788.22	Min. shield	3 mm
EAN	4251269304514	diam. pos. 1	
		Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 3 -	Width	20 mm
diameter	6 mm	Height	21 mm
		Mounting	13,5 mm
		height	

PFS2|SKL 23




Part No.	36788.23	Min. shield	3 mm
EAN	4251269304521	diam. pos. 1	
		Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 6 -	Width	20 mm
diameter	8 mm	Height	22,5 mm
		Mounting	15 mm
		height	

PFS2|SKL 24




Part No.	36788.24	Min. shield	3 mm
EAN	4251269304538	diam. pos. 1	
		Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 8 -	Width	20 mm
diameter	11 mm	Height	27,5 mm
		Mounting	20,5 mm
		height	

PFS2|SKL 31




Part No.	36788.31	Min. shield diam. pos. 1	6 mm
EAN	4251269304552	Max. shield diam. pos. 1	8 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	1,5 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	3 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	6 - 8 mm 1,5 - 3 mm	Width	20 mm
		Height	22,5 mm
		Mounting height	15 mm

PFS2|SKL 32




Part No.	36788.32	Min. shield diam. pos. 1	6 mm
EAN	4251269304569	Max. shield diam. pos. 1	8 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	3 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	6 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	6 - 8 mm 3 - 6 mm	Width	20 mm
		Height	22,5 mm
		Mounting height	15 mm


PFS2|SKL 33




Part No.	36788.33	Min. shield diam. pos. 1	6 mm
EAN	4251269304576	Max. shield diam. pos. 1	8 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	6 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	8 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	6 - 8 mm 6 - 8 mm	Width	20 mm
		Height	22,5 mm
		Mounting height	15 mm




Part No.	36788.34	Min. shield diam. pos. 1	6 mm
EAN	4251269304583	Max. shield diam. pos. 1	8 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	8 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	11 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	6 - 8 mm 11 mm	Width	20 mm
		Height	27,5 mm
		Mounting height	20 mm




Part No.	36788.41	Min. shield diam. pos. 1	8 mm
EAN	4251269304606	Max. shield diam. pos. 1	11 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	1,5 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	3 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	8 - 11 mm 1,5 - 3 mm	Width	20 mm
		Height	27,5 mm
		Mounting height	20 mm




Part No.	36788.42	Min. shield diam. pos. 1	8 mm
EAN	4251269304613	Max. shield diam. pos. 1	11 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	3 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	6 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	8 - 11 mm 3 - 6 mm	Width	20 mm
		Height	27,5 mm
		Mounting height	20 mm



Part No.	36788.43	Min. shield diam. pos. 1	8 mm
EAN	4251269304620	Max. shield diam. pos. 1	11 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	6 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	8 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	8 - 11 mm 6 - 8 mm	Width	20 mm
		Height	27,5 mm
		Mounting height	20 mm




Part No.	37716	For max. no. of cables	1
EAN	4251269336706	Shield diameter	3 - 12 mm
Package quantity	10	Min. shield diam.	3 mm
Shield clamp type	MSKL	Max. shield diam.	12 mm
Length	35 mm	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	14 mm
No. of shield clamps	1	Height	26,8 mm




Part No.	37717	For max. no. of cables	1
EAN	4251269336713	Shield diameter	8 - 18 mm
Package quantity	10	Min. shield diam.	8 mm
Shield clamp type	MSKL	Max. shield diam.	18 mm
Length	35 mm	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	20 mm
No. of shield clamps	1	Height	33 mm

PFZ|SKL 1.5-3




Part No.	37712.1	Shield diameter	1,5 - 3 mm
EAN	4251269336638	Min. shield diam.	1,5 mm
Package quantity	10	Max. shield diam.	3 mm
No. of shield clamps	1	Length	30,6 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	14 mm
For max. no. of cables	1	Height	19,1 mm

PFZ|SKL 3-6




Part No.	37712.2	Shield diameter	3 - 6 mm
EAN	4251269336645	Min. shield diam.	3 mm
Package quantity	10	Max. shield diam.	6 mm
No. of shield clamps	1	Length	30,6 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	14 mm
For max. no. of cables	1	Height	19,7 mm

PFZ|SKL 6-8




Part No.	37712.3	Shield diameter	6 - 8 mm
EAN	4251269336652	Min. shield diam.	6 mm
Package quantity	10	Max. shield diam.	8 mm
No. of shield clamps	1	Length	30,6 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	14 mm
For max. no. of cables	1	Height	21,5 mm

PFZ|SKL 8-11




Part No.	37712.4	Shield diameter	8 - 11 mm
EAN	4251269336669	Min. shield diam.	8 mm
Package quantity	10	Max. shield diam.	11 mm
No. of shield clamps	1	Length	30,6 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	14 mm
For max. no. of cables	1	Height	26,2 mm

PFZ|SKL 11-17




Part No.	37712.5	Shield diameter	11 - 17 mm
EAN	4251269336676	Min. shield diam.	11 mm
Package quantity	10	Max. shield diam.	17 mm
No. of shield clamps	1	Length	30,6 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	21 mm
For max. no. of cables	1	Height	33,2 mm


PFSZ-M|MSKL 3-12




Part No.	37630	Strain relief (acc. to EN 62444)	1
EAN	4251269316722	Shield diameter	3 - 12 mm
Package quantity	10	Min. shield diam.	3 mm
No. of shield clamps	1	Max. shield diam.	12 mm
Shield clamp type	MSKL	Strain relief function	Yes
For max. no. of cables	1	Width	15 mm
Length	38 mm	Height	28,7 mm
		Mounting height	25 mm




Part No.	37632	Strain relief	1
EAN	4251269316	(acc. to EN 62444)	
Package quantity	10	Shield diameter	8 - 18 mm
No. of shield clamps	1	Min. shield diam.	8 mm
Shield clamp type	MSKL	Max. shield diam.	18 mm
For max. no. of cables	1	Strain relief function	Yes
Length	38 mm	Width	20 mm
		Height	34,9 mm
		Mounting height	31,2 mm




Part No.	36787.1	Shield diameter	1,5 - 3 mm
EAN	4251269304	Min. shield diam.	1,5 mm
Package quantity	10	Max. shield diam.	3 mm
No. of shield clamps	1	Length	33 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	12 mm
For max. no. of cables	1	Height	21 mm
		Mounting height	13,5 mm




Part No.	36787.2	Shield diameter	3 - 6 mm
EAN	4251269304	Min. shield diam.	3 mm
Package quantity	10	Max. shield diam.	6 mm
No. of shield clamps	1	Length	33 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	12 mm
For max. no. of cables	1	Height	22 mm
		Mounting height	14,5 mm




Part No.	36787.3	Shield diameter	6 - 8 mm
EAN	4251269304	Min. shield diam.	6 mm
Package quantity	385	Max. shield diam.	8 mm
No. of shield clamps	1	Length	33 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	12 mm
For max. no. of cables	1	Height	23 mm
		Mounting height	15,5 mm




Part No.	36787.4	Shield diameter	8 - 11 mm
EAN	4251269304	Min. shield diam.	8 mm
Package quantity	392	Max. shield diam.	11 mm
No. of shield clamps	1	Length	33 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	12 mm
For max. no. of cables	1	Height	28 mm
		Mounting height	20,5 mm




Part No.	36787.5	Shield diameter	11 - 17 mm
EAN	4251269321	Min. shield diam.	11 mm
Package quantity	313	Max. shield diam.	17 mm
No. of shield clamps	1	Length	41 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	21 mm
For max. no. of cables	1	Height	35 mm
		Mounting height	27,5 mm



Part No.	36787.6	Shield diameter	17 - 22 mm
EAN	4251269321	Min. shield diam.	17 mm
Package quantity	320	Max. shield diam.	22 mm
No. of shield clamps	1	Length	48 mm
Shield clamp type	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	1	Width	26,5 mm
For max. no. of cables	1	Height	42,5 mm
		Mounting height	35 mm




Part No.	36789.01	For max. no. of cables	1
EAN	4251269304	Shield diameter	- 1,5 - 3 mm
Package quantity	637	Min. shield diam. pos. 2	1,5 mm
Shield clamp type	10	Max. shield diam. pos. 2	3 mm
Length	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	37 mm	Width	18 mm
No. of shield clamps	1	Height	21 mm
		Mounting height	13,5 mm




Part No.	36789.02	For max. no. of cables	1
EAN	4251269304	Shield diameter	- 3 - 6 mm
Package quantity	644	Min. shield diam. pos. 2	3 mm
Shield clamp type	10	Max. shield diam. pos. 2	6 mm
Length	SKL	Strain relief function	Yes
Strain relief (acc. to EN 62444)	37 mm	Width	18 mm
No. of shield clamps	1	Height	21,6 mm
		Mounting height	14,1 mm

PFSZ2|SKL 03




Part No.	36789.03	For max. no. of 1
EAN	4251269304651	cables
Package quantity	10	Shield diameter
Shield clamp type	SKL	- 6 - 8 mm
Length	37 mm	Min. shield diam. pos. 2
Strain relief (acc. to EN 62444)	1	6 mm
No. of shield clamps	1	Max. shield diam. pos. 2
		8 mm
		Strain relief function
		Yes
		Width
		18 mm
		Height
		23 mm
		Mounting height
		15,5 mm

PFSZ2|SKL 04




Part No.	36789.04	For max. no. of 1
EAN	4251269304668	cables
Package quantity	10	Shield diameter
Shield clamp type	SKL	- 8 - 11 mm
Length	37 mm	Min. shield diam. pos. 2
Strain relief (acc. to EN 62444)	1	8 mm
No. of shield clamps	1	Max. shield diam. pos. 2
		11 mm
		Strain relief function
		Yes
		Width
		18 mm
		Height
		28 mm
		Mounting height
		21,7 mm

PFSZ2|SKL 10




Part No.	36789.10	For max. no. of 1
EAN	4251269304675	cables
Package quantity	10	Shield diameter
Shield clamp type	SKL	1,5 - 3 mm -
Length	37 mm	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	1	1,5 mm
No. of shield clamps	1	Max. shield diam. pos. 1
		3 mm
		Strain relief function
		Yes
		Width
		18 mm
		Height
		21 mm
		Mounting height
		13,5 mm

PFSZ2|SKL 20




Part No.	36789.20	For max. no. of 1
EAN	4251269304729	cables
Package quantity	10	Shield diameter
Shield clamp type	SKL	3 - 6 mm -
Length	37 mm	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	1	3 mm
No. of shield clamps	1	Max. shield diam. pos. 1
		6 mm
		Strain relief function
		Yes
		Width
		18 mm
		Height
		21,6 mm
		Mounting height
		14,1 mm

PFSZ2|SKL 30




Part No.	36789.30	For max. no. of 1
EAN	4251269304774	cables
Package quantity	10	Shield diameter
Shield clamp type	SKL	6 - 8 mm -
Length	37 mm	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	1	6 mm
No. of shield clamps	1	Max. shield diam. pos. 1
		8 mm
		Strain relief function
		Yes
		Width
		18 mm
		Height
		23 mm
		Mounting height
		15,5 mm

PFSZ2|SKL 40




Part No.	36789.40	For max. no. of 1
EAN	4251269304828	cables
Package quantity	10	Shield diameter
Shield clamp type	SKL	8 - 11 mm -
Length	37 mm	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	1	8 mm
No. of shield clamps	1	Max. shield diam. pos. 1
		11 mm
		Strain relief function
		Yes
		Width
		18 mm
		Height
		28 mm
		Mounting height
		20,5 mm

PFSZ2|SKL 11




Part No.	36789.11	For max. no. of 2
EAN	4251269304	cables
Package quantity	682	Shield diameter
Shield clamp type	10	1,5 - 3 mm
Length	SKL	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	37 mm	Max. shield diam. pos. 1
No. of shield clamps	1	Min. shield diam. pos. 2
		Max. shield diam. pos. 2
		Strain relief function
		Width
		Height
		Mounting height

PFSZ2|SKL 12




Part No.	36789.12	For max. no. of 2
EAN	4251269304	cables
Package quantity	699	Shield diameter
Shield clamp type	10	1,5 - 3 mm
Length	SKL	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	37 mm	Max. shield diam. pos. 1
No. of shield clamps	1	Min. shield diam. pos. 2
		Max. shield diam. pos. 2
		Strain relief function
		Width
		Height
		Mounting height

PFSZ2|SKL 13




Part No.	36789.13	For max. no. of 2
EAN	4251269304	cables
Package quantity	705	Shield diameter
Shield clamp type	10	1,5 - 3 mm
Length	SKL	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	37 mm	Max. shield diam. pos. 1
No. of shield clamps	1	Min. shield diam. pos. 2
		Max. shield diam. pos. 2
		Strain relief function
		Width
		Height
		Mounting height

PFSZ2|SKL 14




Part No.	36789.14	For max. no. of 2	
EAN	4251269304	cables	
Package quantity	712	Shield diameter	1,5 - 3 mm 8 - 11 mm
Shield clamp type	10	Min. shield diam. pos. 1	1,5 mm
Length	SKL	Max. shield diam. pos. 1	3 mm
Strain relief (acc. to EN 62444)	37 mm	Min. shield diam. pos. 2	8 mm
No. of shield clamps	1	Max. shield diam. pos. 2	11 mm
	2	Strain relief function	Yes
		Width	20 mm
		Height	28 mm
		Mounting height	20,5 mm

PFSZ2|SKL 21




Part No.	36789.21	For max. no. of 2
EAN	4251269304	cables
Package quantity	736	Shield diameter 3 - 6 mm 1,5 - 3 mm
Shield clamp type	SKL	Min. shield diam. pos. 1 3 mm
Length	37 mm	Max. shield diam. pos. 1 6 mm
Strain relief (acc. to EN 62444)	1	Min. shield diam. pos. 2 1,5 mm
No. of shield clamps	2	Max. shield diam. pos. 2 3 mm
		Strain relief function Yes
		Width 20 mm
		Height 21,6 mm
		Mounting height 14,1 mm

PFSZ2|SKL 22




Part No.	36789.22	For max. no. of 2	
EAN	4251269304	cables	
	743	Shield	3 - 6 mm 3 -
Package	10	diameter	6 mm
quantity		Min. shield	3 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	6 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	3 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	6 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	21,6 mm
		Mounting	14,1 mm
		height	

PFSZ2|SKL 23




Part No.	36789.23	For max. no. of 2
EAN	4251269304	cables
Package quantity	750	Shield diameter
Shield clamp type	10	3 - 6 mm 6 - 8 mm
Length	SKL	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	37 mm	3 mm
No. of shield clamps	1	Max. shield diam. pos. 1
		6 mm
		Min. shield diam. pos. 2
		6 mm
		Max. shield diam. pos. 2
		8 mm
		Strain relief function
		Yes
		Width
		20 mm
		Height
		23 mm
		Mounting height
		15,5 mm

PFSZ2|SKL 24




Part No.	36789.24	For max. no. of 2
EAN	4251269304	cables
Package quantity	767	Shield diameter
Shield clamp type	10	3 - 6 mm 8 - 11 mm
Length	SKL	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	37 mm	3 mm
No. of shield clamps	1	Max. shield diam. pos. 1
		6 mm
		Min. shield diam. pos. 2
		8 mm
		Max. shield diam. pos. 2
		11 mm
		Strain relief function
		Yes
		Width
		20 mm
		Height
		28 mm
		Mounting height
		20,5 mm

PFSZ2|SKL 31




Part No.	36789.31	For max. no. of 2
EAN	4251269304	cables
Package quantity	781	Shield diameter
Shield clamp type	10	6 - 8 mm 1,5 - 3 mm
Length	SKL	Min. shield diam. pos. 1
Strain relief (acc. to EN 62444)	37 mm	6 mm
No. of shield clamps	1	Max. shield diam. pos. 1
		8 mm
		Min. shield diam. pos. 2
		1,5 mm
		Max. shield diam. pos. 2
		3 mm
		Strain relief function
		Yes
		Width
		20 mm
		Height
		23 mm
		Mounting height
		15,5 mm

PFSZ2|SKL 32




Part No.	36789.32	For max. no. of 2
EAN	4251269304798	cables
Package quantity	10	Shield diameter 6 - 8 mm 3 - 6 mm
Shield clamp type	SKL	Min. shield diam. pos. 1 6 mm
Length	37 mm	Max. shield diam. pos. 1 8 mm
Strain relief (acc. to EN 62444)	1	Min. shield diam. pos. 2 3 mm
No. of shield clamps	2	Max. shield diam. pos. 2 6 mm
		Strain relief function Yes
		Width 20 mm
		Height 23 mm
		Mounting height 15,5 mm

PFSZ2|SKL 33




Part No.	36789.33	For max. no. of 2
EAN	4251269304804	cables
Package quantity	10	Shield diameter 6 - 8 mm 6 - 8 mm
Shield clamp type	SKL	Min. shield diam. pos. 1 6 mm
Length	37 mm	Max. shield diam. pos. 1 8 mm
Strain relief (acc. to EN 62444)	1	Min. shield diam. pos. 2 6 mm
No. of shield clamps	2	Max. shield diam. pos. 2 8 mm
		Strain relief function Yes
		Width 20 mm
		Height 23 mm
		Mounting height 15,5 mm

PFSZ2|SKL 34




Part No.	36789.34	For max. no. of 2
EAN	4251269304811	cables
Package quantity	10	Shield diameter 6 - 8 mm 8 - 11 mm
Shield clamp type	SKL	Min. shield diam. pos. 1 6 mm
Length	37 mm	Max. shield diam. pos. 1 8 mm
Strain relief (acc. to EN 62444)	1	Min. shield diam. pos. 2 8 mm
No. of shield clamps	2	Max. shield diam. pos. 2 11 mm
		Strain relief function Yes
		Width 20 mm
		Height 28 mm
		Mounting height 20,5 mm

PFSZ2|SKL 41




Part No.	36789.41	For max. no. of 2
EAN	4251269304	cables
	835	Shield 8 - 11 mm
Package	10	diameter 1,5 - 3 mm
quantity		Min. shield 8 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 11 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 1,5 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 3 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 28 mm
		Mounting 20,5 mm
		height

PFSZ2|SKL 42




Part No.	36789.42	For max. no. of 2
EAN	4251269304	cables
	842	Shield 8 - 11 mm 3
Package	10	diameter - 6 mm
quantity		Min. shield 8 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 11 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 3 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 6 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 28 mm
		Mounting 20,5 mm
		height

PFSZ2|SKL 43




Part No.	36789.43	For max. no. of 2
EAN	4251269304	cables
	859	Shield 8 - 11 mm 6
Package	10	diameter - 8 mm
quantity		Min. shield 8 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 11 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 6 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 8 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 28 mm
		Mounting 20,5 mm
		height

PFS2Z|SKL 1.5-3




Part No.	36787.151	Shield diameter	1,5 - 3 mm
EAN	4251269321	Min. shield diam.	1,5 mm
Package quantity	252	Max. shield diam.	3 mm
Shield clamp type	SKL	Length	50,2 mm
Strain relief (acc. to EN 62444)	1	Strain relief function	Yes
No. of shield clamps	1	Width	11,8 mm
For max. no. of cables	1	Height	21,4 mm
		Mounting height	13,9 mm

PFS2Z|SKL 3-6




Part No.	36787.152	Shield diameter	3 - 6 mm
EAN	4251269321	Min. shield diam.	3 mm
Package quantity	269	Max. shield diam.	6 mm
Shield clamp type	SKL	Length	50,2 mm
Strain relief (acc. to EN 62444)	1	Strain relief function	Yes
No. of shield clamps	1	Width	11,8 mm
For max. no. of cables	1	Height	22 mm
		Mounting height	14,5 mm

PFS2Z|SKL 6-8




Part No.	36787.153	Shield diameter	6 - 8 mm
EAN	4251269321	Min. shield diam.	6 mm
Package quantity	276	Max. shield diam.	8 mm
Shield clamp type	SKL	Length	50,2 mm
Strain relief (acc. to EN 62444)	1	Strain relief function	Yes
No. of shield clamps	1	Width	11,8 mm
For max. no. of cables	1	Height	23,5 mm
		Mounting height	16 mm

PFS2Z|SKL 8-11




Part No.	36787.154	Shield diameter	8 - 11 mm
EAN	4251269321	Min. shield diam.	8 mm
Package quantity	283	Max. shield diam.	11 mm
Shield clamp type	SKL	Length	50,2 mm
Strain relief (acc. to EN 62444)	1	Strain relief function	Yes
No. of shield clamps	1	Width	14 mm
For max. no. of cables	1	Height	28,5 mm
		Mounting height	21 mm

PFS2Z|SKL 11-17




Part No.	36787.155	Shield diameter	11 - 17 mm
EAN	4251269321	Min. shield diam.	11 mm
Package quantity	290	Max. shield diam.	17 mm
Shield clamp type	SKL	Length	80 mm
Strain relief (acc. to EN 62444)	1	Strain relief function	Yes
No. of shield clamps	1	Width	21 mm
For max. no. of cables	1	Height	35,5 mm
		Mounting height	28 mm

PFS2Z|SKL 17-22




Part No.	36787.156	Shield diameter	17 - 22 mm
EAN	4251269321	Min. shield diam.	17 mm
Package quantity	306	Max. shield diam.	22 mm
Shield clamp type	SKL	Length	80 mm
Strain relief (acc. to EN 62444)	1	Strain relief function	Yes
No. of shield clamps	1	Width	35 mm
For max. no. of cables	1	Height	47,6 mm
		Mounting height	40,1 mm

PFS2Z-M|MSKL 3-12




Part No.	37630.150	For max. no. of	1
EAN	4251269321	cables	
Package quantity	238	Shield diameter	3 - 12 mm
Shield clamp type	10	Min. shield diam.	3 mm
Length	MSKL	Max. shield diam.	12 mm
Strain relief (acc. to EN 62444)	59 mm	Strain relief function	Yes
No. of shield clamps	1	Width	15 mm
		Height	29,1 mm
		Mounting height	21,5 mm

PFS2Z-M|MSKL 8-18




Part No.	37632.150	For max. no. of	1
EAN	4251269321	cables	
Package quantity	245	Shield diameter	8 - 18 mm
Shield clamp type	10	Min. shield diam.	8 mm
Length	MSKL	Max. shield diam.	18 mm
Strain relief (acc. to EN 62444)	59 mm	Strain relief function	Yes
No. of shield clamps	1	Width	20 mm
		Height	35,3 mm
		Mounting height	27,7 mm

SKS 2-5




Part No.	36282	Max. shield diam.	5 mm
EAN	4251269302	Length	9 mm
Package quantity	480	Strain relief function	No
Shield clamp type	10	Width	19,5 mm
For max. no. of cables	SKS	Height	45 mm
Shield diameter	2 - 5 mm		
Min. shield diam.	2 mm		

SKS 3-8




Part No.	36283	Max. shield	8 mm
EAN	4251269302	diam.	
	497	Length	12 mm
Package	10	Strain relief	No
quantity		function	
Shield clamp	SKS	Width	19,5 mm
type		Height	49 mm
For max. no. of	1		
cables			
Shield	3 - 8 mm		
diameter			
Min. shield	3 mm		
diam.			

SKS 3-14




Part No.	36284	Max. shield	14 mm
EAN	4251269302	diam.	
	503	Length	17 mm
Package	10	Strain relief	No
quantity		function	
Shield clamp	SKS	Width	19,5 mm
type		Height	58,5 mm
For max. no. of	1		
cables			
Shield	3 - 14 mm		
diameter			
Min. shield	3 mm		
diam.			

SKS 3-20




Part No.	36285	Max. shield	20 mm
EAN	4251269302	diam.	
	510	Length	24 mm
Package	10	Strain relief	No
quantity		function	
Shield clamp	SKS	Width	19,5 mm
type		Height	71 mm
For max. no. of	1		
cables			
Shield	3 - 20 mm		
diameter			
Min. shield	3 mm		
diam.			

SKS 5-28



Part No.	36286	Max. shield	28 mm
EAN	4251269302	diam.	
	527	Length	31,6 mm
Package	10	Strain relief	No
quantity		function	
Shield clamp	SKS	Width	20 mm
type		Height	91 mm
For max. no. of	1		
cables			
Shield	5 - 28 mm		
diameter			
Min. shield	5 mm		
diam.			

SKS 20-35



Part No.	36287	Max. shield	35 mm
EAN	4251269302	diam.	
	534	Length	40,6 mm
Package	10	Strain relief	No
quantity		function	
Shield clamp	SKS	Width	20 mm
type		Height	105 mm
For max. no. of	1		
cables			
Shield	20 - 35 mm		
diameter			
Min. shield	20 mm		
diam.			