TE Internal #: 1-5413589-0

TE Internal Description: KIT PLUG 75 OHM BNC HEX CRIMP

View on TE.com >



Connectors > RF Connectors > Coax Connectors



RF Interface: BNC

RF Connector Style: Plug

RF Connector Mated Outer Diameter (Approximate): 14.53 mm [ .572 in ]

Impedance:  $75 \Omega$ 

RF Connector Coupling Mechanism: Bayonet

## **Features**

## **Product Type Features**

Connector Seal & Plug Type	Gasket
Connector Shape	Circular
RF Interface	BNC
RF Connector Style	Plug
Connector System	Cable-to-Cable
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable

## **Configuration Features**

Number of Positions	1
Number of Coaxial Contacts	1

#### **Electrical Characteristics**

### **Body Features**

Cable Connector Orientation	Straight
Body Material	Brass
Body Material Finish	Passivated
Body Plating Material	Nickel

### **Contact Features**

Crimp Type	Hexagonal Crimping
RF Connector Center Contact Underplating Material	Nickel



	1080 μin
RF Connector Center Contact Plating Material	Gold (Au)
RF Connector Center Contact Material	Brass
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
RF Connector Coupling Mechanism	Bayonet
Connector Mounting Type	Cable Mount (Free-Hanging)
RF Contact Captivation Method	Mechanical
Detent	With
Dimensions	
RF Connector Mated Outer Diameter (Approximate)	14.53 mm[.572 in]
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Operating Frequency	2 GHz
Packaging Features	
Packaging Method	Carton
Other	
Coupling Nut Base Material	Brass
Grade	Commercial
Dielectric Material	Polyethylene

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC



Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in
	other sources.

#### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Customers Also Bought**





















#### **Documents**

**Product Drawings** 



#### KIT PLUG 75 OHM BNC HEX CRIMP

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-5413589-0\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-5413589-0\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-5413589-0\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**BNC Connectors** 

English

#### **Instruction Sheets**

Instruction Sheet (U.S.)

English