

Features

- Waterproof IP67
 rating guarantees
 protection
 against extended
 immersion under
 higher pressures
- Cable out diameter 5.0 mm
- Voltage rating of 60V
- Current rating of 4A
- Gold-plated bronze contacts for corrosion resistance
- Threaded mating type
- Operating temperature range from -25°C to 80°C
- Gold contact plating
- PUR cable jacket
- 5M length
- Conforms to standards IEC 61076-2-101, Industry 4.0 agreement, NEMA2000 standard

RS PRO Female M12 5 Pin Cable

RS Stock No.: 2825380



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.

Connecting Components



Product Description

The 5 pin female M12 cable had been widely used for automative and sensor application, it's unshielded.

General Specifications

| Number of Contacts | 5 |
|--------------------|--------------------|
| Shielding | Unshielded |
| Housing Material | PUR |
| Contact Material | Bronze |
| Contact Plating | Gold |
| Pole Format | 5P |
| Contact Gender | Female |
| Mating Type | Threaded |
| Body Orientation | Straight |
| Mating Cycles | 500 |
| Cable Jacket | PUR |
| Color | Black |
| Application | Marine, Automotive |

Electrical Specifications

| Plug/Socket | Plug |
|-----------------------|--------|
| Current Rating | 4A |
| Voltage Rating | 60V |
| Insulation Resistance | ≥100MΩ |

Connecting Components



Mechanical Specifications

| Connector Size | Standard |
|--------------------|---------------|
| Termination Method | Solder |
| Mounting Type | Moulded cable |
| Panel Cut-Out | / |
| Contact Diameter | 22AWG |

Operation Environment Specifications

| Operating Temperature | -25℃ to 80℃ |
|-----------------------|-------------|
| | |

Protection Category

| IP Rating | IP67 |
|-----------|------|
| | |

Approvals

| Compliance/Certifications | CE, RoHS, REACH, IP67, UL(cable only) |
|---------------------------|---------------------------------------|
| | |

Dimensions in mm

