UNIFOX-MP 6-1 VDE - Multifunctional tool

1662200

https://www.phoenixcontact.com/pc/products/1662200

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Multifunctional pliers, 6 functions in one tool, with stripping and crimping area and cable cutter

Your advantages

- VDE tested
- Burr-free cutting without crushing
- Profile groove with smooth base for guiding or powerful bending
- Can strip insulation (1.5 mm² and 2.5 mm²), crimp wire end ferrules (0.5 mm² ... 2.5 mm²)
- Easy piercing and deburring with the angular tip

Commercial data

Item number	1662200
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BH316S
GTIN	4067923200159
Weight per piece (including packing)	177.6 g
Weight per piece (excluding packing)	177.6 g
Customs tariff number	82032000
Country of origin	DE

UNIFOX-MP 6-1 VDE - Multifunctional tool

1662200

https://www.phoenixcontact.com/pc/products/1662200

Technical data

Product properties

Application	Aluminum
	Copper
Product property	Ergonomically designed handle
	Two-component handle
	VDE tested

Dimensions

Length	188 mm
Diameter	18 mm

Material specifications

Color	multicolored (RAL -)

Cable/line

External cable diameter	≤ 18.00 mm

UNIFOX-MP 6-1 VDE - Multifunctional tool

1662200

https://www.phoenixcontact.com/pc/products/1662200

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/pc/products/1662200

VDE approval of drawings
Approval ID: 40049137

UNIFOX-MP 6-1 VDE - Multifunctional tool

1662200

https://www.phoenixcontact.com/pc/products/1662200

Classifications

ECLASS

ECLASS-13.0	21043890
ECLASS-15.0	21043890

ETIM

ETIM 10.0	EC011917

UNSPSC

UNSPSC 21.0	27111500

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%