

# Product datasheet

Specifications



## PC box IP66 IK08 RAL7035 Int.H65W65D45 Ext.H74W74D56 opaque PC cover H10

Local distributor code:

387531661

NSYTBP775

**EAN Code: 3606480165580**

## Main

Range	PanelSeT
Product name	PanelSeT TBP
Device application	Multi-purpose
Category	Industrial box
Height	74 mm
Width	74 mm
Depth	54 mm
Internal height	65 mm
Internal width	65 mm
Internal depth	47 mm
Enclosure mounting	Wall mounted
Device composition	1 body 1 cover 4 cover screw
Quantity per set	Set of 5
Body type	One piece moulded
Type of front cover	Low plain cover
Cover fixing	Metal screws
Lock type	Captive screw flat outside sealed area
Removable parts	Cover by captive screws

## Complementary

Material	Polycarbonate
Colour	Grey (RAL 7035)
Standards	IEC 62208 UL 508 A
Product certifications	TÜV UL
Electrical insulation class	Class II
Mounting location	Outdoor (with canopy or shelter and anticondensation valve)
Net weight	0.076 kg

## Environment

<b>IP degree of protection</b>	IP66 conforming to NEMA 4.4X
<b>IK degree of protection</b>	IK08 conforming to IEC 62262
<b>Fire resistance</b>	960 °C
<b>Ambient air temperature for storage</b>	-15...60 °C
<b>Operating temperature</b>	-25...80 °C

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	5.600 cm
<b>Package 1 Width</b>	7.400 cm
<b>Package 1 Length</b>	7.400 cm
<b>Package 1 Weight</b>	76.000 g
<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	185
<b>Package 2 Height</b>	40.000 cm
<b>Package 2 Width</b>	41.000 cm
<b>Package 2 Length</b>	60.000 cm
<b>Package 2 Weight</b>	17.040 kg
<b>Unit Type of Package 3</b>	PAM
<b>Number of Units in Package 3</b>	4625
<b>Package 3 Height</b>	218.000 cm
<b>Package 3 Width</b>	100.000 cm
<b>Package 3 Length</b>	120.000 cm
<b>Package 3 Weight</b>	441.000 kg

## Logistical informations

<b>Country of origin</b>	HU
--------------------------	----

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint 1

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

## Use Again

### Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back No

Technical Illustration

Dimensions

---




Image of product / Alternate images

Alternative

---



Image of product in real life situation

