

Tork Polishing Cloth



Article	197478
System	W4 - Top pak system
Colour	White
Ply	1
Unfolded length	42.8 cm
Unfolded width	35.5 cm
Folded length	10.8 cm
Folded width	35.5 cm
Embossing	No
Print	No

The low-lint Tork Polishing Cloth is ideal for polishing sensitive surfaces. The soft and flexible cloth releases polishing agents for a professional shine without leaving any traces. This cloth can be used in the Tork Folded Wiper/Cloth Dispenser that protects the refills from dirt and offers one-at-a-time dispensing to reduce consumption and waste.

Key benefits:

- Professional quality cloth that leaves no scratches
- Perfect for working with sensitive surfaces due to extreme low-lint properties

Environmental

Tork Polishing Cloth

Viscose Polyester

Viscose

Viscose fibres are produced from cellulose pulp. Cellulose is dissolved in alkaline solution by a chemical reaction with carbon disulphide and then spun to fibres in an acid spinning bath. The fibres are washed, dried and cut to

intended fibre length.

Polyester

Polyester fibre is produced from terephthalic acid and ethylene glycol, which react through condensation to polyester resin. The molten resin is spun to fibres through spinnerets and cooled with air. The fibers are then cut

to intended fiber length.

This product does not contain any silicone.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Article creation date and latest

Date of issue: 19-04-2019 Revision date: 25-08-2022

article revision

Production

This product is produced at SUAMEER mill, NL and certified according to ISO 9001 and ISO 14001

(Environmental management systems).

Disposal/destruction of used product

This product is mainly used for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled/disposed of/destructed. The product itself is suitable for incineration. If used in industrial processes

contact local authorities before destruction.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ,

United Kingdom

Environmental certification

This product is certified for FSC® with certificate number SA-COC-008266.

Contact

Kirti Mistry Essity UK Ltd E-mail:

Kirti.Mistry@essity.com

