Specifications

Set of cable gland + nut M16 for EMC application, IP68, UL approved



NSYCGHF16

EAN Code: 3606481360106

Main

Range	PanelSeT	
Product or component type	Cable gland	
Accessory / separate part category	Cable management accessory	
Range compatibility	PanelSeT PanelSeT CRN PanelSeT PanelSeT S3D PanelSeT PanelSeT S3X	
Mounting location	Enclosure bottom Enclosure top	
Cable entry	Cable gland M16	
Device composition	1 cable gland 1 lock nut 1 seal	
Quantity per set	Set of 10	
Material	Body: nickel plated brass Seal: CR (chloroprene)	

Complementary

Colour	Grey
Surface finish	Chromium plated
Fixing mode	Screwed By nut
Height	36 mm
Net weight	0.027 kg

Environment

Product certifications	UL	
Environmental characteristic	EMC directive	
Flame retardance	V2 conforming to UL 94	
Ambient air temperature for operation	-20…100 °C permanent -40…150 °C intermittent	
IP degree of protection	IP68 conforming to IEC 60529 5 bar, 30 min	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm

Life Is On Schneider

Package 1 Width	14.500 cm
Package 1 Length	15.000 cm
Package 1 Weight	27.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	100
Package 2 Height	11.000 cm
Package 2 Width	28.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.528 kg

Logistical informations

Country of origin

TR

Contractual warranty

Warranty

18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

Use Better

Packaging made with recycled cardboard	No	
Packaging without single use plastic	Νο	

Use Again

\circlearrowright Repack and remanufacture	
Take-back	No