

# Metal compact consumer unit, Easy9, 10 way

EZ9E10MCCU

EAN Code: 5018934024530

### Main

Range	Easy9	
Product or component type	Empty consumer unit	
Enclosure type	Metal enclosure	
Provided equipment	earth/neutral terminal block	

## Complementary

Enclosure mounting	Surface	
Total number of 18 mm modules	12	
Number of horizontal rows	1	
Number of ways	10 ways (outgoer)	
Enclosure material	Metal	
Type of front cover	Plain	
[In] rated current	100 A	
[Ue] rated operational voltage	230/240 V	
Network frequency	50 Hz	
Type of rail	DIN	
Cable entry	Knock-out	
Cable cross section	125 mm² incoming	
Comb busbar and distribution block compatibility	YES	
Product weight	2.5 kg	
Height	243 mm	
Width	312 mm	
Depth	112.1 mm	

### **Environment**

Standards	BS 7671:ed. 18, amendment 3 BS EN 61439-3
Product certifications	UKCA
IP degree of protection	IP3x (with closed door) IP2X (with open door)
IK degree of protection	IK05
Overvoltage category	II .

# **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.5 cm
Package 1 Width	26.5 cm
Package 1 Length	32.5 cm
Package 1 Weight	3.452 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	54
Package 2 Height	100.5 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	205.76 kg

# **Logistical informations**

Country of origin

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	196	
Environmental Disclosure	Product Environmental Profile	

#### **Use Better**

Materials and Substances		
Recycled metal content at CR level	0	
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	No	
EU RoHS Directive	Compliant with Exemptions	
REACh Regulation	REACh Declaration	

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No