





DELTA switch device insert FM, OFF switch switchover can be screwed, 10A 250V

| Model | |
|--|--|
| product brand name | DELTA |
| type of installation switch | rotary switch |
| type of light source | Without lighting |
| type of composition | basic element |
| design of the actuating element | rocker/button |
| General technical data | |
| type of switch | toggle switch |
| mounting type | flush mounting |
| surface processing | others |
| material | others |
| Supply voltage | |
| operating voltage rated value | 250 V |
| Protection class | |
| protection class IP | IP20 |
| Switching capacity | |
| switching capacity current | 10 A |
| Main circuit | |
| operational current rated value | 10 A |
| Appearance | |
| appearance | not applicable |
| color | miscellaneous |
| Product details | |
| product component | |
| <ul style="list-style-type: none"> • labeling field • signaling contact • pushbutton switch | <ul style="list-style-type: none"> No No No |
| product feature halogen-free | Yes |
| Number | |
| number of actuating rockers | 1 |
| Connections | |
| type of electrical connection | Plug-in terminal |
| Mechanical Design | |
| height | 70 mm |
| fastening method | claw/screw mounting |
| material of the enclosure | metal |
| Environmental footprint | |
| Environmental Product Declaration (EPD) | Yes |
| Global Warming Potential [CO ₂ eq] total | 4.86 kg |
| Global Warming Potential [CO ₂ eq] during manufacturing | 0.353 kg |

| | |
|---|----------|
| Global Warming Potential [CO2 eq] during operation | 4.49 kg |
| global warming potential [CO2 eq] after end of life | 0.016 kg |

Approvals Certificates

| General Product Approval | Declaration of Conformity | other | Environment |
|--|--|---|---|
|  ÖVE |  VDE |  |  EG-Konf. |
| | | Confirmation | Environmental Confirmations |

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA2131>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TA2131>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA2131

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

11/3/2023 

