

5146422

https://www.phoenixcontact.com/gb/products/5146422

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cutter for THERMOMARK ROLL and THERMOMARK ROLL 2.0, cutter width: 110 mm, suitable for: TML, SK, EML-RM, PMM, WMS continuous media, WMS-2 HF continuous media, WMS-OT HF, TMT continuous media, and EMT (EX15)R

Your advantages

· Custom length cuts of continuous markers

Commercial data

Item number	5146422
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG122Z
Product key	BG122Z
Catalog page	Page 40 (C-3-2019)
GTIN	4046356528559
Weight per piece (including packing)	605 g
Weight per piece (excluding packing)	579.9 g
Customs tariff number	82089000
Country of origin	DE



5146422

https://www.phoenixcontact.com/gb/products/5146422

Technical data

Product properties

Product type	Printing system accessories	
Marking		
Identification technology	Thermal transfer for rolls	



5146422

https://www.phoenixcontact.com/gb/products/5146422

Classifications

UNSPSC 21.0

_	\sim	$\Lambda \cap \cap$
		A.7.7

	ECLASS-13.0	19140620				
ET	ETIM					
	ETIM 9.0	EC001675				
UN	ISPSC					

43211600



5146422

https://www.phoenixcontact.com/gb/products/5146422

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	7(c)-I
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT Ltd Halesfield 13, Telford Shropshire, TF7 4PG 01952 681700 info@phoenixcontact.co.uk