

Multi9 - undervoltage release - MN - 24 V AC - 24 V DC

M9A27108

EAN Code: 3606480639173

Main

range of product	Multi9	
Product or component type	Undervoltage release	
Device short name	MN	
[Uc] control circuit voltage	24 V AC 50/60 Hz 24 V DC	
control type	Standard	
9 mm pitches	2	

Complementary

Range compatibility	Multi9 C60BP Multi9 C60BPR Multi9 C60SP Multi9 GFP Multi9 G60H-DC	
Local signalling	Action indicator	
Mounting mode	Fixed	
Mounting support	DIN rail	
Comb busbar and distribution block compatibility	Top: YES	
Height	82.5 mm	
Width	18 mm	
Depth	68 mm	
Net weight	0.066 kg	
Connections - terminals	Clamp terminal (bottom) - 1 cable(s) 2.5 mm² (AWG 14) - rigid Clamp terminal (bottom) - 2 cable(s) 1.5 mm² (AWG 16) - rigid	
Wire stripping length	9 mm for bottom connection	
Tightening torque	1 N.m bottom	

Environment

Standards	EN/IEC 60947-1
Product certifications	PCT UR UL
Pollution degree	3
Ambient air temperature for operation	-2550 °C
Ambient air temperature for storage	-4085 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.700 cm
Package 1 Width	7.800 cm
Package 1 Length	9.400 cm
Package 1 Weight	73.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	8
Package 2 Height	8.500 cm
Package 2 Width	10.000 cm
Package 2 Length	26.500 cm
Package 2 Weight	643.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	32
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	2.984 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental Disclosure

Product Environmental Profile

Use Better

⊗ Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant with Exemptions
SCIP Number	De0ee70b-a441-4aab-aaa6-a931298bfc8d
REACh Regulation	REACh Declaration
Silicon free	No

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins