



Hand protection

VE723NO

WORKS IN OILY ENVIRONMENT

Mechanical glove, with a finesse of work, ideal in oily and greasy environments



Specific benefits



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
4 1 2 1 X

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

Protects against risks



Wearing



Hand protection

VE723NO

WORKS IN OILY ENVIRONMENT

Mechanical glove, with a finesse of work, ideal in oily and greasy environments

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Nitrile foam
Coating level	Palm coated
Number of layer	Single layer
Gauge	15
Benefits element	Reach, Vendor pack
Color	Black
Size	7, 8, 9, 10, 11
Type of packaging	in individual bags



Safety gloves

VE723NO

WORKS IN OILY ENVIRONMENT

Mechanical glove, with a finesse of work, ideal in oily and greasy environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE723NO07	Black	07	VE723NO	3295249254889	13295249254886	120	12	5.9 kg	28.0 cm	68.6 cm	21.0 cm
VE723NO08	Black	08	VE723NO	3295249254926	13295249254923	120	12	6.5 kg	28.0 cm	68.6 cm	21.0 cm
VE723NO09	Black	09	VE723NO	3295249254940	13295249254947	120	12	7.1 kg	28.4 cm	70.4 cm	23.0 cm
VE723NO10	Black	10	VE723NO	3295249254957	13295249254954	120	12	7.4 kg	29.0 cm	70.4 cm	22.8 cm
VE723NO11	Black	11	VE723NO	3295249254964	13295249254961	120	12	6.1 kg	29.4 cm	29.4 cm	22.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height