

Product datasheet

Specifications



Enclosure, EVlink Pro AC Metal, IP66, pedestal mount in metallic kit enclosure, for 25mm² to 35mm² cable

EVA1RFKES

EAN Code: 3606482455634

Main

Range	EVlink
Product name	EVlink Pro AC Metal
Product or component type	Enclosure
Range compatibility	EVlink EVlink Pro AC EVB3 charging station
Poles description	3P + N
Mounting mode	Assembled
Localisation on device	On lower part
rated supply voltage	380...415 V AC 50/60 Hz 220...240 V AC 50/60 Hz
Earthing system	TT TN-S TN-C-S IT Compatible IT with additional isolation transformer on the power supply

Complementary

Provided equipment	1 mounting plate 2 DIN rail 4 fixing bracket 3 cable gland
DIN rail length	240 mm
Mounting plate description	Telequick perforated
Cable entry number	2 cable gland for M32 1 cable gland for M12
Cable cross section	25...35 mm ²
Height	360 mm
Width	270 mm
Depth	180 mm
Net weight	3.4 kg

Environment

IP degree of protection	IP66
IK degree of protection	IK09
Ambient air temperature for operation	-30...70 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	20.000 cm
Package 1 Width	29.000 cm
Package 1 Length	38.000 cm
Package 1 Weight	3.266 kg
Unit Type of Package 2	P12
Number of Units in Package 2	40
Package 2 Height	109.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	154.000 kg

Logistical informations

Country of origin	ES
--------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

SCIP Number

A18cb304-12b9-4d34-8ea6-7f2f757726a8

REACH Regulation

[REACH Declaration](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Removable battery

No

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins