




4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

DW

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.

URETHANE CUSHION
(2 PLACES)

TAPE
(4 PLACES)

AIR CAP SHEET
(4 PLACES)

COVER

TRAY

NOTES:

1. MATERIAL:

1.1 TRAY: PVC

1.2 SHIPPING CARTON: CORRUGATED FIBERBOARD

2. DIMENSION:

2.1 TRAY: L=320, W=230, H=18.9

2.2 SHIPPING CARTON: L=361, W=245, H=272

3. QUANTITY:

3.1 PRIMARY PACKING: 100 PCS/TRAY

3.2 SECONDARY PACKING: 10 TRAY/CARTON(1000PCS)

4. CARTON WEIGHT:

4.1 NET WEIGHT: 10.24 Kg (W/SCREWLOCK)

4.2 GROSS WEIGHT: 11.24 Kg (W/SCREWLOCK)

4.3 NET WEIGHT: 8.24 Kg (W/O SCREWLOCK)

4.4 GROSS WEIGHT: 9.24 Kg (W/O SCREWLOCK)

LABEL

L

W

H

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

RECEPTACLE ASSY, SIZE 1,

15 POSITION, RIGHT ANGLE,

THROUGH HOLE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

SCALE

SHEET

REV

1470-19 (3/11)

TE Connectivity

A300779C-1734530

2 OF 4

B1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DW

DIST

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.

INNER BOX

TUBE

CARTON

INNER BOX

L

W

H

90.0

LABLE

NOTES:

1. MATERIAL:

1.1 TUBE: PVC

1.2 SHIPPING CARTON: CORRUGATED FIBERBOARD

2. DIMENSION:

2.1 TUBE: L=560, W=17.8, H=27.4

2.2 SHIPPING CARTON: L=600, W=245, H=195

3. QUANTITY:

3.1 PRIMARY PACKING: 17 PCS/TUBE

3.2 SECONDARY PACKING: 25 TUBE/BOX

3.3 THIRD PACKING: 2 BOX/CARTON(850PCS)

4. CARTON WEIGHT:

4.1 NET WEIGHT: 8.7 Kg (W/O SCREWLOCK)

4.2 GROSS WEIGHT: 9.7 Kg (W/O SCREWLOCK)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

DIMENSIONS:

MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

MATERIAL

FINISH

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

RECEPTACLE ASSY, SIZE 1, 15 POSITION, RIGHT ANGLE, THROUGH HOLE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

SCALE

SHEET

3 of 4

REV

B1

TE

TE Connectivity

