

1604520

https://www.phoenixcontact.com/gb/products/1604520

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable clamp type cage and shield adapter, shielded: yes, litz wire bundle diameter: 5.5 mm, cable diameter range: 5.5 mm ... 6.5 mm, series: NC, RC, this item is undergoing a smooth changeover, lead-free alternative in accordance with RoHS II without exception 6c (Pb < 0.1%) possible on request in advance

Commercial data

Item number	1604520
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	ABRAFU
Product key	ABRAFU
GTIN	4046356249713
Weight per piece (including packing)	8.08 g
Weight per piece (excluding packing)	5.303 g
Customs tariff number	39269097
Country of origin	DE



1604520

https://www.phoenixcontact.com/gb/products/1604520

Technical data

Product properties

Product type	Cable clamp type cage
Series	NC
	RC
Type of the screw connection	EMC
Shielded	yes

Cable/line

External cable diameter	5.5 mm 6.5 mm

Mechanical properties

Mechanical data



1604520

https://www.phoenixcontact.com/gb/products/1604520

Classifications

ECLASS				
	ECLASS-13.0	27140801		
ETIM				
	ETIM 9.0	EC000441		
UNSPSC				
	UNSPSC 21.0	39121300		



1604520

https://www.phoenixcontact.com/gb/products/1604520

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	5c88ec50-de41-4d2f-bead-d585508d7861

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT Ltd Halesfield 13, Telford Shropshire, TF7 4PG 01952 681700 info@phoenixcontact.co.uk