













Control and signalling units Ø 16

Harmony® XB6







Pushbuttons, switches and pilot lights with double insulated bezel

Component parts, ZB6




Pushbutton caps - unmarked

| For use with | Colour | Sold in lots of | Unit reference | | | Weight kg | | | |
|---|--|-----------------|--|--|--|-----------|----------|----------|-------|
| | | | Head  | Head  | Head  | | | | |
|    ZB6 YDW● ZB6 YCW● ZB6 YAW● | Illuminated pushbuttons, with flush push | | | White | 10 | ZB6 YDW1 | ZB6 YCW1 | ZB6 YAW1 | 0.001 |
| | Green | 10 | ZB6 YDW3 | ZB6 YCW3 | ZB6 YAW3 | 0.001 | | | |
| | Red | 10 | ZB6 YDW4 | ZB6 YCW4 | ZB6 YAW4 | 0.001 | | | |
| | Yellow | 10 | ZB6 YDW5 | ZB6 YCW5 | ZB6 YAW5 | 0.001 | | | |
| | Blue | 10 | ZB6 YDW6 | ZB6 YCW6 | ZB6 YAW6 | 0.001 | | | |
| | Orange | 10 | ZB6 YDW8 | ZB6 YCW8 | ZB6 YAW8 | 0.001 | | | |
|    ZB6 YDE● ZB6 YCE● ZB6 YAE● | Illuminated pushbuttons, with projecting push | | | White | 10 | ZB6 YDE1 | ZB6 YCE1 | ZB6 YAE1 | 0.001 |
| | Green | 10 | ZB6 YDE3 | ZB6 YCE3 | ZB6 YAE3 | 0.001 | | | |
| | Red | 10 | ZB6 YDE4 | ZB6 YCE4 | ZB6 YAE4 | 0.001 | | | |
| | Yellow | 10 | ZB6 YDE5 | ZB6 YCE5 | ZB6 YAE5 | 0.001 | | | |
| | Blue | 10 | ZB6 YDE6 | ZB6 YCE6 | ZB6 YAE6 | 0.001 | | | |
| | Orange | 10 | ZB6 YDE8 | ZB6 YCE8 | ZB6 YAE8 | 0.001 | | | |
|    ZB6 YDA● ZB6 YCA● ZB6 YAA● | Non illuminated pushbuttons | | | White | 10 | ZB6 YDA1 | ZB6 YCA1 | ZB6 YAA1 | 0.001 |
| | Black | 10 | ZB6 YDA2 | ZB6 YCA2 | ZB6 YAA2 | 0.001 | | | |
| | Green | 10 | ZB6 YDA3 | ZB6 YCA3 | ZB6 YAA3 | 0.001 | | | |
| | Red | 10 | ZB6 YDA4 | ZB6 YCA4 | ZB6 YAA4 | 0.001 | | | |
| | Yellow | 10 | ZB6 YDA5 | ZB6 YCA5 | ZB6 YAA5 | 0.001 | | | |
| | Blue | 10 | ZB6 YDA6 | ZB6 YCA6 | ZB6 YAA6 | 0.001 | | | |

Lens caps - unmarked

| For use with | Colour | Sold in lots of | Unit reference | | | Weight kg | | | |
|---|---------------------|-----------------|--|--|--|-----------|----------|----------|-------|
| | | | Head  | Head  | Head  | | | | |
|    ZB6 YDV● ZB6 YCV● ZB6 YAV● | Pilot lights | | | White | 10 | ZB6 YDV1 | ZB6 YCV1 | ZB6 YAV1 | 0.001 |
| | Green | 10 | ZB6 YDV3 | ZB6 YCV3 | ZB6 YAV3 | 0.001 | | | |
| | Red | 10 | ZB6 YDV4 | ZB6 YCV4 | ZB6 YAV4 | 0.001 | | | |
| | Yellow | 10 | ZB6 YDV5 | ZB6 YCV5 | ZB6 YAV5 | 0.001 | | | |
| | Blue | 10 | ZB6 YDV6 | ZB6 YCV6 | ZB6 YAV6 | 0.001 | | | |
| | Orange | 10 | ZB6 YDV8 | ZB6 YCV8 | ZB6 YAV8 | 0.001 | | | |

Pushbutton caps - marked

| Marking | Colour | Sold in lots of | Unit reference | | | Weight kg |
|---|--------|-----------------|---|--|--|-----------|
| White on coloured cap Black on white cap | | | Head  | Head  | Head  | |
| For non illuminated pushbuttons | | | | | | |
| 0 | White | 10 | ZB6 YD100 | ZB6 YC100 | ZB6 YA100 | 0.001 |
| | Black | 10 | ZB6 YD200 | ZB6 YC200 | ZB6 YA200 | 0.001 |
| 1 | White | 10 | ZB6 YD101 | ZB6 YC101 | ZB6 YA101 | 0.001 |
| | Black | 10 | ZB6 YD201 | ZB6 YC201 | ZB6 YA201 | 0.001 |
| 2 | White | 10 | ZB6 YD102 | ZB6 YC102 | ZB6 YA102 | 0.001 |
| | Black | 10 | ZB6 YD202 | ZB6 YC202 | ZB6 YA202 | 0.001 |
| 3 | White | 10 | ZB6 YD103 | ZB6 YC103 | ZB6 YA103 | 0.001 |
| | Black | 10 | ZB6 YD203 | ZB6 YC203 | ZB6 YA203 | 0.001 |
| 4 | White | 10 | ZB6 YD104 | ZB6 YC104 | ZB6 YA104 | 0.001 |
| | Black | 10 | ZB6 YD204 | ZB6 YC204 | ZB6 YA204 | 0.001 |
| 5 | White | 10 | ZB6 YD105 | ZB6 YC105 | ZB6 YA105 | 0.001 |
| | Black | 10 | ZB6 YD205 | ZB6 YC205 | ZB6 YA205 | 0.001 |
| 6 | White | 10 | ZB6 YD106 | ZB6 YC106 | ZB6 YA106 | 0.001 |
| | Black | 10 | ZB6 YD206 | ZB6 YC206 | ZB6 YA206 | 0.001 |
| 7 | White | 10 | ZB6 YD107 | ZB6 YC107 | ZB6 YA107 | 0.001 |
| | Black | 10 | ZB6 YD207 | ZB6 YC207 | ZB6 YA207 | 0.001 |
| 8 | White | 10 | ZB6 YD108 | ZB6 YC108 | ZB6 YA108 | 0.001 |
| | Black | 10 | ZB6 YD208 | ZB6 YC208 | ZB6 YA208 | 0.001 |
| 9 | White | 10 | ZB6 YD109 | ZB6 YC109 | ZB6 YA109 | 0.001 |
| | Black | 10 | ZB6 YD209 | ZB6 YC209 | ZB6 YA209 | 0.001 |
| I | White | 10 | ZB6 YD111 | ZB6 YC111 | ZB6 YA111 | 0.001 |
| | Green | 10 | ZB6 YD311 | ZB6 YC311 | ZB6 YA311 | 0.001 |
| O | Black | 10 | ZB6 YD210 | ZB6 YC210 | ZB6 YA210 | 0.001 |
| | Red | 10 | ZB6 YD410 | ZB6 YC410 | ZB6 YA410 | 0.001 |



019806

ZB6 YD●10



019804

ZB6 YC●10



019803

ZB6 YA●10




Control and signalling units Ø 16

Harmony® XB6

Pushbuttons, switches and pilot lights with double insulated bezel

Component parts, ZB6

Pushbutton caps - marked (continued)

| Marking | Colour | Sold in lots of | Unit reference | | | Weight kg |
|---|--------|-----------------|--|--|--|-----------|
| White on coloured cap Black on white cap | | | Head  | Head  | Head  | |
| For non illuminated pushbuttons | | | | | | |
| II | White | 5 | ZB6 YD112 | ZB6 YC112 | ZB6 YA112 | 0.001 |
| | Black | 5 | ZB6 YD212 | ZB6 YC212 | ZB6 YA212 | 0.001 |
| III | White | 5 | ZB6 YD113 | ZB6 YC113 | ZB6 YA113 | 0.001 |
| | Black | 5 | ZB6 YD213 | ZB6 YC213 | ZB6 YA213 | 0.001 |
| + | White | 5 | ZB6 YD114 | ZB6 YC114 | ZB6 YA114 | 0.001 |
| | Black | 5 | ZB6 YD214 | ZB6 YC214 | ZB6 YA214 | 0.001 |
| - | White | 5 | ZB6 YD115 | ZB6 YC115 | ZB6 YA115 | 0.001 |
| | Black | 5 | ZB6 YD215 | ZB6 YC215 | ZB6 YA215 | 0.001 |
| MARCHE | White | 5 | ZB6 YD116 | ZB6 YC116 | ZB6 YA116 | 0.001 |
| | Green | 5 | ZB6 YD316 | ZB6 YC316 | ZB6 YA316 | 0.001 |
| ON | White | 5 | ZB6 YD117 | ZB6 YC117 | ZB6 YA117 | 0.001 |
| | Green | 5 | ZB6 YD317 | ZB6 YC317 | ZB6 YA317 | 0.001 |
| START | Green | 5 | ZB6 YD340 | ZB6 YC340 | ZB6 YA340 | 0.001 |
| EIN | White | 5 | ZB6 YD118 | ZB6 YC118 | ZB6 YA118 | 0.001 |
| | Green | 5 | ZB6 YD318 | ZB6 YC318 | ZB6 YA318 | 0.001 |
| ARRET | Black | 5 | ZB6 YD223 | ZB6 YC223 | ZB6 YA223 | 0.001 |
| | Red | 5 | ZB6 YD423 | ZB6 YC423 | ZB6 YA423 | 0.001 |
| STOP | Red | 5 | ZB6 YD441 | ZB6 YC441 | ZB6 YA441 | 0.001 |
| OFF | Black | 5 | ZB6 YD224 | ZB6 YC224 | ZB6 YA224 | 0.001 |
| | Red | 5 | ZB6 YD424 | ZB6 YC424 | ZB6 YA424 | 0.001 |
| AUS | Black | 5 | ZB6 YD225 | ZB6 YC225 | ZB6 YA225 | 0.001 |
| | Red | 5 | ZB6 YD425 | ZB6 YC425 | ZB6 YA425 | 0.001 |
| R | Blue | 5 | ZB6 YD626 | ZB6 YC626 | ZB6 YA626 | 0.001 |
| MONTEE | White | 5 | ZB6 YD129 | ZB6 YC129 | ZB6 YA129 | 0.001 |
| | Black | 5 | ZB6 YD229 | ZB6 YC229 | ZB6 YA229 | 0.001 |



ZB6 YD●16






ZB6 YC●17



ZB6 YA●18

Pushbutton caps - marked (continued)

| Marking | Colour | Sold in lots of | Unit reference | | | Weight kg |
|---|--------|-----------------|---|--|--|-----------|
| White on coloured cap Black on white cap | | | Head  | Head  | Head  | |
| For non illuminated pushbuttons | | | | | | |
| UP | White | 5 | ZB6 YD127 | ZB6 YC127 | ZB6 YA127 | 0.001 |
| | Black | 5 | ZB6 YD227 | ZB6 YC227 | ZB6 YA227 | 0.001 |
| DESCENTE | White | 5 | ZB6 YD130 | ZB6 YC130 | ZB6 YA130 | 0.001 |
| | Black | 5 | ZB6 YD230 | ZB6 YC230 | ZB6 YA230 | 0.001 |
| DOWN | White | 5 | ZB6 YD128 | ZB6 YC128 | ZB6 YA128 | 0.001 |
| | Black | 5 | ZB6 YD228 | ZB6 YC228 | ZB6 YA228 | 0.001 |
| AB | White | 5 | ZB6 YD134 | ZB6 YC134 | ZB6 YA134 | 0.001 |
| | Black | 5 | ZB6 YD234 | ZB6 YC234 | ZB6 YA234 | 0.001 |
| FERME | White | 5 | ZB6 YD133 | ZB6 YC133 | ZB6 YA133 | 0.001 |
| | Black | 5 | ZB6 YD233 | ZB6 YC233 | ZB6 YA233 | 0.001 |
| CLOSE | White | 5 | ZB6 YD132 | ZB6 YC132 | ZB6 YA132 | 0.001 |
| | Black | 5 | ZB6 YD232 | ZB6 YC232 | ZB6 YA232 | 0.001 |
| ZU | White | 5 | ZB6 YD131 | ZB6 YC131 | ZB6 YA131 | 0.001 |
| | Black | 5 | ZB6 YD231 | ZB6 YC231 | ZB6 YA231 | 0.001 |
| ↑ | White | 5 | ZB6 YD119 | ZB6 YC119 | ZB6 YA119 | 0.001 |
| | Black | 5 | ZB6 YD219 | ZB6 YC219 | ZB6 YA219 | 0.001 |
| ↓ | White | 5 | ZB6 YD120 | ZB6 YC120 | ZB6 YA120 | 0.001 |
| | Black | 5 | ZB6 YD220 | ZB6 YC220 | ZB6 YA220 | 0.001 |
| → | White | 5 | ZB6 YD121 | ZB6 YC121 | ZB6 YA121 | 0.001 |
| | Black | 5 | ZB6 YD221 | ZB6 YC221 | ZB6 YA221 | 0.001 |
| ← | White | 5 | ZB6 YD122 | ZB6 YC122 | ZB6 YA122 | 0.001 |
| | Black | 5 | ZB6 YD222 | ZB6 YC222 | ZB6 YA222 | 0.001 |



ZB6 YD●19



ZB6 YC●19



ZB6 YA●19

Control and signalling units Ø 16

Harmony® XB6

Pushbuttons, switches and pilot lights with double insulated bezel

Component parts, spare parts and accessories, ZB6

Handles

| Description | Colour | Sold in lots of | Unit reference | Weight kg |
|---|--------|-----------------|----------------|-----------|
| Component parts | | | | |
| Handles for illuminated selector switches (1) | White | 5 | ZB6 YK1 | 0.002 |
| | Green | 5 | ZB6 YK3 | 0.002 |
| | Red | 5 | ZB6 YK4 | 0.002 |
| | Yellow | 5 | ZB6 YK5 | 0.002 |
| | Blue | 5 | ZB6 YK6 | 0.002 |
| | Orange | 5 | ZB6 YK8 | 0.002 |




ZB6 YK●

Replacement parts

| | | | | |
|---|-------|---|---------|-------|
| Handles for non illuminated selector switches | Black | 1 | ZB6 YD2 | 0.002 |
| | Red | 1 | ZB6 YD4 | 0.002 |

Legend holder 24 x 48 mm (size 1) for 8 x 21 mm legend (2)


| Description | Legend plate colour | Sold in lots of | Unit reference | Weight kg |
|-------------------|----------------------------|-----------------|----------------|-----------|
| Without legend | – | 10 | ZB6 YD20 | 0.001 |
| With blank legend | White or yellow background | 10 | ZB6 YD21 | 0.001 |
| | Black or red background | 10 | ZB6 YD22 | 0.001 |



ZB6 YD20

Legend holder 24 x 36 mm (size 2) for 16 x 21 mm legend (2)

| Description | Legend plate colour | Sold in lots of | Unit reference | Weight kg |
|-------------------|----------------------------|-----------------|----------------|-----------|
| Without legend | – | 10 | ZB6 YD30 | 0.001 |
| With blank legend | White or yellow background | 10 | ZB6 YD31 | 0.001 |
| | Black or red background | 10 | ZB6 YD32 | 0.001 |



ZB6 YD3●

Blank legends

| Dimensions | For use with | Colour | Sold in lots of | Unit reference | Weight kg |
|------------|-------------------------------|----------------------------|-----------------|----------------|-----------|
| 8 x 21 mm | Size 1 legend holder ZB6 YD20 | Yellow or white background | 20 | ZB6 Y1001 | 0.001 |
| | | Black or red background | 20 | ZB6 Y2001 | 0.001 |
| 16 x 21 mm | Size 2 legend holder ZB6 YD30 | Yellow or white background | 20 | ZB6 Y4001 | 0.001 |
| | | Black or red background | 20 | ZB6 Y3001 | 0.001 |



ZB6 Y1001

Legends for engraving (3)

| Dimensions | For use with | Colour | Sold in lots of | Unit reference | Weight kg |
|------------|-------------------------------|----------------------------|-----------------|----------------|-----------|
| 8 x 21 mm | Size 1 legend holder ZB6 YD20 | Yellow or white background | 10 | ZB6 Y1900 | 0.001 |
| | | Black or red background | 10 | ZB6 Y2900 | 0.001 |
| 16 x 21 mm | Size 2 legend holder ZB6 YD30 | Yellow or white background | 10 | ZB6 Y4900 | 0.001 |
| | | Black or red background | 10 | ZB6 Y3900 | 0.001 |



ZB6 Y3001

(1) Handle for use in conjunction with a head without a handle (see page 35073/7) and a body sub-assembly for illuminated pushbuttons (see page 35073/2).

(2) For legends, see below and also following page.

(3) Pre-engraved legends. When ordering, clearly state the background colour, text to be engraved (either 1 line for 8 x 21 mm or 2 lines for 16 x 21 mm legends - in both cases, 10 characters max. per line) and the quantity. Minimum quantity: 25 identical legends.

Control and signalling units Ø 16

Harmony® XB6


Pushbuttons, switches and pilot lights with double insulated bezel

Accessories, ZB6


8 x 21 mm marked legends (for "size 1" 24 x 28 mm legend holders ZB6 YD20)

| Colour | Marking | | Sold in lots of | Unit reference | Weight kg |
|--------------------------------|---------------|--------------|-----------------|----------------|-----------|
| Black or red background (1) | International | O-I | 5 | ZB6 Y2178 | 0.001 |
| | | I-II | 5 | ZB6 Y2179 | 0.001 |
| | | I-O-II | 5 | ZB6 Y2186 | 0.001 |
| | | ← O → | 5 | ZB6 Y2190 | 0.001 |
| | | | | | |
| | French | ARRET | 5 | ZB6 Y2104 | 0.001 |
| | | ARRIERE | 5 | ZB6 Y2106 | 0.001 |
| | | AVANT | 5 | ZB6 Y2105 | 0.001 |
| | | DEFAULT | 5 | ZB6 Y2134 | 0.001 |
| | | DESCENTE | 5 | ZB6 Y2108 | 0.001 |
| | | DROITE | 5 | ZB6 Y2109 | 0.001 |
| | | EN SERVICE | 5 | ZB6 Y2111 | 0.001 |
| | | FERME | 5 | ZB6 Y2114 | 0.001 |
| | | GAUCHE | 5 | ZB6 Y2110 | 0.001 |
| | | HORS SERVICE | 5 | ZB6 Y2112 | 0.001 |
| OUVERT | | 5 | ZB6 Y2113 | 0.001 | |
| MAIN-O-AUTO | | 5 | ZB6 Y2187 | 0.001 | |
| MARCHE | | 5 | ZB6 Y2103 | 0.001 | |
| MONTEE | | 5 | ZB6 Y2107 | 0.001 | |
| REARMEMENT | | 5 | ZB6 Y2123 | 0.001 | |
| English | HAND-O-AUTO | 5 | ZB6 Y2387 | 0.001 | |
| | CLOSE | 5 | ZB6 Y2314 | 0.001 | |
| | DOWN | 5 | ZB6 Y2308 | 0.001 | |
| | FORWARD | 5 | ZB6 Y2305 | 0.001 | |
| | FAULT | 5 | ZB6 Y2334 | 0.001 | |
| | LEFT | 5 | ZB6 Y2310 | 0.001 | |
| | OFF | 5 | ZB6 Y2312 | 0.001 | |
| | ON | 5 | ZB6 Y2303 | 0.001 | |
| | OPEN | 5 | ZB6 Y2313 | 0.001 | |
| | RESET | 5 | ZB6 Y2323 | 0.001 | |
| | REVERSE | 5 | ZB6 Y2306 | 0.001 | |
| | RIGHT | 5 | ZB6 Y2309 | 0.001 | |
| | RUN | 5 | ZB6 Y2311 | 0.001 | |
| | STOP | 5 | ZB6 Y2304 | 0.001 | |
| | UP | 5 | ZB6 Y2307 | 0.001 | |
| German | AB | 5 | ZB6 Y2208 | 0.001 | |
| | AUF | 5 | ZB6 Y2207 | 0.001 | |
| | AUS | 5 | ZB6 Y2212 | 0.001 | |
| | BETRIEB | 5 | ZB6 Y2211 | 0.001 | |
| | EIN | 5 | ZB6 Y2203 | 0.001 | |
| | HALT | 5 | ZB6 Y2204 | 0.001 | |
| | HAND-O-AUTO | 5 | ZB6 Y2287 | 0.001 | |
| | LINKS | 5 | ZB6 Y2210 | 0.001 | |
| | ÖFFNEN | 5 | ZB6 Y2213 | 0.001 | |
| | RECHTS | 5 | ZB6 Y2209 | 0.001 | |
| | RÜCKSTELLUNG | 5 | ZB6 Y2223 | 0.001 | |
| | SCHLIESSEN | 5 | ZB6 Y2214 | 0.001 | |
| | STÖRUNG | 5 | ZB6 Y2234 | 0.001 | |
| | VOR | 5 | ZB6 Y2205 | 0.001 | |
| | ZURÜCK | 5 | ZB6 Y2206 | 0.001 | |
| Spanish | ADELANTE | 5 | ZB6 Y2405 | 0.001 | |
| | APERTURA | 5 | ZB6 Y2413 | 0.001 | |
| | ATRAS | 5 | ZB6 Y2406 | 0.001 | |
| | BAJADA | 5 | ZB6 Y2408 | 0.001 | |
| | CIERRE | 5 | ZB6 Y2414 | 0.001 | |
| | DEFECTO | 5 | ZB6 Y2434 | 0.001 | |
| | DERECHA | 5 | ZB6 Y2409 | 0.001 | |
| | EN SERVICIO | 5 | ZB6 Y2411 | 0.001 | |
| | FUERA SERV. | 5 | ZB6 Y2412 | 0.001 | |
| | IZQUIERDA | 5 | ZB6 Y2410 | 0.001 | |
| | MARCHA | 5 | ZB6 Y2403 | 0.001 | |
| | PARADA | 5 | ZB6 Y2404 | 0.001 | |
| | REARME | 5 | ZB6 Y2423 | 0.001 | |
| | SUBIDA | 5 | ZB6 Y2405 | 0.001 | |

(1) "Start" functions: white letters on black background. "Stop" and "Fault" functions: white letters on red background.




ZB6 YA003




XBY 2U




ZB6 Y7330




ZB6 Y009




ZB6 Y011




ZB6 Y003



ZB6 Y010



ZB6 Y006



ZB6 Y006A

Sheets of peel-off legends

| Description | For use with | Sold in lots of | Unit reference | Weight kg |
|--|-------------------------------------|-----------------|----------------|-----------|
| Sheets of 66 circular peel-off transparent self-adhesive legends | Rectangular pilot lights | 10 | ZB6 YD003 | 0.030 |
| | Square pilot lights | 10 | ZB6 YC003 | 0.030 |
| | Circular pilot lights | 10 | ZB6 YA003 | 0.030 |
| | Rectangular illuminated pushbuttons | 10 | ZB6 YD013 | 0.030 |
| | Square illuminated pushbuttons | 10 | ZB6 YC013 | 0.030 |
| | Circular illuminated pushbuttons | 10 | ZB6 YA013 | 0.030 |

"SIS Label" labelling software

| Application | Reference | Weight kg |
|---|-----------|-----------|
| Legend design for English, French, German, Italian, Spanish | XBY 2U | 0.100 |

Circular legends for Emergency stop mushroom head pushbuttons (yellow)

| Diameter mm | Marking on yellow background | Reference | Weight kg |
|-------------|------------------------------|-----------|-----------|
| 45 | Without | ZB6 Y7001 | 0.001 |
| | ARRET D'URGENCE | ZB6 Y7130 | 0.001 |
| | EMERGENCY STOP | ZB6 Y7330 | 0.001 |
| | PARADA EMERGENCIA | ZB6 Y7430 | 0.001 |
| | ARRESTO EMERGENZA | ZB6 Y7630 | 0.001 |
| | NOT-AUS | ZB6 Y7230 | 0.001 |

Accessories

| Description | Application | Sold in lots of | Unit reference | Weight kg | |
|--|--------------------------------|----------------------------------|----------------|-----------|-------|
| Body/fixing collar | For mounting contact blocks | 10 | ZB6 Y009 | 0.002 | |
| Body bracket (fixing screws included) | Printed circuit board mounting | 4 | ZB6 Y011 | 0.010 | |
| Anti-rotation plate | Selector switches | 10 | ZB6 Y003 | 0.001 | |
| Nut | Securing head on support | 10 | ZB6 Y002 | 0.001 | |
| Plug-in socket adaptor | Printed circuit board mounting | 10 | ZB6 Y010 | 0.004 | |
| Dummy contact block housing (without contacts) | Printed circuit board mounting | Without pins for printed circuit | 10 | ZB6 Y006 | 0.001 |
| | | With pins for printed circuit | 10 | ZB6 Y006A | 0.001 |




ZB6 Y905



ZB6 Y906



ZB6 YC002




ZB6 YD002




ZB6 YA001



ZB6 YD001




ZB6 Y001




ZB6 Y020



ZB6 Y005



ZB6 Y007



XBZ S43

Accessories (continued)

| Description | Application | Sold in lots of | Unit reference | Weight kg |
|---|--|-----------------|----------------|-----------|
| Dismantling tool | Removal of contact blocks from body/fixing collar | 5 | ZB6 Y018 | 0.005 |
| Extractor | Removal of pushbutton caps | 5 | ZB6 Y016 | 0.010 |
| Bezel tightening tool + bulb extractor | Tightening and slackening the bezel and changing bulbs | 2 | ZB6 Y905 | 0.006 |
| Metal assembly tool | Tightening of fixing nut | 1 | ZB6 Y906 | 0.022 |
| Dismantling tool kit, comprising 3 tools | Removal of contacts, fixing nuts and pushbutton caps | 1 | ZB6 Y019 | 0.030 |
| Connecting cable with 2 pin connector (5 mm pitch) and 2 pin Faston connector Length: 50 mm Wire c.s.a.: 0.75 mm ² | Ø 16 units | 8 | APE 1C1250 | 0.130 |
| Adaptors for flush mounting | For flush mounting a circular pushbutton, switch or pilot light in a Ø 22 hole | 10 | ZB6 YA002 | 0.030 |
| | For flush mounting a square pushbutton, switch or pilot light in a 21 x 21 square hole | 5 | ZB6 YC002 | 0.032 |
| | For flush mounting a rectangular pushbutton, switch or pilot light in a 21 x 27 rectangular hole | 5 | ZB6 YD002 | 0.032 |
| Protective cover | Protection of contacts against direct finger contact | 10 | ZB6 Y001 | 0.005 |
| Protective shutters | Circular and square pushbuttons and switches | 1 | ZB6 YA001 | 0.003 |
| | Rectangular pushbuttons and switches | 1 | ZB6 YD001 | 0.003 |
| Adaptor for XAL control station (Ø 22 to Ø 16 reducer) | Ø 16 circular, square or rectangular units | 5 | ZB6 Y020 | 0.038 |
| Female Faston connector | – | 100 | ZB6 Y004 | 0.002 |
| Blanking plug | – | 10 | ZB6 Y005 | 0.001 |
| Ronis key | Key switches | 2 | ZB6 Y007 | 0.006 |
| DOM 311 key | Key switches | 2 | ZB6 Y008 | 0.006 |
| | 6 V | 6 | ZB6 YA006 | 0.002 |
| | 12 V | 10 | ZB6 YJ012 | 0.002 |
| Incandescent bulbs, bayonet T1 1/4 | 24 V (1) | 20 | ZB6 YB028 | 0.002 |
| | 110/230V (2) | 5 | ZB6 YG095 | 0.002 |
| Neon bulbs | 110/230V (2) | 5 | ZB6 YG095 | 0.002 |
| Link | Operation of 3rd contact | 10 | ZB6 Y017 | 0.002 |

AS-Interface module S7.F profile



| Description | Indicator "on" signalling mode | Reference | Weight kg |
|--|--|-----------|-----------|
| Panel fixing, in conjunction with a Harmony pushbutton or switch | | | |
| Interface 4 inputs/ 4 outputs Inputs for digital contacts Outputs for indicators | Steady | XBZ S43 | 0.185 |
| | Steady or flashing depending on parameter settings | XBZ S44 | 0.185 |
| Bracket for use when mounting on DIN rail | – | ZBZ S6 | 0.085 |

(1) 28 V bulb supplied for use on 24 V.
(2) 95 V bulb supplied for use on 110/230 V.