

Floor standing polyester enclosure, PanelSeT PLA, glazed door, completely sealed, 750x1000x420mm, IP65, IK08

NSYPLA7104TG

EAN Code: 3606480775024

Price: 1.359,00 EUR

Main

Range	PanelSeT	
product name	PanelSeT PLA	
Enclosure type	Multi-purpose	
Product or component type	Suitable enclosure	
Version	PLA	
Nominal height	750 mm	
Nominal width	1000 mm	
Nominal depth	420 mm	
Enclosure mounting	Floor-standing	
Device composition	1 top part 1 bottom part 2 side part 2 door 2 rear panel	

Complementary

Body type	Sealed top and bottom part assembled with side parts	
Door type	Transparent front	
Number of doors	2 door(s)	
Door opening side	Right and left (120 °)	
Lock type	2 points lock, 5 mm double-bar	
Accessibility for operation	Front Rear	
Removable parts	Door by hinges Rear panel by fixing element	
Material	Polyester reinforced with fibreglass	
Colour	Grey (RAL 7035)	
Standards	UL 508 A IEC 62208	
NEMA degree of protection	NEMA 2 NEMA 1 NEMA 12 NEMA 13	

Rates duty January 2016

Product certifications	DNV Marine Veritas UL/cUL listed
Electrical insulation class	Class II

Environment

IP degree of protection	IP65 conforming to IEC 60529 (completely sealed)	
IK degree of protection	IK08 conforming to IEC 62262 (glazed door)	
Fire resistance	960 °C conforming to IEC 62208	
Ambient air temperature for storage	-3590 °C	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	75.500 cm
Package 1 Width	104.500 cm
Package 1 Length	48.000 cm
Package 1 Weight	39.000 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	4
Package 2 Height	164.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	169.000 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	303
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	1341ad4e-77b9-40e3-bab0-32043fbc5959

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No