

Product datasheet

Specifications



IP55 EURO HANDLE FOR CYLINDER

LVS08934

EAN Code: 3606481885524

Main

| | |
|--------------------------------|---------------------------------|
| Range | PrismaSeT |
| Range of product | PrismaSeT G |
| Product or component type | Handle |
| Accessory / separate part type | Closing element |
| Range compatibility | PrismaSeT PrismaSeT G enclosure |
| IP degree of protection | IP55 |

Complementary

| | |
|--------------------------|--|
| Mounting support | Door |
| installation description | Floor-standing enclosure Wall-mounted enclosure |
| Type of keylock | EURO |
| Number of key | 0 |
| Lock type | Lock without barrel |
| Quantity per set | Set of 1 |
| Net weight | 0.4 kg |
| Colour | White (RAL 9003) |

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 8.4 cm |
| Package 1 Width | 3.8 cm |
| Package 1 Length | 15.5 cm |
| Package 1 Weight | 384.0 g |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 15 |
| Package 2 Height | 15.0 cm |
| Package 2 Width | 30.0 cm |
| Package 2 Length | 40.0 cm |
| Package 2 Weight | 5.932 kg |

Contractual warranty

Warranty (in months)

18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Longer

Lifetime extension

Repair

No

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No