








Product/Process Change Notice (PCN)																	
<input type="checkbox"/> Major Change <input checked="" type="checkbox"/> Minor Change																	
PCN Number: PCN_PeRATR_20251222 Affected Series: WP-RATR Affected Part Number: see table "PART NUMBER, REVISION & DATASHEET" PCN Date: 2025-09-22 (YYYY-MM-DD) Effective Date: 2025-12-22 (YYYY-MM-DD)	Change Category: <input type="checkbox"/> Equipment/Location <input checked="" type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input type="checkbox"/> Product Design <input checked="" type="checkbox"/> Shipping/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software																
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eican@we-online.com	Datasheet Change: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Attachment: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																
DESCRIPTION OF CHANGE: <p>Due to an improvement of the production capability, Würth Elektronik eiSos will change the packaging from carton case to carton tray. The new carton will change the "single packaging quantity" (SPQ) and the "carton packaging quantity" (CPQ). The data sheet will be adjusted accordingly due to a technical, production dimension correction.</p> <p>There will be no change in form, fit, function, quality or reliability of the product.</p> <p>The new revision of the affected part numbers will be sent out after the previous revision is out of stock (according to FIFO - first-in, first-out).</p> <p>The preliminary datasheets of the affected part numbers will be available on the website after the PCN date. Link to the website: WP-RATR</p>																	
PART NUMBER, REVISION & DATASHEET:																	
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="width: 30%;">Part Number</th> <th style="width: 35%; color: red;">Revision before change</th> <th style="width: 35%; color: green;">Revision after change</th> </tr> </thead> <tbody> <tr> <td>7461064</td> <td>001.004</td> <td>001.005</td> </tr> <tr> <td>7461106</td> <td>001.004</td> <td>001.005</td> </tr> <tr> <td>7461107</td> <td>001.004</td> <td>001.005</td> </tr> <tr> <td>7461108</td> <td>001.004</td> <td>001.005</td> </tr> </tbody> </table>			Part Number	Revision before change	Revision after change	7461064	001.004	001.005	7461106	001.004	001.005	7461107	001.004	001.005	7461108	001.004	001.005
Part Number	Revision before change	Revision after change															
7461064	001.004	001.005															
7461106	001.004	001.005															
7461107	001.004	001.005															
7461108	001.004	001.005															

DETAILS OF CHANGE:												
<ul style="list-style-type: none"> Pictures & dimensions 												
Before Change	After Change											
Carton Case (SPQ)	Carton Tray (SPQ)	Shipping Carton (CPQ)										
												
Dimensions (LxWxH):	Dimensions (LxWxH):	Dimensions (LxWxH):										
108.0 x 85.0 x 65.0 mm	274.0 x 171.0 x 15.0 mm	300.0 x 200.0 x min. 115.0 mm Height varies depending on the component due to two-part carton.										
<ul style="list-style-type: none"> Datasheet 												
Before Change	After Change											
General Information:												
<table border="1"> <tr> <td>Material</td> <td>Brass</td> </tr> <tr> <td>Surface</td> <td>Tin</td> </tr> <tr> <td>Execution</td> <td>Press-Fit</td> </tr> <tr> <td>Operating Temperature</td> <td>-55 up to +150 °C</td> </tr> <tr style="border: 2px solid red;"> <td>Packaging</td> <td>Bulk</td> </tr> </table>			Material	Brass	Surface	Tin	Execution	Press-Fit	Operating Temperature	-55 up to +150 °C	Packaging	Bulk
Material	Brass											
Surface	Tin											
Execution	Press-Fit											
Operating Temperature	-55 up to +150 °C											
Packaging	Bulk											
<table border="1"> <tr> <td>Material</td> <td>Brass</td> </tr> <tr> <td>Surface</td> <td>Tin</td> </tr> <tr> <td>Execution</td> <td>Press-Fit</td> </tr> <tr> <td>Operating Temperature</td> <td>-55 up to +150 °C</td> </tr> <tr style="border: 2px solid green;"> <td>Packaging</td> <td>Tray</td> </tr> </table>			Material	Brass	Surface	Tin	Execution	Press-Fit	Operating Temperature	-55 up to +150 °C	Packaging	Tray
Material	Brass											
Surface	Tin											
Execution	Press-Fit											
Operating Temperature	-55 up to +150 °C											
Packaging	Tray											
Before Change	After Change											
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">  <p>Technical drawing showing dimensions for the component before change. Key dimensions include: 10.16, 2.54, 10.16, 10.16, 23.5, 8.0 ±0.2, 13.0, 3.0 ±0.5, 20.0, 8.0 ±0.2, 16.9, 13.0, 8.0 ±0.2.</p> </div> <div style="width: 45%;">  <p>Technical drawing showing dimensions for the component after change. Key dimensions include: 10.16, 2.54, 10.16, 10.16, 23.5, 16.9, 8.0 ±0.2, 13.0, 20.0, 8.0 ±0.2, 16.9, 13.0, 8.0 ±0.2.</p> </div> </div>												
Production dimensioning:												
3.0	16.9											



- Quantity

Part Number	Before Change	After Change	
	SPQ: Carton Case	SPQ: Carton Tray	CPQ: Shipping Carton
7461064	75	93	279
7461106	75	93	279
7461107	75	93	279
7461108	75	93	279

RELIABILITY / QUALIFICATION OF CHANGE:

There will be no change of the product, therefore no additional reliability or qualification testing was performed.
 The new packaging was checked by a drop test according to internal quality standards.