

Eaton 046379

Catalog Number: 046379

Eaton xEnergy Safety Ci LV systems LV switchgear. Fuse enclosure, 2x enclosure base 3p NH00 100A, HxWxD=250x375x150mm

General specifications



Product Name	Catalog Number
Eaton xEnergy Safety Ci fuse enclosure NH	046379
	EAN 4015080463795
Product Length/Depth	Product Height
150 mm	250 mm
Product Width	Product Weight
375 mm	3.7 kg
Compliances	
RoHS conform	

Product specifications

Used with

Ci insulated enclosure
Two-way fuse box
Enclosures with devices fitted

Special features

Fuse links #288934 #288909 #100651 Incoming cable max.
35 mm² Max. fuse 63 A

Type

Ci insulated enclosure Enclosures with devices fitted Two-way
fuse box

Fitted with:

Transparent cover

Degree of protection

IP65

Enclosure material

Plastic

Unit type

Stand-alone device

Voltage rating

690 V AC

Number of groups

2

Rated operational voltage (Ue) - max

690 V

Amperage rating

100 A

Functions

Enclosures with devices fitted
Extension possible
With parallel link between the incoming sides

Fuse cartridge

NH00

Protected by

Knife blade fuse (NH)

Rated operational current

100 A (2x)

Resources

Brochures

[eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf](#)
[eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf](#)

Catalogs

[eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf](#)

Drawings

[eaton-enclosures-xenergy-safety-ci-lv-systems-dimensions-002.eps](#)
[eaton-distribution-boards-fuse-xenergy-safety-ci-fuse-enclosure-dimensions.eps](#)

Installation instructions

[05670392.pdf](#)

Voltage rating at AC

690 V AC

Number of poles

Three-pole

Position on rail system

Universal

Suitable for

Parallel link between the incoming sides



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia