

PRODUCT-DETAILS

# TY100-18X-39

## TY-FAST 104X2.4MM HEAT STAB



### General Information

Extended Product Type	TY100-18X-39
Product ID	7TCG054360R0369
EAN	5415022175813
Catalog Description	TY-FAST 104X2.4MM HEAT STAB
Long Description	Cable Tie, Heat Stabilized Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 111.76mm (4.4 Inches), Width of 2.413mm (0.095 Inches), Thickness of 1.12mm (0.044 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Bulk Pack

### Ordering

EAN	5415022175813
UPC	786209698346

### Dimensions

Product Net Width	0.095 in 2.413 mm
Product Net Depth / Length	4.4 in 111.76 mm

### Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	2 in 51 mm
Package Level 1 Height	12 in 305 mm
Package Level 1 Depth / Length	14 in 356 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	9.1 in 231 mm
Package Level 2 Depth / Length	10.2 in 259 mm

### Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

### Additional Information

Brand / Label	Catamount
Bundle Diameter	1 in 25.4 mm
Color	Black
Effective Date	20130628
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Heat Stabilized
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.044 in 1.12 mm

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY100-18X-39
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY100-18X-39

### Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

