

Product datasheet

Specifications



Head for pilot light, Harmony XB4, XB5, white, 22mm, universal LED, plain lens, unmarked

Local distributor code:

237148777

ZBV0113

Important message: A change in appearance may be noted on the product but does not affect its use in terms of function and safety. This makes it compatible with our Universal LED blocks
EAN Code: 3389110099874

Main

Range of product	Harmony XB5 Harmony XB4
Accessory / separate part designation	Lens cap
Accessory / separate part type	Cap
Accessory / separate part category	Lighting accessories
Product compatibility	Universal LED
Accessory / separate part destination	Pilot light
Cap or lens type	Plain lens
Cap/operator or lens colour	White
Shape of signaling unit head	Round
Marking	unmarked
Ambient air temperature for operation	-40...70 °C
Quantity per set	Set of 10

Complementary

Product weight	0.002 kg
----------------	----------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.900 cm
Package 1 Width	3.000 cm
Package 1 Length	3.000 cm
Package 1 Weight	0.900 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	5.600 cm
Package 2 Width	4.400 cm
Package 2 Length	5.200 cm
Package 2 Weight	23.000 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 3	S01
Number of Units in Package 3	160
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	558.000 g

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better



Materials and Substances

Average percentage of recycled plastic content	30 %
Average percentage of recycled metal content	10 %
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant By Exemption

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	0
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative





