

Product datasheet

Specifications



"PanelSeT SF/SM 19" swing rack - 2000x800 mm - 40 modules"

Local distributor code:

398252324

NSYRSW40

EAN Code: 3606480067280

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	19" rack
Application	Electronic application
For enclosure nominal dimensions	- H: 2000 mm
Rack type	Swing
Mounting location	On structure of enclosure
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM
Device composition	fixing elements 2 800 mm swing rack supports 1 hinged rack 1 side lid with handle
Quantity per set	Set of 1
Number of units 19"	40

Complementary

Rack coverage	Complete
Rack position	Off-centered
Material	Steel
Enclosure/cubicle description	Floor-standing enclosure
Surface finish	Zinc coated
Lock type	Handle with ball lock
fixing mode	By fixing element
Adjustment	Adjustable in depth every 25 mm
Colour	Side plate: grey (RAL 7035)
Permanent permissible load	3.75 kg per unit with a maximum of 150 kg
Opening of the 19" racks	Reversible 120 °
Height	2000 mm
Width	800 mm
Depth	1901 mm

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
Package 1 Height	12.000 cm
Package 1 Width	72.500 cm
Package 1 Length	196.000 cm
Package 1 Weight	26.000 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	12
Package 2 Height	120.000 cm
Package 2 Width	120.000 cm
Package 2 Length	210.000 cm
Package 2 Weight	349.000 kg

Logistical informations

Country of origin	ES
--------------------------	----

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	209 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	127 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	6 kg CO2 eq.
Carbon footprint of the installation phase [A5]	7 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	69 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again




Repack and remanufacture

Recyclability potential, in %	98
End of life manual availability	No need of specific recycling operations
Take-back	Nej

Technical Illustration

Dimensions



Technical Illustration

Exploded view




Image of product / Alternate images

Alternative

