Product datasheet

Specifications

"Intermediate crossbar, PanelSeT SFN, for motor control center enclosure W600mm, set of 2"

NSYMICN6

EAN Code: 3606486521298

Main

Range	PanelSeT
Product or component type	Intermediate crossbar
Application	Compartmentalised application
Nominal dimensions of the housing	- W: 600 mm
Mounting location	Front of enclosure
Range compatibility	PanelSeT SFN compartimentalised version
Device composition	Fixing elements 2 x crossbar

Complementary

Material	Steel
Colour	Grey (RAL 7035)
Surface finish	Epoxy-polyester powder
Fixing mode	By fixing element - on structure location
Adjustment	Adjustable in height every 25 mm for between partial doors
Width	Nominal: 600 mm Real: 560 mm
Depth	65 mm
Net weight	124.2 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	6.500 cm
Package 1 Length	51.500 cm
Package 1 Weight	966.000 g
Unit Type of Package 2	P12
Number of Units in Package 2	100
Package 2 Height	55.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	106.600 kg

Contractual warranty

Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	12
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No