# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



# SELECTOR SWITCH OPERATOR 30MM T-K

Local distributor code: 387259231

9001KS88K14

EAN Code: 3389118039346

### Main

Product or component type	Head for key selector switch	
Enclosure type	Dust and oil resistant weatherproof enclosure for indoor/outdoor	
Range of product	Harmony 9001K	

# Complementary

Bezel material	Metal	
Cap/operator or lens colour	black	
Contacts type and composition	Without contact block	
Key number	E10	
Key withdrawal position	In any position	
Operator position information	4 positions	
Operator profile	Key switch	
Operator profile	1 projecting push-button	
Size	30 mm	
Type of operator	Maintained	
Type of operator	Stay put	
Contacts type and composition	Without contact block	

### **Environment**

NEMA degree of protection	NEMA 1/2/3/3R/4/6/12/13	
Product certifications	CE UL listed file E42259 CCN NKCR	
	CSA LR 25490 class 3211 03	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.572 cm
Package 1 Width	5.588 cm
Package 1 Length	9.144 cm
Package 1 Weight	185.973 g

# **Logistical informations**

Country of origin FR

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	Ae0c4eb9-0bfb-40a4-851f-5c619fbe777d
REACh Regulation	REACh Declaration

### **Use Again**

○ Repack and remanufacture	
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins