

NC4-500 - Building management system



2404195

<https://www.phoenixcontact.com/in/products/2404195>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Emalytics Controller license to integrate 500 data points (separate maintenance license required)

Commercial data

| | |
|--------------------------------------|--------------------------------|
| Item number | 2404195 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Sales key | DRH |
| Product key | DRHBAA |
| GTIN | 4055626349459 |
| Weight per piece (including packing) | 0.001 MGM |
| Weight per piece (excluding packing) | 0.001 MGM |
| Customs tariff number | 49119900 |
| Country of origin | US |

NC4-500 - Building management system



2404195

<https://www.phoenixcontact.com/in/products/2404195>

Technical data

Product properties

| | |
|---------------------|----------------------------|
| Product type | Building management system |
| Area of application | Building technology |

System properties

| | |
|-------------------------------|-------------|
| Type of software | Embedded |
| Intended use for the software | Automation |
| | Engineering |

License information

| | |
|------------------|-----------------|
| Type of license | Runtime license |
| License duration | nicht relevant |

Functionality

| | |
|----------------------------------|--------------------|
| Integrated function | Analysis |
| | Data acquisition |
| | Diagnostics |
| | Startup |
| | Communication |
| | Configuration |
| | Project planning |
| | Simulation |
| Target system | Automation station |
| Supported controllers | ILC 2050 BI |
| Number of data points (embedded) | 500 |
| Number of clients | nicht relevant |

System requirements

| | |
|---------------------|--------------------------------|
| Languages supported | German, English |
| Screen resolution | 1024 x 768 pixel(s) ,or higher |

NC4-500 - Building management system



2404195

<https://www.phoenixcontact.com/in/products/2404195>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27242590 |
| ECLASS-12.0 | 27242590 |
| ECLASS-13.0 | 27242590 |

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC001435 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 43233600 |
|-------------|----------|

NC4-500 - Building management system



2404195

<https://www.phoenixcontact.com/in/products/2404195>

Environmental product compliance

| | |
|---|---|
| EU RoHS | |
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |

NC4-500 - Building management system



2404195

<https://www.phoenixcontact.com/in/products/2404195>

Accessories

ILC 2050 BI - Controller

2403160

<https://www.phoenixcontact.com/in/products/2403160>



Modular Inline controller for automation applications in the fields of building technology, infrastructure, and energy technology. Equipped with two logically separated IP address interfaces each with 2 integrated Fast Ethernet ports. Configurable assignment of the Ethernet ports for the use of the spanning-tree protocol, daisy chain and redundant ring structures for maximum availability. Four LAN, two USB, and two RS-485 interfaces are integrated. The data point connections can be extended with up to 63 Inline I/O modules: digital and analog, function terminals for DALI, pulse counting, MBUS or serial interfaces.

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in