

FEATURES

- Ideal for drilling and light milling
- Cast iron base
- Steel jaw on the machine vice
- Handle mounted onto ball bearings
- Excellent gripping power

RS PRO Milling Vice 83mm x 60mm, 3.5kg

RS Stock No.: 463-7296



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

From RS PRO this drill vice also known as a machine vice, is ideal for using for drilling or light milling. This small vice can easily be mounted and clamped on to machine tool beds and standard drill stands.


General Specifications

Vice Type	Drill Vice
Applications	Drilling


Mechanical Specifications

Jaw Opening	60mm
Jaw Width	83mm
Jaw Height Capacity	31mm
Jaw Height from Base	50mm
Overall Length with Jaws Closed	260mm
Overall Length with Jaws Fully Closed	320mm
Clamping Slot Width	11.5mm (M10 clamping bolts recommended)
Maximum Clamping Force	60mm
Mounting	Bolts
Weight	3.5kg





Order Code	Manufacturers Code	Description
463-7296	52-810-085	Drill Vice



- Cast Iron Vice Body
- 2 Fixed Vice Jaw, manufactured from hardened steel, complete with one harizontal and three vertical wee grooves.

 Moving Vice jaw, manufactured from hardened steel

 Lubrication Part for bandle bearing

- Vice Handle
- Clamping Slots (x2): 11.5mm wide, suitable for M10 clamping bolts

Note: When lubricating the handle bearing, remove the grub screw and apply a general bearing grease to the mechanism. Replace the grub screw making sure it does not clamp down on the bearing balls which will cause the bandle to lock