

# Product datasheet

Specifications



## EverLink terminal block, TeSys Deca Contactor, 4P, for contactor LC1DT200A

LAD91154A

EAN Code: 3606487159261

### Main

|                                    |                      |
|------------------------------------|----------------------|
| Range                              | TeSys                |
| Device short name                  | LAD9                 |
| Product or component type          | EverLink cable block |
| Accessory / separate part category | Connection accessory |
| Poles description                  | 4P                   |
| Product compatibility              | LC1DT200...          |

### Complementary

|                         |                               |
|-------------------------|-------------------------------|
| IP degree of protection | IP20 conforming to IEC 60529  |
| Connections - terminals | EverLink BTR screw connectors |
| Product weight          | 0.67 kg                       |
| Quantity per set        | 2                             |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 12.800 cm |
| Package 1 Width              | 21.200 cm |
| Package 1 Length             | 14.100 cm |
| Package 1 Weight             | 898.000 g |
| Unit Type of Package 2       | S03       |
| Number of Units in Package 2 | 6         |
| Package 2 Height             | 30.000 cm |
| Package 2 Width              | 30.000 cm |
| Package 2 Length             | 40.000 cm |
| Package 2 Weight             | 5.704 kg  |

### Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances               |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                    |
| Packaging without single use plastic   | No                                                                                     |
| SCIP Number                            | 608af421-265e-4dfd-b0b3-1192c9364536                                                   |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |                                                                                                                             |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Take-back                | No                                                                                                                          |
| WEEE Label               | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative

---



