

3M VHB Cleaning Sachet

Safety Data Sheet

Copyright, 2011, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	18-6946-0	Version number:	6.03
Revision date:	28/10/2011	Supersedes date:	05/10/2011
Transportation version number:	1.00 (30/09/2010)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M VHB Cleaning Sachet

Product identification numbers

DT-2729-9061-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Surface cleaning

1.3. Details of the supplier of the substance or mixture

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

E Mail: tox.uk@mmm.com

Website: www.3M.com/uk

Supplied by:

RS Components Ltd.

Birchington Road, Corby, Northants, NN17 9RS.

Tel: +44 (0) 1536 402888 (8am to 8pm)

Email: technical.help@rs-components.com

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Flammable Liquid: Category 2.

Flammable Liquid: Category 2.

Serious Eye Damage/Irritation: Category 2A.

Specific Target Organ Toxicity: Category 3.

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Indication of danger

Highly flammable.

Irritant.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

DANGER!

Symbols:

GHS02 (Flame) |GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS

Prevention:

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261	All or part of the classification is based on toxicity test data.

Response:

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
--------------------	--

Disposal:

P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.
------	--

For packages where the contents are <125 mL, label with GHS02 and GHS07.

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Symbols

F	Highly flammable.
Xi	Irritant.

Contains:

No ingredients are assigned to the label.

Risk phrases

R11	Highly flammable.
R36	Irritating to eyes.
R67	Vapours may cause drowsiness and dizziness.

Safety phrases

S16	Keep away from sources of ignition - No Smoking.
-----	--

7 D\$- (, v1.& RS (), !+' +%

3M VHB Cleaning Sachet

Notes on labelling

Updated per Regulation (EC) 648/2004 on detergents.

For containers <=125 ml label with F, Xi; R67

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Propan-2-ol	67-63-0	EINECS 200-661-7	99	F:R11; Xi:R36; R67 (EU) Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 (CLP)
Non hazardous ingredient	Mixture		1	

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids or gases such as dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

3M VHB Cleaning Sachet

Hazardous Decomposition or By-Products

Substance

Carbon monoxide.
Carbon dioxide.
Irritant vapours or gases.

Condition

During combustion.
During combustion.
During combustion.

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Evacuate area. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. Ventilate the area with fresh air.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible using non-sparking tools. Cover spill area with a fire-extinguishing foam designed for use on solvents, such as alcohols and acetone, that can dissolve in water. An AR-AFFF type foam is recommended. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Clean up residue with detergent and water. Place in a metal container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Vapours may travel long distances along the ground or floor to an ignition source and flash back. For industrial or professional use only. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes.

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

7 D\$- (, v1.& RS () , !+' +%

3M VHB Cleaning Sachet

Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Propan-2-ol	67-63-0	Health and Safety Comm. (UK)	TWA:999 mg/m ³ (400 ppm);STEL:1250 mg/m ³ (500 ppm)	

Health and Safety Comm. (UK) : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required.

Skin/hand protection

Skin protection is not required.

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Sachet with alcohol filled towel.
Appearance/Odour	Colorless liquid. Alcohol odour.
pH	<i>Not applicable.</i>
Boiling point/boiling range	82.4 °C
Melting point	<i>Not applicable.</i>
Flammability (solid, gas)	Flammable Liquid: Category 2.
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	12 °C
Autoignition temperature	425 °C
Flammable Limits(LEL)	2 % volume
Flammable Limits(UEL)	12.7 % volume
Vapour pressure	<i>No data available.</i>
Relative density	0.786
Water solubility	Complete
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>

3M VHB Cleaning Sachet

Vapour density	2.07 [Ref Std: AIR=1]
Viscosity	No data available.

9.2. Other information

Volatile organic compounds (VOC)	778 g/l
Percent volatile	100 % weight
VOC less H2O & exempt solvents	784 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Sparks and/or flames.
Heat.

10.5 Incompatible materials

Alkali and alkaline earth metals.
Aluminium
Amines.
Strong oxidising agents.

10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Eye contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

7 D\$- (, v1.& RS (), !+' +%

3M VHB Cleaning Sachet

Skin contact

Dermal Defatting: Signs/symptoms may include localised redness, itching, drying and cracking of skin.

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause target organ effects after inhalation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause target organ effects after ingestion.

Target Organ Effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Toxicological Data

Acute Toxicity

Name	Route	Species	Value	UN GHS Classification
Overall product	Ingestion		No test data available; calculated ATE >5,000 mg/kg	Not classified (0% unknown)
Propan-2-ol	Dermal	Rabbit	LD50 12,870 mg/kg	Not classified
Propan-2-ol	Inhalation-Vapor (4 hours)	Rat	LC50 73 mg/l	Not classified
Propan-2-ol	Ingestion	Rat	LD50 4,710 mg/kg	Category5

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value	UN GHS Classification
Overall product		No test data available; calculated to cause no significant irritation	Not classified
Propan-2-ol		No significant irritation	Not classified

Serious Eye Damage/Irritation

Name	Species	Value	UN GHS Classification
Overall product		No test data available; calculated to be moderate irritant	Category 2B
Propan-2-ol		Moderate irritant	Category 2B

Skin Sensitisation

Name	Species	Value	UN GHS Classification
Overall product		No test data available.	Not classified based on component data
Propan-2-ol		Not sensitizing	Not classified

Respiratory Sensitisation

Name	Species	Value	UN GHS Classification
Overall product		No test data available.	Not classified based on component data
Propan-2-ol		No data available	

7 D\$- (, v1.& RS (), !+' +%

3M VHB Cleaning Sachet

Germ Cell Mutagenicity

Name	Route	Value	UN GHS Classification
Overall product		No data available	Overall Germ Cell Mutagenicity classification Not classified
Overall product		No test data available.	
Propan-2-ol	In vivo	Not mutagenic	Not classified

Carcinogenicity

Name	Route	Species	Value	UN GHS Classification
Overall product			No test data available.	Not classified based on component data
Propan-2-ol	Not specified.		Some positive data exist, but the data are not sufficient for classification	Not classified

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration	UN GHS Classification
Overall product		No test data available.				Not classified based on component data
Propan-2-ol	Ingestion	Some positive reproductive/developmental data exist, but the data are not sufficient for classification		NOEL 400 mg/kg/day		
Propan-2-ol	Inhalation	Some positive reproductive/developmental data exist, but the data are not sufficient for classification		LOEL 9,001 mg/m3		

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration	UN GHS Classification
Propan-2-ol	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A		Category 3
Propan-2-ol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		RD50 5,000 ppm		Not classified

7 D\$- (, v1.& RS (), !+' +%

3M VHB Cleaning Sachet

Propan-2-ol	Ingestion	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A		Category 3
-------------	-----------	-----------------------------------	-----------------------------------	--	--------------	--	------------

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration	UN GHS Classification
Overall product			No test data available.				Not classified based on component data
Propan-2-ol	Inhalation	auditory system	Some positive data exist, but the data are not sufficient for classification		LOEL 969 mg/m3		Not classified
Propan-2-ol	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		NOEL 1.2 mg/l		Not classified
Propan-2-ol	Inhalation	nervous system	All data are negative		NOEL 12 mg/l		Not classified
Propan-2-ol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		NOEL N/A		Not classified

Aspiration Hazard

Name	Value	UN GHS Classification
Overall product	No test data available.	Not classified based on component and/or viscosity data
Propan-2-ol	Not an aspiration hazard	Not classified

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

7 D\$- (, v1.& RS (), !+' +%

3M VHB Cleaning Sachet

No component test data available.

Material	Organism	Type	Exposure	Test endpoint	Test result
3M VHB Cleaning Sachet	Fathead minnow	Laboratory	96 hours	LC50	mg/l

12.2. Persistence and degradability

No test data available.

12.3 : Bioaccumulative potential

No test data available.

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Incinerate in a permitted waste incineration facility.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

- 15 02 02* Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances
- 20 01 13* Solvents

SECTION 14: Transportation information

DT-2729-9061-5

ADR/RID: UN3175, NOT RESTRICTED - SPECIAL PROVISION 216 FULFILLED, (--).

IMDG-CODE: UN3175, NOT RESTRICTED - SPECIAL PROVISION 216 FULFILLED, LIMITED QUANTITY, EMS: --

ICAO/IATA: NOT RESTRICTED - PROVISION OF A 46 ARE FULFILLED, information required for air way bill, LIMITED QUANTITY.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

7 D\$- (, v1.& RS (), !+' +%

3M VHB Cleaning Sachet

Global inventory status

Contact 3M for more information.

List of ingredients according to Annex VII D of the regulation on detergents 648/2004/EC

The following ingredient information is provided per Regulation EC No. 648/2004 on Detergents:

Ingredient	CAS No.	Concentration
Isopropyl alcohol	67-63-0	>10%
Water	7732-18-5	1-10%

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

List of relevant R-phrases

R11	Highly flammable.
R36	Irritating to eyes.
R67	Vapours may cause drowsiness and dizziness.

Revision information:

Revision Changes:

OEL Reg Agency Desc was modified.

Section 7: Precautions safe handling information was modified.

Section 8: Personal Protection - Eye information was modified.

Section 8: Personal Protection - Skin/hand information was modified.

Section 8: Personal Protection - Respiratory Information was modified.

Section 13: Standard Phrase Category Waste GHS was modified.

Section 15: Label remarks and EU Detergent was added.

Section 9: Autoignition temperature information was added.

Section 8: Eye/face protection information was deleted.

Section 8: Skin protection - recommended gloves information was deleted.

Section 8: Respiratory protection - recommended respirators information was deleted.

Section 8: Eye/face protection text was deleted.

Section 8: Respiratory protection - recommended respirators was deleted.

Section 8: Skin protection - recommended gloves text was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M United Kingdom MSDSs are available at www.3M.com/uk