

Tap-off terminal, Linergy BW, spring terminals 1 x 16mm², IPXXB, set of 12

LVS04152

EAN Code: 3606481866745

Main

Range	Linergy	
Range of product	Linergy BW	
Product or component type	Tap-off unit	
Accessory / separate part category	Connection accessory	
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P enclosure Linergy Linergy BW busbar	
Product destination	Busbar	

Complementary

installation description	Cubicle Floor-standing enclosure Wall-mounted enclosure Pack enclosure	
[le] rated operational current	55 A	
Connections - terminals	1 spring terminal 16 mm²	
Quantity per set	Set of 12	
Net weight	0.40 kg	

Environment

IP degree of protection IPxx B

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.7 cm
Package 1 Width	4.8 cm
Package 1 Length	23.0 cm
Package 1 Weight	320.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	7.0 cm
Package 2 Width	23.0 cm
Package 2 Length	25.2 cm

Package 2 Weight	3.213 kg
Unit Type of Package 3	P06
Number of Units in Package 3	360
Package 3 Height	59.0 cm
Package 3 Width	60.0 cm
Package 3 Length	80.0 cm
Package 3 Weight	122.0 kg

Logistical informations

Country of origin

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability

Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better


Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
Halogen content performance	Halogen free plastic parts product
PVC free	Yes

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions



- All dimensions are approximate and are in
 Also see technical documentation.