

# TeSys LE - enclosure for DOL starter - with selector switch and pushbutton

DE1DS2A13

EAN Code: 3389110087154

! Discontinued

## Main

Range of product	TeSys	
Range	TeSys	
Device short name	DE1D	
Product or component type	Enclosure	
Material	Polycarbonate	
Device composition	Contactor ordered separately Thermal overload relay ordered separately	
Product compatibility	LE1D1835	
Control type	Push-button reset blue R Selector switch 2 positions start/stop O-I	

# Complementary

Cable entry number	2 ISO20 top	
Cable entry number	·	
	2 ISO20 bottom	
	2 Pg 16 bottom	
	2 ISO25 top	
	2 Pg 21 bottom	
	•	
	2 ISO25 bottom	
Height	201 mm	
Width	103 mm	
Depth	170 mm	
Net weight	0.5 kg	

## **Environment**

IP degree of protection	IP65 conforming to IEC 60529	
IK degree of protection	IK07 conforming to IEC 60529	
Ambient air temperature for operation	-540 °C	
Environmental characteristic	Standard environment	
Product certifications	UKCA	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.5 cm

Package 1 Width	16.0 cm	
Package 1 Length	21.0 cm	
Package 1 Weight	660 O a	

# **Logistical informations**

Country of origin FF

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	107
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

### Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No