

21279-284 Trousers with kneepad pockets

ULTIMATE STRETCH - flame retardant
MASCOT® ACCELERATE MULTISAFE



- A high level of protection with anti-static, acid protection and flame retardant properties.
- Protects from electric arcs.
- A high level of wear resistance and the ultimate freedom of movement.
- CORDURA® reinforcements on the front of the leg - stretch under the CORDURA® material ensures good freedom of movement.
- Easily add holster pockets with the Click Pocket System.
- The inseam length can easily be extended by 3 cm.
- Suitable for Industrial Laundering.

Technical info

ULTIMATE STRETCH. Reflectors on the legs. Anti-static, acid-protective and flame retardant. Protects from electric arcs. Prepared for holster pockets with Click Pocket System. Double stitched seams on the leg and crotch. Ergonomically formed trouser leg. Belt loops. Hidden stud fastening. Fly with zip. Front pockets. Reinforced ruler pocket with flap. Thigh pocket with phone pocket and flap with hidden press stud and integrated ID card holder. Detachable ID card holder. Back pockets with reinforcement and flaps. Adjustable CORDURA® fabric kneepad pockets with flap and top access. Each standard leg length can be lengthened by 3 cm by releasing the internal red stitching. With print effects.

User



82C44	82C45	82C46	82C47	82C48	82C49	82C50
82C51	82C52	82C54	82C56	82C58	82C60	82C62
82C64	82C66	82C68	90C46	90C47	90C48	90C49
90C50	90C51	90C52	90C54	90C56	90C58	90C60
90C62	76C46	76C47	76C48	76C49	76C50	76C51
76C52	76C54	76C56	76C58			

Main material/upper material

40% modacrylic/28% cotton/19% polyamide/7% elastolefin/5% aramid/1% carbon fibres
290 g/m²



ULTIMATE STRETCH. According to EN ISO 20471, this product is certified to retain its properties with 50 domestic washes or 40 industrial washes. Impregnation is required after each wash to maintain EN 13034 protection.

Industrial care category B1



Certifications



- OEKO-TEX® STANDARD 100
- EN 1149-5
- EN ISO 11612 (A1, A2, B1, C1, E1, F1)
- EN 13034 (Type 6)
- EN 13034, category K
- EN 61482-1-2 APC 1
- EN IEC 61482-1-1 (ELIM 7,7 cal/cm², ATPV 9,5 cal/cm²)
- ProWash®

Logo

Due to the unique properties of the fabric, logo printing is only available through the use of specific transfer types. As this is a safety product, we strongly recommend that MASCOT affix the logo to reduce the risk of errors. Please contact customer service for further information.

Logo placement:

- Workwear logo. Special placement. Contact to discuss further