
SIEMENS

Data sheet 8WH1001-0AM01





Model			
product brand name	SENTRON		
product designation	Terminal blocks		
design of the product	installation terminal		
product variations	through-type terminal, for mounting on mounting rail acc. to IEC 60715		
design of terminal terminal levels internally linked	No		
General technical data			
terminal contact spacing	15 mm		
operating voltage rated value	600 V		
Protection class			
combustibility class according to UL 94	others		
Main circuit			
operational current rated value	125 A		
Appearance			
color	blue		
Product details			
product component required end cover plate	Yes		
Number			
number of terminal levels	1		
number of terminal points per terminal level	2		
Connections			
stripped length	18 mm		
connectable conductor cross-section solid			
• minimum	10 mm²		
• maximum	35 mm²		
connectable conductor cross-section stranded			
• minimum	10 mm²		
maximum	35 mm²		
connectable conductor cross-section finely stranded			
 with core end processing minimum 	0.8 mm ²		
 with core end processing maximum 	35 mm²		
 without core end processing minimum 	10 mm²		
without core end processing maximum	35 mm²		
tightening torque with screw-type terminals			
• minimum	3.2 N·m		
maximum	4 N·m		
type of connection 1	screw-type terminal		
type of connection 2	screw-type terminal		
position of the terminal	top		
Mechanical Design			

Confirmation	C €	Confirmation	Miscellaneous	Environmental Confirmations	
General Product Approval	Declaration of C formity	on- other		Environment	
Approvals Certificates					
maximum		105 °C			
• minimum		-60 °C			
ambient temperature during operation					
Environmental conditions					
material of the insulating body		Other			
net weight		44 g			
fastening method		DIN rail 35 mm			
length		55 mm			
height with lowest-profile installation		51 mm			

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH1001-0AM01

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/8WH1001-0AM01

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH1001-0AM01


CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications





last modified: 7/19/2023 🖸