

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : ADHESIVE QS 900  
UFI : NM9Y-88XJ-Y007-FX0F  
Product code : UDS000121AE  
Vaporizer : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Use of the substance/mixture : adhesives

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

CRC Industries UK Limited  
Wylde Road  
Castlefield Industrial Estate  
TA6 4DD Bridgwater Somerset  
United Kingdom  
T +44 1278 727200, F +44 1278 425644  
[hse.uk@crcind.com](mailto:hse.uk@crcind.com), [www.crcind.com](http://www.crcind.com)

#### 1.4. Emergency telephone number

Emergency number : +44 1278 727200  
Office hours: 9-17h CET

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

|                                                                        |           |
|------------------------------------------------------------------------|-----------|
| Aerosol, Category 1                                                    | H222;H229 |
| Skin corrosion/irritation, Category 2                                  | H315      |
| Serious eye damage/eye irritation, Category 2                          | H319      |
| Specific target organ toxicity – Single exposure, Category 3, Narcosis | H336      |
| Hazardous to the aquatic environment – Chronic Hazard, Category 2      | H411      |

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

GHS09

Signal word (CLP)

: Danger

Contains

: propan-2-one; propanone; Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Hydrocarbons, C6, isoalkanes, <5% n-hexane; Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard statements (CLP)        | : H222 - Extremely flammable aerosol.<br>H229 - Pressurised container: May burst if heated.<br>H315 - Causes skin irritation.<br>H319 - Causes serious eye irritation.<br>H336 - May cause drowsiness or dizziness.<br>H411 - Toxic to aquatic life with long lasting effects.                                                                                                                                                                                                                                                                                                                                             |
| Precautionary statements (CLP) | : P102 - Keep out of reach of children.<br>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P211 - Do not spray on an open flame or other ignition source.<br>P251 - Do not pierce or burn, even after use.<br>P261 - Avoid breathing vapours/spray.<br>P280 - Wear protective gloves/eye protection.<br>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.<br>P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Name                                                                                                                                        | Product identifier                                                                                 | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------------|
| butane<br>(Propellant gas (Aerosol))<br>substance with national workplace exposure limit(s)<br>(GB)                                         | CAS-No.: 106-97-8<br>EC-No.: 203-448-7<br>EC Index-No.: 601-004-00-0<br>REACH-no: 01-2119474691-32 | 10 – 25   | Flam. Gas 1, H220<br>Press. Gas (Liq.), H280                                                                 |
| propan-2-one; propanone<br>substance with national workplace exposure limit(s)<br>(GB); substance with a Community workplace exposure limit | CAS-No.: 67-64-1<br>EC-No.: 200-662-2<br>EC Index-No.: 606-001-00-8<br>REACH-no: 01-2119471330-49  | 10 – 25   | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336<br>EUH066                                        |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics                                                                                            | EC-No.: 927-510-4<br>REACH-no: 01-2119475515-33                                                    | $\leq 20$ | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |
| Hydrocarbons, C6, isoalkanes, <5% n-hexane (UVCB)                                                                                           | EC-No.: 931-254-9<br>REACH-no: 01-2119484651-34                                                    | $\leq 10$ | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |
| Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane (UVCB)                                                                               | EC-No.: 926-605-8<br>REACH-no: 01-2119486291-36                                                    | $\leq 10$ | Flam. Liq. 2, H225<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411<br>EUH066              |

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name                                                                                                                                                                                          | Product identifier                                                                                 | %        | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| n-hexane<br>(Constituent)<br>Substance listed on REACH Candidate List.<br>substance with national workplace exposure limit(s)<br>(GB); substance with a Community workplace<br>exposure limit | CAS-No.: 110-54-3<br>EC-No.: 203-777-6<br>EC Index-No.: 601-037-00-0<br>REACH-no: 01-2119480412-44 | 0,1 - <1 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>Repr. 2, H361f<br>STOT SE 3, H336<br>STOT RE 1, H372<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |

Comments : The substances identified as "constituents" are chemical compounds that are typically present in the UVCB substance. Their presence may be relevant for hazard classification, or other health / environmental reasons (i.e. OELs)

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Seek medical attention if irritation develops.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical attention if irritation develops.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

- |                      |                                                                                                                                                           |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Wear appropriate protective equipment and clothing during clean-up.                                                                                     |
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. |

##### For emergency responders

- |                      |                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. Ventilate area.                                                                                                           |

#### 6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.3. Methods and material for containment and cleaning up

- |                                   |                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For containment                   | : Collect spillage.                                                                                                                                                                                                                                                                                                  |
| Methods for cleaning up           | : Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination. |
| Additional Regulatory Information | : Dispose of materials or solid residues at an authorized site.                                                                                                                                                                                                                                                      |

#### 6.4. Reference to other sections

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures. |
| Hygiene measures              | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.                                                                                                                                                                                                                                                                                                                                                      |

#### 7.2. Conditions for safe storage, including any incompatibilities

- |                    |                                                                                                                                                                                                                                                       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage conditions | : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Keep container closed when not in use. |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

##### butane (106-97-8)

##### United Kingdom - Occupational Exposure Limits

|            |        |
|------------|--------|
| Local name | Butane |
|------------|--------|

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| butane (106-97-8)    |                                                                                                                                    |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------|
| WEL TWA (OEL TWA)    | 1450 mg/m <sup>3</sup>                                                                                                             |
|                      | 600 ppm                                                                                                                            |
| WEL STEL (OEL STEL)  | 1810 mg/m <sup>3</sup>                                                                                                             |
|                      | 750 ppm                                                                                                                            |
| Remark               | Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE                                                                                              |

| propan-2-one; propanone (67-64-1)                  |                                 |
|----------------------------------------------------|---------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) |                                 |
| Local name                                         | Acetone                         |
| IOEL TWA                                           | 1210 mg/m <sup>3</sup>          |
|                                                    | 500 ppm                         |
| Regulatory reference                               | COMMISSION DIRECTIVE 2000/39/EC |

| United Kingdom - Occupational Exposure Limits |                                       |
|-----------------------------------------------|---------------------------------------|
| Local name                                    | Acetone                               |
| WEL TWA (OEL TWA)                             | 1210 mg/m <sup>3</sup>                |
|                                               | 500 ppm                               |
| WEL STEL (OEL STEL)                           | 3620 mg/m <sup>3</sup>                |
|                                               | 1500 ppm                              |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE |

| n-hexane (110-54-3)                                |                                 |
|----------------------------------------------------|---------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) |                                 |
| Local name                                         | n-Hexane                        |
| IOEL TWA                                           | 72 mg/m <sup>3</sup>            |
|                                                    | 20 ppm                          |
| Regulatory reference                               | COMMISSION DIRECTIVE 2006/15/EC |

| United Kingdom - Occupational Exposure Limits |                                       |
|-----------------------------------------------|---------------------------------------|
| Local name                                    | n-Hexane                              |
| WEL TWA (OEL TWA)                             | 72 mg/m <sup>3</sup>                  |
|                                               | 20 ppm                                |
| WEL STEL (OEL STEL)*                          | 216 mg/m <sup>3</sup>                 |
|                                               | 60 ppm                                |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE |

### DNEL and PNEC

| propan-2-one; propanone (67-64-1)        |                          |
|------------------------------------------|--------------------------|
| DNEL/DMEL (Workers)                      |                          |
| Acute - local effects, inhalation        | 2420 mg/m <sup>3</sup>   |
| Long-term - systemic effects, dermal     | 186 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 1210 mg/m <sup>3</sup>   |

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                                  |                            |
|------------------------------------------------------------------|----------------------------|
| <b>propan-2-one; propanone (67-64-1)</b>                         |                            |
| <b>DNEL/DMEL (General population)</b>                            |                            |
| Long-term - systemic effects, oral                               | 62 mg/kg bodyweight/day    |
| Long-term - systemic effects, inhalation                         | 200 mg/m <sup>3</sup>      |
| Long-term - systemic effects, dermal                             | 62 mg/kg bodyweight/day    |
| <b>PNEC (Water)</b>                                              |                            |
| PNEC aqua (freshwater)                                           | 10.6 mg/l                  |
| PNEC aqua (marine water)                                         | 1.06 mg/l                  |
| PNEC aqua (intermittent, freshwater)                             | 21 mg/l                    |
| <b>PNEC (Sediment)</b>                                           |                            |
| PNEC sediment (freshwater)                                       | 30.4 mg/kg dwt             |
| PNEC sediment (marine water)                                     | 3.04 mg/kg dwt             |
| <b>PNEC (Soil)</b>                                               |                            |
| PNEC soil                                                        | 29.5 mg/kg dwt             |
| <b>PNEC (STP)</b>                                                |                            |
| PNEC sewage treatment plant                                      | 100 mg/l                   |
| <b>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</b>          |                            |
| <b>DNEL/DMEL (Workers)</b>                                       |                            |
| Long-term - systemic effects, dermal                             | 300 mg/kg bodyweight/day   |
| Long-term - systemic effects, inhalation                         | 2085 mg/m <sup>3</sup>     |
| <b>DNEL/DMEL (General population)</b>                            |                            |
| Long-term - systemic effects, oral                               | 149 mg/kg bodyweight/day   |
| Long-term - systemic effects, inhalation                         | 447 mg/m <sup>3</sup>      |
| Long-term - systemic effects, dermal                             | 149 mg/kg bodyweight/day   |
| <b>Hydrocarbons, C6, isoalkanes, &lt;5% n-hexane</b>             |                            |
| <b>DNEL/DMEL (Workers)</b>                                       |                            |
| Long-term - systemic effects, dermal                             | 13964 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                         | 5306 mg/m <sup>3</sup>     |
| <b>DNEL/DMEL (General population)</b>                            |                            |
| Long-term - systemic effects, oral                               | 1301 mg/kg bodyweight/day  |
| Long-term - systemic effects, inhalation                         | 1131 mg/m <sup>3</sup>     |
| Long-term - systemic effects, dermal                             | 1377 mg/kg bodyweight/day  |
| <b>Hydrocarbons, C6-C7, isoalkanes, cyclics, &lt;5% n-hexane</b> |                            |
| <b>DNEL/DMEL (Workers)</b>                                       |                            |
| Long-term - systemic effects, dermal                             | 13964 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                         | 5306 mg/m <sup>3</sup>     |
| <b>DNEL/DMEL (General population)</b>                            |                            |
| Long-term - systemic effects, oral                               | 1301 mg/kg bodyweight/day  |
| Long-term - systemic effects, inhalation                         | 1131 mg/m <sup>3</sup>     |

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

|                                      |                           |
|--------------------------------------|---------------------------|
| Long-term - systemic effects, dermal | 1377 mg/kg bodyweight/day |
|--------------------------------------|---------------------------|

### n-hexane (110-54-3)

#### DNEL/DMEL (Workers)

|                                      |                         |
|--------------------------------------|-------------------------|
| Long-term - systemic effects, dermal | 11 mg/kg bodyweight/day |
|--------------------------------------|-------------------------|

|                                          |                      |
|------------------------------------------|----------------------|
| Long-term - systemic effects, inhalation | 75 mg/m <sup>3</sup> |
|------------------------------------------|----------------------|

#### DNEL/DMEL (General population)

|                                    |                        |
|------------------------------------|------------------------|
| Long-term - systemic effects, oral | 4 mg/kg bodyweight/day |
|------------------------------------|------------------------|

|                                          |                      |
|------------------------------------------|----------------------|
| Long-term - systemic effects, inhalation | 16 mg/m <sup>3</sup> |
|------------------------------------------|----------------------|

|                                      |                          |
|--------------------------------------|--------------------------|
| Long-term - systemic effects, dermal | 5.3 mg/kg bodyweight/day |
|--------------------------------------|--------------------------|

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal protection equipment

#### Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

### Skin protection

#### Skin and body protection:

Wear suitable protective clothing. Antistatic clothing including shoes are recommended

#### Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended. Layer thickness : > 0,10 mm.

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

### Thermal hazards

#### Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                 |                                               |
|-------------------------------------------------|-----------------------------------------------|
| Colour                                          | : Yellow.                                     |
| Appearance                                      | : Propane/butane propelled liquid.            |
| Odour                                           | : Solvent.                                    |
| Odour threshold                                 | : Not available                               |
| Melting point                                   | : Not applicable                              |
| Freezing point                                  | : Not available                               |
| Boiling point                                   | : 56 °C                                       |
| Flammability                                    | : Extremely flammable aerosol.                |
| Explosive properties                            | : Pressurised container: May burst if heated. |
| Lower explosion limit                           | : 1.1                                         |
| Upper explosion limit                           | : 13                                          |
| Flash point                                     | : -18 °C                                      |
| Auto-ignition temperature                       | : > 200 °C                                    |
| Decomposition temperature                       | : Not available                               |
| pH                                              | : Not applicable                              |
| Viscosity, kinematic                            | : 100 – 150 mm <sup>2</sup> /s                |
| Viscosity, dynamic                              | : 80 – 120 mPa·s                              |
| Solubility                                      | : Insoluble in water.                         |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                               |
| Vapour pressure                                 | : Not available                               |
| Vapour pressure at 50°C                         | : Not available                               |
| Density                                         | : 0.8 g/cm <sup>3</sup> at 20 °C              |
| Relative density                                | : 0.8 at 20 °C                                |
| Relative vapour density at 20°C                 | : Not available                               |
| Particle characteristics                        | : Not applicable                              |

### 9.2. Additional Regulatory Information

#### Information with regard to physical hazard classes

% of flammable ingredients : 75 – 100 %

#### Other safety characteristics

VOC content : 549 g/l  
Additional information : For aerosols data for the product without propellant.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO<sub>2</sub>).

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                                                                                     |
|-----------------------------|-------------------------------------------------------------------------------------|
| Acute toxicity (oral)       | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal)     | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |

##### propan-2-one; propanone (67-64-1)

|                       |                          |
|-----------------------|--------------------------|
| LD50 oral rat         | 5800 mg/kg bodyweight    |
| LD50 dermal           | > 15688 mg/kg bodyweight |
| LC50 Inhalation - Rat | 76 mg/l/4h               |

##### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

|                       |                         |
|-----------------------|-------------------------|
| LD50 oral rat         | > 5000 mg/kg bodyweight |
| LD50 dermal rabbit    | > 2000 mg/kg bodyweight |
| LC50 Inhalation - Rat | > 23.3 mg/l/4h          |

##### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

|                       |              |
|-----------------------|--------------|
| LD50 oral rat         | > 3350 mg/kg |
| LD50 dermal rabbit    | > 2000 mg/kg |
| LC50 Inhalation - Rat | > 20 mg/l/4h |

##### n-hexane (110-54-3)

|                                   |                          |
|-----------------------------------|--------------------------|
| LD50 oral rat                     | 24 ml/kg                 |
| LD50 oral                         | > 16000 mg/kg bodyweight |
| LD50 dermal rabbit                | > 3350 mg/kg             |
| LD50 dermal                       | > 2000 mg/kg bodyweight  |
| LC50 Inhalation - Rat (Dust/Mist) | > 17600 mg/l             |

|                           |                                                 |
|---------------------------|-------------------------------------------------|
| Skin corrosion/irritation | : Causes skin irritation.<br>pH: Not applicable |
|---------------------------|-------------------------------------------------|

##### butane (106-97-8)

|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) |
|---------------------------|-----------------------------------------------------------------------------------|

##### propan-2-one; propanone (67-64-1)

|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) |
|---------------------------|-----------------------------------------------------------------------------------|

##### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

|                           |                         |
|---------------------------|-------------------------|
| Skin corrosion/irritation | Causes skin irritation. |
|---------------------------|-------------------------|

##### Hydrocarbons, C6, isoalkanes, <5% n-hexane

|                           |                         |
|---------------------------|-------------------------|
| Skin corrosion/irritation | Causes skin irritation. |
|---------------------------|-------------------------|

##### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) |
|---------------------------|-----------------------------------------------------------------------------------|

##### n-hexane (110-54-3)

|                           |                         |
|---------------------------|-------------------------|
| Skin corrosion/irritation | Causes skin irritation. |
|---------------------------|-------------------------|

|                               |                                                        |
|-------------------------------|--------------------------------------------------------|
| Serious eye damage/irritation | : Causes serious eye irritation.<br>pH: Not applicable |
|-------------------------------|--------------------------------------------------------|

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                                  |                                                                                     |
|------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>butane (106-97-8)</b>                                         |                                                                                     |
| Serious eye damage/irritation                                    | Not classified (Based on available data, the classification criteria are not met)   |
| <b>propan-2-one; propanone (67-64-1)</b>                         |                                                                                     |
| Serious eye damage/irritation                                    | Causes serious eye irritation.                                                      |
| <b>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</b>          |                                                                                     |
| Serious eye damage/irritation                                    | Not classified (Based on available data, the classification criteria are not met)   |
| <b>Hydrocarbons, C6, isoalkanes, &lt;5% n-hexane</b>             |                                                                                     |
| Serious eye damage/irritation                                    | Not classified (Based on available data, the classification criteria are not met)   |
| <b>Hydrocarbons, C6-C7, isoalkanes, cyclics, &lt;5% n-hexane</b> |                                                                                     |
| Serious eye damage/irritation                                    | Not classified (Based on available data, the classification criteria are not met)   |
| <b>n-hexane (110-54-3)</b>                                       |                                                                                     |
| Serious eye damage/irritation                                    | Not classified (Based on available data, the classification criteria are not met)   |
| <b>Respiratory or skin sensitisation</b>                         | : Not classified (Based on available data, the classification criteria are not met) |
| <b>Germ cell mutagenicity</b>                                    | : Not classified (Based on available data, the classification criteria are not met) |
| <b>Carcinogenicity</b>                                           | : Not classified (Based on available data, the classification criteria are not met) |
| <b>Reproductive toxicity</b>                                     | : Not classified (Based on available data, the classification criteria are not met) |
| <b>STOT-single exposure</b>                                      | : May cause drowsiness or dizziness.                                                |
| <b>propan-2-one; propanone (67-64-1)</b>                         |                                                                                     |
| STOT-single exposure                                             | May cause drowsiness or dizziness.                                                  |
| <b>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</b>          |                                                                                     |
| STOT-single exposure                                             | May cause drowsiness or dizziness.                                                  |
| <b>Hydrocarbons, C6, isoalkanes, &lt;5% n-hexane</b>             |                                                                                     |
| STOT-single exposure                                             | May cause drowsiness or dizziness.                                                  |
| <b>Hydrocarbons, C6-C7, isoalkanes, cyclics, &lt;5% n-hexane</b> |                                                                                     |
| STOT-single exposure                                             | May cause drowsiness or dizziness.                                                  |
| <b>n-hexane (110-54-3)</b>                                       |                                                                                     |
| STOT-single exposure                                             | May cause drowsiness or dizziness.                                                  |
| <b>STOT-repeated exposure</b>                                    | : Not classified (Based on available data, the classification criteria are not met) |
| <b>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</b>          |                                                                                     |
| LOAEC (inhalation, rat, vapour, 90 days)                         | 16.6 mg/l air                                                                       |
| NOAEC (inhalation, rat, vapour, 90 days)                         | 3.3 mg/l air                                                                        |
| <b>n-hexane (110-54-3)</b>                                       |                                                                                     |
| STOT-repeated exposure                                           | Causes damage to organs through prolonged or repeated exposure.                     |
| <b>Aspiration hazard</b>                                         | : Not classified (Based on available data, the classification criteria are not met) |
| <b>ADHESIVE QS 900</b>                                           |                                                                                     |
| Vaporizer                                                        | Aerosol                                                                             |
| Viscosity, kinematic                                             | 100 – 150 mm²/s                                                                     |

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

#### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

#### propan-2-one; propanone (67-64-1)

|                                    |                                       |
|------------------------------------|---------------------------------------|
| LC50 - Fish [1]                    | 5540 mg/l                             |
| EC50 - Other aquatic organisms [1] | 12600 mg/l Daphnia magna (Water flea) |
| LOEC (chronic)                     | > 79 mg/l                             |
| NOEC (chronic)                     | ≥ 79 mg/l                             |

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

|                      |                                     |
|----------------------|-------------------------------------|
| EC50 - Crustacea [1] | 1.5 mg/l Daphnia magna (Water flea) |
| LOEC (chronic)       | 0.32 mg/l (21 d)                    |
| NOEC (chronic)       | 0.17 mg/l (21 d)                    |

#### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

|                      |                                   |
|----------------------|-----------------------------------|
| LC50 - Fish [1]      | 12 mg/l                           |
| EC50 - Crustacea [1] | 3 mg/l Daphnia magna (Water flea) |
| ErC50 algae          | 55 mg/l                           |

#### n-hexane (110-54-3)

|                                    |          |
|------------------------------------|----------|
| LC50 - Fish [1]                    | > 1 mg/l |
| EC50 - Other aquatic organisms [1] | 50 mg/l  |

### 12.2. Persistence and degradability

#### ADHESIVE QS 900

|                               |                                                                             |
|-------------------------------|-----------------------------------------------------------------------------|
| Persistence and degradability | Not established. No data is available on the degradability of this product. |
|-------------------------------|-----------------------------------------------------------------------------|

### 12.3. Bioaccumulative potential

#### propan-2-one; propanone (67-64-1)

|                                                 |       |
|-------------------------------------------------|-------|
| Partition coefficient n-octanol/water (Log Pow) | -0.24 |
|-------------------------------------------------|-------|

#### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

|                                                 |     |
|-------------------------------------------------|-----|
| Partition coefficient n-octanol/water (Log Pow) | < 4 |
|-------------------------------------------------|-----|

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| n-hexane (110-54-3)                             |     |
|-------------------------------------------------|-----|
| Partition coefficient n-octanol/water (Log Pow) | 3.9 |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

| ADHESIVE QS 900           |                                                                                                  |
|---------------------------|--------------------------------------------------------------------------------------------------|
| Results of PBT assessment | Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII |

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

| ADHESIVE QS 900                   |                                                       |
|-----------------------------------|-------------------------------------------------------|
| Additional Regulatory Information | No other effects known                                |
| Global warming potential (GWP)    | 1.5 (Fluorinated greenhouse gases - (EC) No 2024/573) |

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
European List of Waste (LoW, EC 2000/532) : According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                                   | IMDG                                                              | IATA                                                        | ADN                                              | RID                                              |
|-------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------|--------------------------------------------------|--------------------------------------------------|
| 14.1. UN number or ID number                          |                                                                   |                                                             |                                                  |                                                  |
| UN 1950                                               | UN 1950                                                           | UN 1950                                                     | UN 1950                                          | UN 1950                                          |
| 14.2. UN proper shipping name                         |                                                                   |                                                             |                                                  |                                                  |
| AEROSOLS                                              | AEROSOLS                                                          | Aerosols, flammable                                         | AEROSOLS                                         | AEROSOLS                                         |
| Transport document description                        |                                                                   |                                                             |                                                  |                                                  |
| UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS | UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS | UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS | UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS | UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS |
| 14.3. Transport hazard class(es)                      |                                                                   |                                                             |                                                  |                                                  |
| 2.1                                                   | 2.1                                                               | 2.1                                                         | 2.1                                              | 2.1                                              |

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                                    | IMDG                                                                                                          | IATA                               | ADN                                | RID                                |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------|------------------------------------|------------------------------------|
|                                        |                                                                                                               |                                    |                                    |                                    |
| <b>14.4. Packing group</b>             |                                                                                                               |                                    |                                    |                                    |
| Not applicable                         | Not applicable                                                                                                | Not applicable                     | Not applicable                     | Not applicable                     |
| <b>14.5. Environmental hazards</b>     |                                                                                                               |                                    |                                    |                                    |
| Dangerous for the environment: Yes     | Dangerous for the environment: Yes<br>Marine pollutant: Yes<br>EmS-No. (Fire): F-D<br>EmS-No. (Spillage): S-U | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information available |                                                                                                               |                                    |                                    |                                    |

### 14.6. Special precautions for user

#### Overland transport

|                                                                         |                      |
|-------------------------------------------------------------------------|----------------------|
| Classification code (ADR)                                               | : 5F                 |
| Special provisions (ADR)                                                | : 190, 327, 344, 625 |
| Limited quantities (ADR)                                                | : 1I                 |
| Excepted quantities (ADR)                                               | : E0                 |
| Packing instructions (ADR)                                              | : P207, LP200        |
| Special packing provisions (ADR)                                        | : PP87, RR6, L2      |
| Mixed packing provisions (ADR)                                          | : MP9                |
| Transport category (ADR)                                                | : 2                  |
| Special provisions for carriage - Packages (ADR)                        | : V14                |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV12          |
| Special provisions for carriage - Operation (ADR)                       | : S2                 |
| Tunnel restriction code (ADR)                                           | : D                  |

#### Transport by sea

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Special provisions (IMDG)         | : 63, 190, 277, 327, 344, 381, 959 |
| Limited quantities (IMDG)         | : SP277                            |
| Excepted quantities (IMDG)        | : E0                               |
| Packing instructions (IMDG)       | : P207, LP200                      |
| Special packing provisions (IMDG) | : PP87, L2                         |
| Stowage category (IMDG)           | : None                             |
| Stowage and handling (IMDG)       | : SW1, SW22                        |
| Segregation (IMDG)                | : SG69                             |

#### Air transport

|                                              |                    |
|----------------------------------------------|--------------------|
| PCA Excepted quantities (IATA)               | : E0               |
| PCA Limited quantities (IATA)                | : Y203             |
| PCA limited quantity max net quantity (IATA) | : 30kgG            |
| PCA packing instructions (IATA)              | : 203              |
| PCA max net quantity (IATA)                  | : 75kg             |
| CAO packing instructions (IATA)              | : 203              |
| CAO max net quantity (IATA)                  | : 150kg            |
| Special provisions (IATA)                    | : A145, A167, A802 |
| ERG code (IATA)                              | : 10L              |

#### Inland waterway transport

|                           |                      |
|---------------------------|----------------------|
| Classification code (ADN) | : 5F                 |
| Special provisions (ADN)  | : 190, 327, 344, 625 |
| Limited quantities (ADN)  | : 1 L                |
| Excepted quantities (ADN) | : E0                 |

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01, VE04  
Number of blue cones/lights (ADN) : 1

### Rail transport

Classification code (RID) : 5F  
Special provisions (RID) : 190, 327, 344, 625  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0  
Packing instructions (RID) : P207, LP200  
Special packing provisions (RID) : PP87, RR6, L2  
Mixed packing provisions (RID) : MP9  
Transport category (RID) : 2  
Special provisions for carriage – Packages (RID) : W14  
Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12  
Colis express (express parcels) (RID) : CE2  
Hazard identification number (RID) : 23

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1\%$  or SCL: n-hexane (EC 203-777-6, CAS 110-54-3)

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### VOC Directive (2004/42)

VOC content : 549 g/l

##### Seveso Directive (Disaster Risk Reduction)

Seveso Additional information : P3a: FLAMMABLE AEROSOLS  
'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids Category 1  
E2: Hazardous to the Aquatic Environment in Category Chronic 2

##### Explosives Precursors Regulation (EU 2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name    | CAS-No. | Combined Nomenclature code (CN) | Combined Nomenclature code for mixture without constituents which would determine classification under another CN code |
|---------|---------|---------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Acetone | 67-64-1 | 2914 11 00                      | ex 3824 99 92                                                                                                          |

### Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

| Name    | CN designation | CAS-No. | CN code    | Category, Subcategory | Threshold | Annex   |
|---------|----------------|---------|------------|-----------------------|-----------|---------|
| Acetone |                | 67-64-1 | 2914 11 00 | Category 3            |           | Annex I |

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Indication of changes |                                                 |                 |
|-----------------------|-------------------------------------------------|-----------------|
| Section               | Changed item                                    | Comments        |
| 3                     | Comments (below composition)                    | <b>Added</b>    |
| 3                     | Composition/information on ingredients          | <b>Modified</b> |
| 8.2                   | Indicative Occupational Exposure Limit (IOEL)   | <b>Modified</b> |
| 8.2                   | DNEL and PNEC                                   | <b>Modified</b> |
| 15.1                  | Substance(s) listed on the REACH Candidate List | <b>Added</b>    |

### Abbreviations and acronyms:

|        |                                                                                                 |
|--------|-------------------------------------------------------------------------------------------------|
| ADN    | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR    | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE    | Acute Toxicity Estimate                                                                         |
| BCF    | Bioconcentration factor                                                                         |
| BLV    | Biological limit value                                                                          |
| BOD    | Biochemical oxygen demand (BOD)                                                                 |
| COD    | Chemical oxygen demand (COD)                                                                    |
| DMEL   | Derived Minimal Effect level                                                                    |
| DNEL   | Derived-No Effect Level                                                                         |
| EC-No. | European Community number                                                                       |
| EC50   | Median effective concentration                                                                  |
| EN     | European Standard                                                                               |
| IARC   | International Agency for Research on Cancer                                                     |
| IATA   | International Air Transport Association                                                         |
| IMDG   | International Maritime Dangerous Goods                                                          |
| LC50   | Median lethal concentration                                                                     |
| LD50   | Median lethal dose                                                                              |

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

|         |                                                                              |
|---------|------------------------------------------------------------------------------|
| LOAEL   | Lowest Observed Adverse Effect Level                                         |
| NOAEC   | No-Observed Adverse Effect Concentration                                     |
| NOAEL   | No-Observed Adverse Effect Level                                             |
| NOEC    | No-Observed Effect Concentration                                             |
| OECD    | Organisation for Economic Co-operation and Development                       |
| OEL     | Occupational Exposure Limit                                                  |
| PBT     | Persistent Bioaccumulative Toxic                                             |
| PNEC    | Predicted No-Effect Concentration                                            |
| RID     | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS     | Safety Data Sheet                                                            |
| STP     | Sewage treatment plant                                                       |
| ThOD    | Theoretical oxygen demand (ThOD)                                             |
| TLM     | Median Tolerance Limit                                                       |
| VOC     | Volatile Organic Compounds                                                   |
| CAS-No. | Chemical Abstracts Service number                                            |
| N.O.S.  | Not Otherwise Specified                                                      |
| vPvB    | Very Persistent and Very Bioaccumulative                                     |
| ED      | Endocrine disruptor                                                          |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

### Full text of H- and EUH-statements:

|                   |                                                                        |
|-------------------|------------------------------------------------------------------------|
| Aerosol 1         | Aerosol, Category 1                                                    |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2      |
| Asp. Tox. 1       | Aspiration hazard, Category 1                                          |
| Eye Irrit. 2      | Serious eye damage/eye irritation, Category 2                          |
| Flam. Gas 1       | Flammable gases, Category 1                                            |
| Flam. Liq. 2      | Flammable liquids, Category 2                                          |
| Press. Gas (Liq.) | Gases under pressure : Liquefied gas                                   |
| Repr. 2           | Reproductive toxicity, Category 2                                      |
| Skin Irrit. 2     | Skin corrosion/irritation, Category 2                                  |
| STOT RE 1         | Specific target organ toxicity – Repeated exposure, Category 1         |
| STOT SE 3         | Specific target organ toxicity – Single exposure, Category 3, Narcosis |
| H220              | Extremely flammable gas.                                               |
| H222              | Extremely flammable aerosol.                                           |
| H225              | Highly flammable liquid and vapour.                                    |
| H229              | Pressurised container: May burst if heated.                            |
| H280              | Contains gas under pressure; may explode if heated.                    |

# ADHESIVE QS 900

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

|        |                                                                 |
|--------|-----------------------------------------------------------------|
| H304   | May be fatal if swallowed and enters airways.                   |
| H315   | Causes skin irritation.                                         |
| H319   | Causes serious eye irritation.                                  |
| H336   | May cause drowsiness or dizziness.                              |
| H361f  | Suspected of damaging fertility.                                |
| H372   | Causes damage to organs through prolonged or repeated exposure. |
| H411   | Toxic to aquatic life with long lasting effects.                |
| EUH066 | Repeated exposure may cause skin dryness or cracking.           |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                   |           |                       |
|-------------------|-----------|-----------------------|
| Aerosol 1         | H222;H229 | On basis of test data |
| Skin Irrit. 2     | H315      | Calculation method    |
| Eye Irrit. 2      | H319      | Calculation method    |
| STOT SE 3         | H336      | Calculation method    |
| Aquatic Chronic 2 | H411      | Calculation method    |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.